



Characterization Catalogue and Pictorial Varietal Descriptions on Traditional Paddy Varieties (*oryza sativa*) Conserved in the National Crop Genebank



National Biodiversity Centre (NBC)

Ministry of Agriculture and Forests, Serbithang, Thimphu, Bhutan

PO. Box: 875; Tele.: +975-2-351417/350268; Fax: +975-2-351219

Email: nbc.moaf@gmail.com

NBC website: www.nbc.gov.bt

Bhutan Biodiversity Portal: www.biodiversity.bt



NATIONAL BIODIVERSITY CENTRE



Characterization Catalogue and Pictorial Varietal Descriptions on Traditional Paddy Varieties (*Oryza sativa*) Conserved in the National Crop Genebank

Dedicated to the 40th birth anniversary of His Majesty the King Jigme Khesar Namgyel Wangchuck



**National Biodiversity Centre
Ministry of Agriculture and Forests
Royal Government of Bhutan**



Published by:

National Biodiversity Centre (NBC)

Ministry of Agriculture and Forests, Serbithang, Thimphu 11001, Bhutan. PO. Box. 875.

Tele: +975-2-351417; Fax: +975-2-351219; www.nbc.gov.bt (NBC website)

www.biodiversity.bt (Bhutan Biodiversity Portal); Email: nbc.moaf@gmail.com

June 2019

Compiled & Prepared by:

Choki Wangmo (Plant Genetic Resources Program, NBC)

Editors:

Dr. Tashi Yangzome Dorji (Program Director, NBC)

Choki Wangmo (Plant Genetic Resources Program, NBC)

Choki Gyeltshen (Biodiversity Information Management Program, NBC)

Field Co-ordinators & Implementers:

NBC: **Choki Wangmo**

FC/RDC Yusipang: **Padam Lal Giri**

ARDC Bajo: **Ngawang, Cheku Dorji & Lekjey**

ARDSC Tsirang: **Sangye Tshewang, Doley, Rabgyal Dukpa & Karma**

Dema

ARDC Bhur: **Chezang Dendup**

ARDC Wengkhar & Sub-Centres: **Namgye Wangdue** (Khangma), **Tshering Choden** (Wengkhar), & **Tashi Dema** (Lingmithang)

Front Cover Photo: Attey rice variety

Back Cover Photo: Rice Study Trial (top), Display of Traditional Crop Varieties (bottom).

© 2019 National Biodiversity Centre (NBC), Thimphu, All Rights Reserved

Fund Support: Royal Government of Bhutan

Layout & Design: Choki Gyeltshen & Choki Wangmo

Printed in Bhutan



Preface

The National Crop Genebank under the National Biodiversity Centre (NBC) has carried out exploration and collection of traditional crop varieties from different locations within the country since 2005 in order to conserve crop germplasm for food and Nutritional Security.

In 2008, Phenotypic Characterization and Seed Multiplication of different traditional rice varieties conserved in the Genebank was started since rice is major staple food crop of Bhutan and one of the main crops conserved in the Genebank.

This publication makes phenotypic data of different traditional rice varieties documented thus far publicly available to strengthen information on traditional rice varieties in the country, to facilitate the utilization of the germplasm conserved at NBC and to assist breeders and scientists in the selection of germplasm accessions for crop improvement and studies.

Dr. Tashi Yangzome Dorji
Program Director
National Biodiversity Centre



Acknowledgment

I would like to express my sincere thanks to the Program Directors of Agriculture Research and Development Centres (ARDC), Officer-in-Charge of Agriculture Research and Development Sub-Centres (ARDSC) for their support and facilities, and I am also indebted to all the technical staffs & assistants for successfully implementing and managing the field works and assisting in data collections.

Most sincere thanks to Mr. Mahesh Ghimiray (Rice Specialist, ARDC Bajo), and Mr. Tirtha B. Katwal (Specialist) for their technical guidances.

Finally, I wish to extend my gratitude to Dr. Tashi Yangzome Dorji, Program Director of NBC, Head of Plant Genetic Resources Program at NBC and all other staffs in their continued support in implementing the program activities. I also would like to thank Royal Government of Bhutan for the funding support and necessary approvals to conduct this study.

Choki Wangmo
Plant Genetic Resources Program/Genebank

Contents

| | |
|---|----|
| Preface | 3 |
| Acknowledgement | 4 |
| Introduction | 7 |
| Pictorial Information | 8 |
| Descriptors | 50 |
| Characterization Data: Repatriated Germplasm Data | 56 |
| Characterization Data: Gene Bank Accessions | 72 |

Timburay variety (*Oryza sativa*)



Introduction

The National Genebank for ex situ conservation of plant genetic resources for food and agriculture (PGRFA) was established under NBC in 2005 with financial support from the Royal Government of the Netherlands under the frame work of Sustainable Development Agreements (SDA)

One of the main activities of the Genebank is exploration and germplasm collection of traditional crop diversity for conservation before they are lost forever from the farmers field. Presently, more than 2000 Accessions of traditional crop varieties are being conserved in the Genebank. Rice is one of the main crops conserved, amounting to more than 1000 Accessions. In addition, 360 paddy accessions repatriated from IRRI, Philippines adds to the collection.

Characterization of the conserved material is one of the main activity under Genebank program. Characterization and Evaluation of conserved PGR increases their practical value contributing to their enhanced utilization in crop improvement programs.

The purpose of the work objectives on characterization of Plant Genetic Resources (PGR) is to study the genetic diversity of the conserved germplasm, to identify salient features that distinguish accession from one another, to identify accessions having useful traits.

This study was carried out in collaboration with different ARDCs, located in different Agro-ecological zones based on the passport information of the conserved material. (200m-2100masl).

This publication contains information on the varietal traits or characteristics of the traditional Bhutanese rice landraces, described following the standard IRRI Descriptors for Rice. Pictorial varietal information is provided for 41 popular local rice varieties in addition to the distinguishing variety traits in the Annexures. The variety characterization data are separately provided for germplasm repatriated from the IRRI genebank (256 accessions) and for 437 accessions which are conserved in the national genebank at NBC. In total, 693 accessions have been characterized. In addition to the passport information, the characterized data include variety traits describing the leaf, culm, stigma, panicle and the grain. The pictures depict the whole panicles, threshed grains and milled rice grains. In future, efforts will continue to characterize all the accessions in the genebank, as well as exploration and collection of remaining varieties from the field.

Accession No.: BTNC 917

Local Name: Bararay

Place of Cultivation:

Village: Chisopani

Gewog: Pemaling

Dzongkhag: Samtse

Altitude: 1,400 masl



Plant Descriptions

Plant height: 117 cm

Culm number: 14

Culm strength: Slightly lodges

Threshibility: Easy

Shattering: Low

Panicle length: 23-25 cm

Awn distribution: Absent

Lemma palea colour: Brown, brown furrows.

Apiculus colour : Black

Sterile lemma colour: Red

Lemma pubescence: Hairs on upper portion.

Variety/Seed coat: White

Grain type: Round

Days to maturity: 160-165 days

Uses: Consumption & sale

Preference: High yield, easy threshibility and resistant to pest and disease, more straw yields.

Accession No.: BTNC 32384

Local Name: Botoli

Place of Cultivation:

Village: Tenpakha
Gewog: Chhuboog
Dzongkhag: Punakha
Altitude: 1,240 masl



Plant Descriptions

| | |
|-------------------------|--|
| Plant height: | 118 cm |
| Culm number: | 9 |
| Culm strength: | Lodging |
| Threshability: | Easy |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Straw |
| Apiculus colour : | Straw |
| Variety/seed coat: | White |
| Sterile lemma colour: | Straw/ white |
| Lemma/palea pubescence: | Short Hairs. |
| Grain type: | Bold |
| Days to maturity: | 160-165 days |
| Uses: | Consumption & sale |
| Preference: | Good yield, taste and for making <i>seep</i> . |

Accession No.: IRGC 86918
Local Name: Zuchum

Place of Cultivation:

Village: Lopokha
Gewog: Athang
Dzongkhag: Wangdue Phodrang
Altitude: 1,300 masl



Plant Descriptions

| | |
|-------------------------|--|
| Plant height: | 87 cm |
| Culm number: | 11 |
| Culm strength: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 22-23 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Straw |
| Apiculus colour : | Straw |
| Variety/seed coat: | Red |
| Sterile lemma colour: | White |
| Lemma/palea pubescence: | Hairs on lemma keel. |
| Grain type: | Bold |
| Days to maturity: | 170-180 days |
| Uses: | Consumption |
| Preferences: | Lodging resistant, good yield and taste. |

Accession No.: BTNC 1449

Local Name: Hamzem

Place of Cultivation:

Village: Setokha
 Gewog: Toebesa
 Dzongkhag: Punakha
 Altitude: 1,826 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 120 cm |
| Culm number: | 9 |
| Culm strength: | lodging slightly |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 28 cm |
| Awn distribution: | Short awns |
| Lemma palea colour: | Dark brown patches |
| Apiculus colour : | Dark Brown tips |
| Variety/seed coat: | White |
| Sterile lemma colour: | Straw/gold |
| Lemma/palea pubescence: | Hairs on upper portion. |
| Grain type: | Bold |
| Days to maturity: | 180-185 days |
| Aroma: | Aromatic |
| Uses: | Consumption |
| Preferences: | Good for <i>seep</i> , aromatic and use for religious purposes. |

Accession No.: BTNC 1723
Local Name: Bogarma

Place of Cultivation:

Village: Sewel
Gewog: Kurtoe
Dzongkhag: Lhuentse
Altitude: 1,912 masl




Plant Descriptions

| | |
|-----------------------|---------------|
| Plant height: | 135 cm |
| Culm number: | 13 |
| Culm strength: | Lodging |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 24-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Black patches |
| Apiculus colour: | Black |
| Sterile lemma colour: | Red |
| Lemma pubescence: | Short hairs |
| Variety/seed coat: | Light red |
| Grain type: | Bold |
| Days to maturity: | 180-185 days |
| Uses: | Consumption |

Accession No.: BTNC 1299
Local Name: Epa Chubja

Place of Cultivation:

Village: Patala
 Gewog: Drujaygang
 Dzongkhag: Dagana
 Altitude: 1,403 masl



Plant Descriptions


| | |
|-------------------------|---|
| Plant height: | 115 cm |
| Culm number: | 13 |
| Culm strength: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 24-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour : | Brown furrows |
| Apiculus colour: | Straw |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on lemma keel. |
| Variety/seed coat: | Red |
| Grain type: | Bold |
| Days to maturity: | 190-195 days |
| Uses: | Consumption & sale |
| Preferences: | Good yield, easy management and can be grown in rainfed conditions. |

Accession No.: BTNC 102

Local Name: Kalo Timburay

Place of Cultivation:

Village: Jigmecholing
Gewog: Jigmecholing
Dzongkhag: Sarpang
Altitude: 1,000 masl




Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 103 cm |
| Culm number: | 13 |
| Culm strength: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 23 cm |
| Awn distribution: | Awned |
| Lemma palea colour: | Black |
| Apiculus colour : | Black |
| Sterile lemma colour : | Purplish |
| Lemma palea pubescence: | Velvety |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 160-165 days |
| Aroma: | Lightly aromatic |
| Uses: | Consumption & sale |
| Preferences: | Small bold grains, good taste and high yield. |

Accession No.: BTNC 1003
Local Name: Timburay

Place of Cultivation:

Village: Jumsa
 Gewog: Tendruk
 Dzongkhag: Samtse
 Altitude: 1,050 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 118 cm |
| Culm number: | 14 |
| Culm strength: | Strong |
| Threshibility: | Intermedaite |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Gold & gold furrows |
| Apiculus colour : | Black |
| Sterile lemma colour: | Black/ Red |
| Lemma palea pubescence: | Short hairs/Velvety |
| Variety/seed coat: | White |
| Grain type: | Round |
| Days to maturity: | 155-160 days |
| Uses: | Consumption & sale |
| Preferences: | High milling recovery, good straw production and high economic value. |

Accession No.: IRGC 86845
Local Name: Asu

Place of Cultivation:

Village: Lopokha
Gewog: Athang
Dzongkhag: Wangduephodrang
Altitude: 1,300 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 116 cm |
| Culm number: | 12 |
| Culm strength: | lodging slightly |
| Threshability: | Intermediate |
| Shattering: | Low |
| Panicle length: | 22-23 cm |
| Awn distribution: | Short awns at tip |
| Lemma palea colour: | Straw |
| Apiculus colour : | Straw |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Short Hairs |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 155-160 days |
| Uses: | Consumption & sale |
| Preferences: | Early maturity, good for religious purpose, making <i>zou</i> and <i>seep</i> . |

Accession No.: BTNC 306
Local Name: Nam

Place of Cultivation:

Village: Jutsa
 Gewog: Tsento
 Dzongkhag: Paro
 Altitude: 2,500 masl



Plant Descriptions

| | |
|-------------------------|--|
| Plant height: | 117 cm |
| Culm number: | 7 |
| Culm strength: | lodging slightly |
| Threshibility: | Easy |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Brown, brown patches |
| Apiculus colour: | Dark brown/ Black |
| Sterile lemma colour: | Straw |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | Red |
| Grain type: | Bold |
| Days to maturity: | 190-195 days |
| Uses: | Consumption & sale |
| Preferences: | Early maturity, Good taste, easy threshibility, high yielding and high economic value. |

Accession No.: BTNC 1034
Local Name: Malingay

Place of Cultivation:

Village: Cheso Pani
Gewog: Pemaling
Dzongkhag: Samtse
Altitude: 1,400 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 116 cm |
| Culm number: | 21 |
| Culm strength: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 33 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Straw |
| Apiculus colour: | Straw |
| Sterile lemma colour: | Straw |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 165-170 days |
| Uses: | Consumption & sale |
| Preferences: | Lodging resistant, less pest and good straw production. |

Accession No.: BTNC 1489
Local Name: Machum

Place of Cultivation:

Village: Renakha
Gewog: Toebisa
Dzongkhag: Punakha
Altitude: 1,871 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 112 cm |
| Culm number: | 7 |
| Culm strength: | Strong |
| Threshibility: | Easy |
| Shattering: | Low |
| Panicle length: | 23-24 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Straw |
| Apiculus colour : | Straw |
| Sterile lemma colour: | Straw |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | Light Red |
| Grain type: | Bold |
| Days to maturity: | 180-185 days |
| Uses: | Consumption & sale |
| Preferences: | Old variety, good yield, taste and high economic value. |

Accession No.: BTNC 327
Local Name: Bondey

Place of Cultivation:

Village: Wangkha
Gewog: Toewang
Dzongkhag: Punakha
Altitude: 1,500 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 104 cm |
| Culm number: | 13 |
| Culm strength: | Strong |
| Threshibility: | Difficult |
| Shattering: | Low shattering |
| Panicle length: | 28 cm |
| Awn distribution: | Awned |
| Lemma palea colour: | light straw |
| Apiculus colour : | Black |
| Sterile lemma colour : | Purplish |
| Lemma palea pubescence: | Short hairs |
| Variety/seed coat: | White |
| Grain type: | Slender |
| Days to maturity: | 160-165 days |
| Aroma: | Aromatic |
| Uses: | Consumption |
| Preferences: | Aromatic, high economic value, for religious and social purposes. |

Accession No.: IRGC 111413
Local Name: Chumja Marp

Place of Cultivation:

Village: Jibjo-Yusakha
 Gewog: Toewang
 Dzongkhag: Punakha
 Altitude: 1,410 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 86 cm |
| Culm number: | 11 |
| Culm strength: | Very Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 22-23 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Brown |
| Apiculus colour : | Brown |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on lemma keel |
| Variety/seed coat: | Light red |
| Grain type: | Bold |
| Days to maturity: | 170-175 days |
| Uses: | Consumption & sale |
| Preferences: | Old variety, good taste and high yield. |

Accession No.: BTNC 284
Local Name: Bondey

Place of Cultivation:

Village: Lorena
Gewog: Toewang
Dzongkhag: Punakha
Altitude: 1,450 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 88 cm |
| Culm number: | 12 |
| Culm strength: | Strong |
| Threshibility: | Difficult |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Short awned at tip |
| Lemma palea colour: | Straw |
| Apiculus colour : | Straw |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on lemma keel. |
| Variety/seed coat: | White |
| Grain type: | Slender |
| Days to maturity: | 170-175 days |
| Aroma: | Aromatic |
| Uses: | Consumption |
| Preferences: | High economic value, for social and religious purposes. |

Accession No.: BTNC 67851
Local Name: Sungpa

Place of Cultivation:

Village: Shobling
 Gewog: Nangkor
 Dzongkhag: Zhemgang
 Altitude: 1,430 masl




Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 111 cm |
| Culm number: | 7 |
| Culm strength: | Lodging slightly |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 23-25cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Brown, brown patches |
| Apiculus colour: | Dark brown apex |
| Sterile lemma colour: | Red |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/Seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 180-185 days |
| Aroma: | Lightly aromatic |
| Uses: | Consumption & sale |
| Preferences: | Lightly aromatic, good for <i>seep</i> , for social and religious purposes. |

Accession No.: IRGC 64929
Local Name: Silikachum

Place of Cultivation:

Village: Khamena
Gewog: Gaselo
Dzongkhag: Wangduephodrang
Altitude: 1,680 masl




Plant Descriptions

| | |
|-------------------------|--|
| Plant height: | 125 cm |
| Culm number: | 14 |
| Culm strength: | Lodging slightly |
| Threshibility: | Easy |
| Shattering: | Low |
| Panicle length: | 24-25cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Straw |
| Apiculus colour: | Straw |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on lemma keel. |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 170-180 days |
| Uses: | Consumption & sale |
| Preferences: | Pest and disease resistant; good for making <i>zou</i> and <i>seep</i> . |

Accession No.: BTNC 294
Local Name: Rashu Bara

Place of Cultivation:

Village: Langten
Gewog: Radhi
Dzongkhag: Trashigang
Altitude: 1,689 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 120 cm |
| Culm number: | 13 |
| Culm strength: | Strong |
| Threshibility: | Easy |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Brown |
| Apiculus colour : | Straw |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | Red |
| Grain type: | Bold |
| Days to maturity: | 185 –190 days |
| Uses: | Consumption |
| Preferences: | Good taste, good yield, good wine and good straw productions. |

Accession No.: BTNC 235
Local Name: Kharangla

Place of Cultivation:

Village: Reserbu
Gewog: Mendrelgang
Dzongkhag: Tsirang
Altitude: 950 masl



Plant Descriptions

| | |
|-------------------------|----------------------------|
| Plant height: | 90 cm |
| Culm number: | 7 |
| Culm strength: | Very strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Brown |
| Apiculus colour: | Dark brown |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on lemma keel. |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 170-180 days |
| Uses: | Consumption & sale |
| Preferences: | Good yield and good taste. |

Accession No.: BTNC 348
Local Name: Ola-bja

Place of Cultivation:

Village: Chenju
 Gewog: Tsento
 Dzongkhag: Paro
 Altitude: 2,500 masl



Plant Descriptions

| | |
|-------------------------|---------------------------------------|
| Plant height: | 87 cm |
| Culm number: | 7 |
| Culm strength: | Intermediate |
| Threshability: | Easy |
| Shattering: | Low |
| Panicle length: | 22-23 cm |
| Awn distribution: | Very short awns |
| Lemma palea colour: | Black |
| Apiculus colour : | Black |
| Sterile lemma colour : | Red |
| Lemma palea pubescence: | Velvety |
| Variety/seed coat: | Red |
| Grain type: | Bold |
| Days to maturity: | 180-185 days |
| Uses: | Consumption & sale |
| Preferences: | Early maturity, good yield and taste. |

Accession No.: BTNC 1038
Local Name: Domkhap

Place of Cultivation:

Village: Omteykha
Gewog: Lingmukha
Dzongkhag: Punakha
Altitude: 1,560 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 105 cm |
| Culm number: | 10-13 |
| Lodging: | Lodging Slightly |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour : | Brown Furrows |
| Apiculus colour : | Brown |
| Sterile lemma colour: | Straw/white |
| Lemma palea pubescence: | Hairs on Lemma keel |
| Variety/seed coat: | Light red |
| Grain type: | Bold |
| Days to maturity: | 180-185 days |
| Uses: | Consumption & sale |
| Preferences: | Good yield, red rice preferred by farmers and grows well in red soil; less diseases & pest infestation. |

Accession No.: IRGC 111420

Local Name: Hasey

Place of Cultivation:

Village: Nobri Shechikha
 Gewog: Geonshari
 Dzongkhag: Gasa
 Altitude: 1,850 masl



Plant Descriptions

| | |
|-------------------------|--|
| Plant height: | 103 cm |
| Culm number: | 9 |
| Culm strength: | Strong |
| Threshibility: | Easy |
| Shattering: | Low |
| Panicle length: | 22-24 cm |
| Awn distribution: | Absent |
| Lemma palea colour : | Straw |
| Apiculus colour : | Black |
| Sterile lemma colour: | Red |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | Light Red |
| Grain type: | Bold |
| Days to maturity: | 180-185 days |
| Uses: | Consumption & sale |
| Preferences: | Also cultivated by <i>Parops</i> , early maturity, and good yield. |

Accession No.: BTNC 1910
Local Name: Kamzhing Eppa

Place of Cultivation:

Village: Dagpai
Gewog: Nangkor
Dzongkhag: Zhemgang
Altitude: 1,395 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 90 cm |
| Culm number: | 12-13 |
| Culm strength: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Very low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Straw |
| Apiculus colour : | Straw |
| Sterile lemma colour: | Gold/white |
| Lemma palea pubescence: | Hairs on upper portion |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 175-180 days |
| Uses: | Consumption |
| Preferences: | Rain fed, easy management and good taste. |

Accession No.: BTNC 1900
Local Name: Choti Dhan

Place of Cultivation:

Village: Tashiyangjong
 Gewog: Kikhorthang
 Dzongkhag: Tsirang
 Altitude: 1,349 masl




Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 90 cm |
| Culm number: | 12-13 |
| Lodging: | Lodging Slightly |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 24-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Dark Brown furrows |
| Apiculus colour : | Dark Brown |
| Sterile lemma colour: | Light red |
| Lemma palea pubescence: | Hairs on upper portion |
| Variety/seed coat: | white |
| Grain type: | Bold |
| Days to maturity: | 175-180 days |
| Aroma: | Lightly aromatic |
| Uses: | Consumption & sale |
| Preferences: | For good yield, good taste and high economic value; popular variety in Tsirang. |

Accession No.: BTNC 1966
Local Name: Sukhimi

Place of Cultivation:

Village: Majuwa
Gewog: Kikhorthang
Dzongkhag: Tsirang
Altitude: 1,554 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 125 -130 cm |
| Culm number: | 14 –15 |
| Lodging: | Slightly |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Long awns |
| Lemma palea colour: | Brown Furrows |
| Apiculus colour : | Dark brown |
| Sterile lemma colour: | Straw |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days of maturity: | 185-190 days |
| Uses: | Consumption & sale |
| Preferences: | Popular variety in Tsirang, preferred for taste and lodging resistance. |

Accession No.: BTNC 1024
Local Name: Jaray

Place of Cultivation:

Village: Wangkha
 Gewog: Toewang
 Dzongkhag: Punakha
 Altitude: 1,200 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 103 cm |
| Culm number: | 7-9 |
| Lodging: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Awned tip |
| Lemma palea colour: | Straw |
| Apiculus colour : | Straw |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | White |
| Grain type: | Slender |
| Days to maturity: | 180-185 days |
| Uses: | Consumption, preparing <i>seep</i> & sale |

Preferences: Preferred for making *seep* and fried rice though it yields low comparing with other traditional varieties.

Accession No.: IRGC 67858

Local Name: Toli

Place of Cultivation:

Village: Yebesa
Gewog: Chubu
Dzongkhag: Punakha
Altitude: 1,200 masl



Plant Descriptions

| | |
|-------------------------|--|
| Plant height: | 190 cm |
| Culm number: | 10-13 |
| Culm strength: | Lodging |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Brown |
| Apiculus colour: | Brown |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | Light Red |
| Grain type: | Bold |
| Days to maturity: | 170-175 days |
| Uses: | Consumption |
| Preferences: | For making <i>changkae</i> /rice wine. |

Accession No.: IRGC75204
Local Name: Dumja

Place of Cultivation:

Village: Tsendona
 Gewog: Lamgong
 Dzongkhag: Paro
 Altitude: 2,300 masl



Plant Descriptions



| | |
|-------------------------|--|
| Plant height: | 125 cm |
| Culm number: | 5 |
| Culm strength: | Strong |
| Threshibility: | Easy |
| Shattering: | Low |
| Panicle length: | 23 cm |
| Awn distribution: | Awned |
| Lemma palea colour: | Brown spots/patches |
| Apiculus colour: | Black |
| Sterile lemma colour: | Red |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 190-195 days |
| Aroma: | Lightly scented |
| Uses: | Social, religious and economic purposes. |

Remarks: Yields low but farmers cultivate for its good quality in preparing *seep*/rice as new harvest for offerings. High economic value

Accession No.: IRGC 115186
Local Name: Chumja

Place of Cultivation:

Village: Jibjokha
Gewog: Toewang
Dzongkhag: Punakha
Altitude: 1,410 masl



Plant Descriptions

| | |
|-------------------------|--|
| Plant height: | 103 cm |
| Culm number: | 8 |
| Culm strength: | Strong |
| Threshibility: | Easy |
| Shattering: | Low |
| Panicle length: | 23 cm |
| Awn distribution: | Awnless |
| Lemma palea colour: | Purple patches |
| Apiculus colour : | Black |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 170-180 days |
| Uses: | Consumption & sale |
| Preferences: | Good taste, easy threshibility, and lodging resistant. |

Accession No.: IRGC 86845

Local Name: Asu

Place of Cultivation:

Village: Lopokha

Gewog: Athang

Dzongkhag: Wangdue Phodrang

Altitude range: 1,300 masl



Plant Descriptions

| | |
|-------------------------|----------------------|
| Plant height: | 118 cm |
| Culm number: | 12 |
| Culm strength: | Lodging slightly |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 24 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Straw |
| Apiculus colour : | Straw |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on lemma keel. |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 150-160 days |
| Uses: | Consumption |
| Preferences: | Seep making/ Zaw |

Accession No.: BTNC 126
Local Name: Attey

Place of Cultivation:

Village: Bararey
Gewog: Semjong
Dzongkhag: Tsirang
Altitude: 1,340 masl



Plant Descriptions

| | |
|-------------------------|--|
| Plant height: | 115 cm |
| Culm number: | 7-9 |
| Culm strength: | Strong |
| Threshibility: | Easy |
| Shattering: | Very low |
| Panicle length: | 22-24 cm |
| Awn distribution: | Awned |
| Lemma palea colour: | Brown/straw furrows |
| Apiculus colour : | Straw |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Short hairs |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 185-190 days |
| Aroma: | Lightly aromatic |
| Uses: | Consumption |
| Preferences: | Good yield, soft to eat, aromatic and good milling recovery. |

Accession No.: BTNC 274
Local Name: Attey

Place of Cultivation:

Village: Changay
 Gewog: Phuentenchu
 District: Tsirang



Plant Descriptions

| | |
|-------------------------|-----------------------------------|
| Plant height: | 90 cm |
| Culm number: | 13 |
| Culm strength: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Awned (Long) |
| Lemma palea colour: | Brown, brown patches |
| Apiculus colour : | Dark brown |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 170-175 days |
| Aroma: | Lightly aromatic |
| Uses: | Consumption & sale |
| Preferences: | Good taste and disease resistant. |

Accession No.: BTNC 1009
Local Name: Bagerni

Place of Cultivation:

Village: Chogsa
Gewog: Tendruk
Dzongkhag: Samtse
Altitude: 1,120 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height : | 115 cm |
| Culm number: | 13-14 |
| Lodging: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Dark Brown, brown patches |
| Apiculus colour : | Black |
| Sterile lemma colour: | Red |
| Lemma palea pubescence: | Short hairs/velvety |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 180-185 days |
| Uses: | Consumption |
| Preferences: | Good taste, lodging resistant and good yield. |

Accession No.: BTNC 1913
Local Name: Epa Zintala

Place of Cultivation:

Village: Nangkor
 Gewog: Nangkor
 Dzongkhag: Zhemgang
 Altitude: 1,160 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 125 cm |
| Culm number: | 14 |
| Culm strength: | Strong |
| Threshibility: | Easy |
| Shattering: | Low |
| Panicle length: | 25 cm |
| Awn distribution: | Very short awns |
| Lemma palea colour: | Black patches |
| Apiculus colour : | Black |
| Sterile lemma colour : | Red |
| Lemma palea pubescence: | Hairs on lemma keel. |
| Variety/seed coat: | Light red |
| Grain type: | Bold |
| Days to maturity: | 180-185 days |
| Uses: | Consumption |
| Preference: | Good taste, strong plant strength, lodging resistant, resistant to pest and diseases. |

Accession No.: BTNC 304

Local Name: Phyjam Dhan

Place of Cultivation:

Village: Singye
Gewog: Sampheling
Dzongkhag: Chukha
Altitude: 500 masl



Plant Descriptions

| | |
|-------------------------|-------------------------------|
| Plant height: | 104 cm |
| Culm number: | 12-15 |
| Culm strength: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 23-25 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Brown |
| Apiculus colour : | Dark brown |
| Sterile lemma colour: | Straw |
| Lemma palea pubescence: | Hairs on lemma keel. |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 155-160 days |
| Uses: | Consumption |
| Preference: | Good taste and less diseases. |

Accession No.: BTNC 1008

Local Name: Bagay Tulasi

Place of Cultivation:

Village: Serisay
 Gewog: Pemaling
 Dzongkhag: Samtse
 Altitude: 1,200 masl



Plant Descriptions

| | |
|-------------------------|---|
| Plant height: | 105 cm |
| Culm number: | 13-15 |
| Culm strength: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 24 cm |
| Awn distribution: | Awned (Long) |
| Lemma palea colour: | Straw/light brown |
| Apiculus colour : | Black |
| Sterile lemma colour: | Red |
| Lemma palea pubescence: | Hairs on upper portion. |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 155-160 days |
| Uses: | Consumption |
| Preference: | Good taste, less pest disease & to maintain as a traditional variety. |

Accession No.: BTNC 1022

Local Name: Zakha Kaap

Place of Cultivation:

Village: Tana
Gewog: Zomi
Dzongkhag: Punakha
Altitude: 1,303 masl



Plant Descriptions

| | |
|-------------------------|--|
| Plant height: | 75 cm |
| Culm number: | 7 |
| Culm strength: | Strong |
| Threshibility: | Difficult |
| Shattering: | Low |
| Panicle length: | 23 cm |
| Awn distribution: | Awned |
| Lemma palea colour: | Straw |
| Apiculus colour : | Straw |
| Sterile lemma colour: | Straw |
| Lemma palea pubescence: | Almost glabrous |
| Variety/seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 170-175 days |
| Uses: | Consumption & sale |
| Preferences: | Lodging resistant, good for making steep, and to maintain as a traditional variety. |

Accession No.: BTNC 1028
Local Name: Dooth Kati

Place of Cultivation:

Village: Rellukha
 Gewog: Denchukha
 Dzongkhag: Samtse
 Altitude: 1,267 masl



Plant Descriptions

| | |
|-------------------------|-----------------------|
| Plant height: | 102 cm |
| Culm number: | 15 |
| Culm strength: | Slightly lodges |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 24 cm |
| Awn distribution: | Short awns |
| Lemma palea colour: | Straw |
| Apiculus colour : | Straw |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on lemma keel. |
| Variety/Seed coat: | White |
| Grain type: | Slender |
| Days to maturity: | 170 –175 days |
| Uses: | Consumption & sale |
| Preferences: | Good yield and taste. |

Accession No.: BTNC 1095
Local Name: Farangay

Place of Cultivation:

Village: Jachu
Gewog: Lokchina
Dzongkhag: Chukha
Altitude: 836 masl



Plant Descriptions

| | |
|-------------------------|----------------------------|
| Plant height: | 119 cm |
| Culm number: | 22 |
| Culm strength: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 24 cm |
| Awn distribution: | Short awns |
| Lemma palea colour: | Reddish brown |
| Apiculus colour: | Brownish |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Short hairs |
| Variety/Seed coat: | White |
| Grain type: | Bold |
| Days to maturity: | 160-165 days |
| Uses: | Consumption |
| Preferences: | Good taste and good yield. |

Accession No.: BTNC 1096
Local Name: Pharangay

Place of Cultivation:

| | |
|------------|------------|
| Village: | Pangtha |
| Gewog: | Denchukha |
| Dzongkhag: | Samtse |
| Altitude: | 1,314 masl |



Plant Descriptions

| | |
|-------------------------|--------------------------------|
| Plant height: | 87 cm |
| Culm number: | 9 |
| Culm strength: | Strong |
| Threshibility: | Intermediate |
| Shattering: | Low |
| Panicle length: | 30 cm |
| Awn distribution: | Short awns |
| Lemma palea colour: | Brown |
| Apiculus colour: | Brown |
| Sterile lemma colour: | White |
| Lemma palea pubescence: | Hairs on lemma keel. |
| Variety/seed coat: | White |
| Grain type: | Slender |
| Days to maturity: | 170-175 days |
| Uses: | Consumption |
| Preferences: | Good taste & milling recovery. |

Accession No.: BTNC 1899
Local Name: Tagmaru

Place of Cultivation:

Village: Patshaling
Gewog: Patshaling
Dzongkhag: Tsirang
Altitude: 1,648 masl



Plant Descriptions

| | |
|---------------------|---|
| Plant height: | 124 cm |
| Culm number: | 14 |
| Culm strength: | Strong |
| Threshibility: | Easy |
| Shattering: | Low |
| Panicle length: | 23 cm |
| Awn distribution: | Absent |
| Lemma palea colour: | Straw |
| Apiculus colour : | Straw |
| Variety/seed coat: | Red |
| Grain type: | Bold |
| Days to maturity: | 180-185 days |
| Uses: | Consumption |
| Preferences: | Early maturity, easy threshibility, high yielding, good milling recovery and taste. |



Epa Zintala variety

Plant Descriptors

Vegetative Data:

1. Leaf blade: length (cm)

Measure the penultimate leaf (i.e. highest leaf below the flag leaf) on the main culm, from the ligule to the tip of the blade, on five representative plants. Calculate average to nearest cm. Measure at early reproductive stage:

- 1 - Very short (<21 cm)
- 3 - Short (~30 cm)
- 5 - Intermediate (~50 cm)
- 7 - Long (~70 cm)
- 9 - Very long (>80 cm)

2. Leaf blade: width (cm)

Measure at the widest portion of the penultimate leaf (i.e. highest leaf below the flag leaf) on the main culm on five representative plants. Calculate average to nearest cm. Measure at early reproductive stage:

- 3 - Narrow (<1 cm)
- 5 - Intermediate
- 7 - Broad (>2 cm)

3. Leaf blade: pubescence

Assess both visually and by touch, rubbing fingers over the leaf surface from the tip downwards.

Stage: late vegetative:

- 1 - Glabrous (smooth—including ciliated margins)
- 2 - Intermediate
- 3 - Pubescent

4. Basal leaf sheath: colour

Colour of the outer surface of the leaf sheath. Stage: late vegetative (IRRI: International Rice Research Institute):

- 1 - 060 Green
- 2 - 084 Green with purple lines
- 3 - 081 Light purple
- 4 - 080 Purple

5. Flag leaf: attitude/angle (early observation)

Measured near the collar. Angle of attachment between the flag leaf blade and the main panicle axis. Record the average of five samples. Cultivated species: score at anthesis:

- 1 - Erect
- 3 - Semi-erect (intermediate)
- 5 - Horizontal
- 7 - Descending

6. Internode: colour

The presence and distribution of purple colour from anthocyanin, observed on the outer surface of the internodes on the culm. Stage: near colouration maturity:

- 1 - Green
- 2 - Light Gold
- 3 - Purple lines
- 4 - Light Green

7. Culm: habit

The estimated average angle of inclination of the base of the main culm from vertical. Stage: after flowering:

- | | |
|----------------|--|
| 1 - Erect | (<15°) |
| 3 - Semi-erect | (intermediate) (~20°) |
| 5 - Open | (~40°) |
| 7 - Spreading | (>60–80°, culms not resting on the ground) |
| 9 - Procumbent | (culm or its lower part rests on ground surface) |

8. Culm: length/plant height (cm)

Measured from ground level to the base of the panicle. Record the average of five actual measurements, to the nearest cm. Stage: cultivated species after flowering to maturity;

Alternatively, cultivated species can be coded as follows:

- | | |
|---------------------------|--------------|
| 1 - Very short | (<50 cm) |
| 2 - Very short to short | (51–70 cm) |
| 3 - Short | (71–90 cm) |
| 4 - Short to intermediate | (91–105 cm) |
| 5 - Intermediate | (106–120 cm) |
| 6 - Intermediate to long | (121–140 cm) |
| 7 - Long | (141–155 cm) |
| 8 - Long to very long | (156–180 cm) |
| 9 - Very long | (>180 cm) |

9. Culm: number (bearing)

Recorded as the total number of grain-bearing tillers on five plants Stage: after anthesis to near maturity. Can be coded as follows:

- | | |
|------------------|-------------|
| 3 - Low | (<10 culms) |
| 5 - Intermediate | (~15 culms) |
| 7 - High | (>20 culms) |

10. Culm: lodging resistance

Scored at maturity based on the observed degree of lodging:

- 1 - Very weak (all plants flat)
- 3 - Weak (most plants nearly flat)
- 5 - Intermediate (most plants leaning about 45°)

- 7 - Strong (most plants leaning about 20° from vertical)
9 - Very strong (all plants vertical)

11. Culm: diameter

- 1 - Thin (<5mm)
2 - Thick ($\geq 5\text{mm}$)

12. Days to maturity

Number of days from seeding to maturity.

13. Panicle: length (late observation)

Length of main axis of panicle measured from base to the tip. Record the average of five representative plants. Alternatively, lengths can be coded as follows:

- 1 - Very short (<11 cm)
3 - Short (~15 cm)
5 - Medium (~25 cm)
7 - Long (~35 cm)
9 - Very long (>40 cm)

14. Panicle: attitude of branches/panicle type

The compactness of the panicle, classified according to its mode of branching, angle of primary branches, and spikelet density. Stage: cultivated species, near maturity:

- 1 - Erect (compact panicle)
3 - Semi-erect (semi-compact panicle)
5 - Spreading (open panicle)
7 - Horizontal
9 - Drooping

15. Panicle: exertion

Extent to which the panicle is exserted above the flag leaf sheath. Stage: near maturity:

- 1 - Enclosed (panicle is partly or entirely enclosed within the leaf sheath of the flag leaf blade)
3 - Partly exserted (panicle base is slightly beneath the collar of the flag leaf blade)
5 - Just exserted (panicle base coincides with the collar of the flag leaf blade)
7 - Moderately well exserted (panicle base is above the collar of the flag leaf blade)
9 - Well exserted (panicle base appears well above the collar of the flag leaf blade)

16. Panicle: shattering

Observed as the extent to which grains have shattered from the panicle. Stage: at maturity or harvest:

- 1 - Very low (<1%)
3 - Low (~3%)
5 - Moderate (~15%)

-
- 7 - High (~35%)
 9 - Very high (>50%)

17. Panicle threshibility

1. Difficult
2. Intermediate
3. Easy

18. Awn distribution

The presence and distribution of awns along the panicle. Stage: flowering to maturity:

- 0 - None (awnless)
- 1 - Tip only
- 2 - Upper quarter only
- 3 - Upper half only
- 4 - Upper three-quarters only
- 5 - Whole length

19. Lemma & palea pubescence

Visual assessment of the presence and distribution of mature grains using hand lens:

- 1 - Glabrous
- 2 - Hairs on lemma keel
- 3 - Hairs on upper portion
- 4 - Short hairs
- 5 - Long hairs (velvety)
- 6 - Glabrous
- 7 - Hairs on lemma keel
- 8 - Hairs on upper portion
- 9 - Short hairs
- 10 - Long hairs (velvety)

20. Lemma and palea colour (late observation)

- | | | |
|------|-----|-------------------------|
| 1 - | 010 | White |
| 2 - | 020 | Straw |
| 3 - | 042 | Gold and gold furrows |
| 4 - | 052 | Brown (tawny) |
| 5 - | 053 | Brown spots |
| 6 - | 054 | Brown furrows |
| 7 - | 080 | Purple |
| 8 - | 082 | Reddish to light purple |
| 9 - | 090 | Purple spots |
| 10 - | 091 | Purple furrows |
| 11 - | 100 | Black |

21. Lemma: colour of apiculus (late observation) (IRRI):

- | | | |
|-----|-----|---------------|
| 1 - | 010 | White |
| 2 - | 020 | Straw |
| 3 - | 052 | Brown (tawny) |
| 4 - | 060 | Green |
| 5 - | 070 | Red |
| 6 - | 071 | Red apex |
| 7 - | 080 | Purple |
| 8 - | 087 | Purple apex |
| 9 - | 100 | Black |

22. Stigma colour:

- 1 - White
- 2 - Light green
- 3 - Yellow
- 4 - Light purple
- 5 - Purplish

23. Sterile lemma colour:

- 1 - Straw
- 2 - Gold
- 3 - Red
- 4 - Purple

24. Seed coat:

- 1 - White
- 2 - Red

25. Stigma colour:

- 1 - White
- 2 - Light green
- 3 - Yellow
- 4 - Light purple
- 5 - Purplish

26. Sterile lemma Colour

- 1 - Straw
- 2 - Gold
- 3 - Red
- 4 - Purple

27. Grain: length [mm]

Measured as the distance from the base of the lowermost glume to the tip (apiculus) of the fertile lemma or palea, whichever is longer. On awned cultivars, measure to a point comparable to

the tip of the apiculus (exclude the awn). Preferably, measure with calliper or photo-enlarger. Average of 10 representative grains.

28. Grain: width [mm]

Measured as the distance across the fertile lemma and palea at the widest point. Preferably, measure with calliper or photo-enlarger. Average of 10 representative grains.

29. Grain type

Slender: 3.0mm or more

Bold: 2.0mm – 3.0mm

Round: $\leq 2.0\text{mm}$

30. Grain: 100-grain weight [g]

Random sample of 100 well-developed, whole grains, dried to 13% moisture content. Weigh on a precision.



Bararey variety

Characterization Data: Repatriated Germplasm Data

| Accession Number | Local Name | Passport Information | Leaf Blade L (cm) | Leaf Blade W (cm) | Leaf Blade Pubescence | Basal Sheath Color | Flag Leaf Attitude | Internode Colour | Culm Habit | Culm Length | Culm Bearing | Culm Lodging | Culm Diameter | Days to Maturity | Panicle L | Panicle Attitude of Branches | Panicle Exertion | Panicle Shattering | Panicle Threshibility | Awn Distribution | Lemma Palea Pubescence | Lemma Palea Color | Lemma Color of Apiculus | Stigma Colour | Sterile Lemma Colour | Seed Coat | Grain Length (mm) | Grain Width (mm) | L/W Ratio | Grain Type | 100 Grain Weight. (g) | |
|------------------|--------------|-------------------------|-------------------|-------------------|-----------------------|--------------------|--------------------|------------------|------------|-------------|--------------|--------------|---------------|------------------|-----------|------------------------------|------------------|--------------------|-----------------------|------------------|------------------------|-------------------|-------------------------|---------------|----------------------|-----------|-------------------|------------------|-----------|------------|-----------------------|-----|
| | | | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 5 | 1 | 180-190 | 5 | 7 | 7 | 5 | 3 | 0 | 4 | 5 | 1 | 1 | 1 | 1 | 9.2 | 3 | 3.06 | Slender | 2 | |
| IRGC 63470 | Mendregang | | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 5 | 1 | 160-165 | 5 | 9 | 9 | 3 | 3 | 0 | 4 | 6 | 3 | 1 | 1 | 1 | 5.38 | 2.4 | 2.24 | Bold | 2 | |
| IRGC 32380 | Abri | Denchukha, Samtse | 6 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 5 | 1 | 160-165 | 5 | 3 | 7 | 1 | 2 | 1 | 3 | 3 | 8 | 1 | 3 | 1 | 9.5 | 3.4 | 2.8 | Bold | 3 | |
| IRGC 67824 | Anadi | Lapsibotay, Goseling | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 3 | 3 | 3 | 5 | 1 | 155-160 | 5 | 3 | 7 | 1 | 2 | 1 | 3 | 4 | 2 | 1 | 2 | 1 | 8.3 | 3 | 2.8 | Bold | 2.2 |
| IRGC 86843 | Asha Dago | | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 4 | 5 | 5 | 1 | 165-170 | 5 | 3 | 7 | 3 | 1 | 1 | 3 | 4 | 2 | 1 | 2 | 1 | 8.3 | 3 | 2.8 | Bold | 2.2 | |
| IRGC 62153 | Ashu | Kakanifrang, Trashigang | 5 | 7 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 7 | 7 | 1 | 180-185 | 7 | 3 | 7 | 5 | 2 | 0 | 4 | 1 | 1 | 1 | 1 | 1 | 7 | 2.5 | 2.7 | Bold | 2.8 |
| IRGC 86845 | Assu | | 5 | 5 | 3 | 1 | 5 | 1 | 3 | 5 | 5 | 5 | 7 | 1 | 155-160 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 1 | 1 | 1 | 2 | 1 | 7.9 | 3 | 2.6 | Bold | 2.5 |
| IRGC 62154 | Asu | Bamendangsa, Lhuentse | 7 | 7 | 2 | 1 | 5 | 2 | 5 | 6 | 7 | 5 | 1 | 155-160 | 7 | 9 | 7 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 2 | 1 | 7.25 | 3.4 | 2.1 | Bold | 3 | |
| IRGC 32382 | Attey | Denchukha, Samtse | 5 | 5 | 1 | 1 | 3 | 1 | 3 | 4 | 3 | 7 | 1 | 160-170 | 7 | 3 | 7 | 1 | 2 | 1 | 2 | 3 | 2 | 1 | 2 | 1 | 6.1 | 3.04 | 2 | Bold | 2 | |
| IRGC 86846 | Bara Tsalu | Khominang, Pema Gatshel | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 7 | 7 | 7 | 1 | 180-185 | 5 | 0 | 7 | 3 | 3 | 0 | 3 | 3 | 3 | 1 | 2 | 2 | 7.2 | 2.8 | 2.6 | Bold | 2 |
| IRGC 86847 | Bara Tsalu | Denang, Pema Gatshel | 5 | 5 | 3 | 1 | 2 | 1 | 3 | 3 | 7 | 9 | 1 | 180-185 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 3 | 2 | 1 | 3 | 2 | 7.76 | 2.9 | 2.7 | Bold | 2.5 | |
| IRGC 67825 | Barkhay Dhan | Tashiding, Tashiding | 5 | 5 | 2 | 1 | 3 | 3 | 3 | 4 | 3 | 9 | 2 | 160-165 | 5 | 7 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 8.5 | 2.3 | 3.7 | Slender | 2.6 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---------|---|---|---|---|---|---|---|---|---|---|---|------|------|------|---------|---------|------|
| IRGC 32434 | Barlangay | Suntalay, Dagapela | 5 | 5 | 2 | 1 | 2 | 1 | 3 | 4 | 3 | 7 | 1 | 160-165 | 5 | 3 | 7 | 3 | 2 | 1 | 4 | 3 | 8 | 1 | 3 | 1 | 8 | 2.3 | 3.4 | Slender | 2.4 | |
| IRGC 64877 | Bartshampa | Trashigang | 5 | 5 | 2 | 1 | 1 | 5 | 1 | 5 | 5 | 5 | 2 | 180-190 | 5 | 9 | 9 | 3 | 3 | 0 | 3 | 5 | 1 | 1 | 1 | 1 | 8 | 2.5 | 3.2 | Slender | 2.3 | |
| IRGC 32433 | Bath Kuti | Leopani, Sarpang | 5 | 5 | 2 | 1 | 3 | 3 | 3 | 6 | 3 | 7 | 1 | 150-155 | 3 | 9 | 7 | 3 | 2 | 1 | 2 | 4 | 3 | 1 | 3 | 1 | 5.2 | 2.7 | 2.1 | Bold | 2.24 | |
| IRGC 115185 | Betpu Bara | | 5 | 5 | 3 | 1 | 5 | 1 | 3 | 3 | 3 | 7 | 2 | 160-170 | 7 | 9 | 7 | 3 | 2 | 1 | 2 | 3 | 9 | 1 | 3 | 2 | 8 | 3.4 | 2.3 | Bold | 2.6 | |
| IRGC 111409 | Betpu Bara | | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 4 | 7 | 7 | 1 | 160-170 | 5 | 9 | 7 | 3 | 2 | 1 | 2 | 3 | 5 | 1 | 1 | 1 | 6.3 | 3.36 | 1.9 | Round | 2.3 | |
| IRGC 86850 | Betpu Bara | Denang, Pema Gatshel | 5 | 5 | 2 | 1 | 1 | 1 | 3 | 4 | 3 | 7 | 1 | 160-170 | 7 | 9 | 5 | 3 | 1 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 6.8 | 3 | 2.3 | Bold | 2.2 | |
| IRGC 67826 | Bhotey Dhan | Goshi, Goshi, Dagapela | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 2 | 160-170 | 7 | 3 | 7 | 3 | 2 | 1 | 3 | 4 | 5 | 1 | 2 | 2 | 7.2 | 3.24 | 2.22 | bold | 2.5 | |
| IRGC 67828 | Bhujunge | Sallery, Suntalay, Tsirang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 2 | 165-170 | 7 | 1 | 7 | 3 | 2 | 1 | 3 | 4 | 5 | 1 | 3 | 1 | 6.96 | 3.75 | 1.9 | Round | 2.5 | |
| IRGC 62157 | Bidungpa | Trashigang | 7 | 7 | 2 | 1 | 5 | 5 | 3 | 7 | 7 | 9 | 1 | 190-195 | 7 | 9 | 7 | 3 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 7.6 | 3.5 | 2.2 | Bold | 3.44 | |
| IRGC 62158 | Bidungpa | Trashigang | 7 | 7 | 2 | 1 | 5 | 5 | 3 | 6 | 7 | 9 | 1 | 190-195 | 5 | 3 | 7 | 3 | 3 | 0 | 4 | 2 | 2 | 1 | 2 | 2 | 8.17 | 3.7 | 2.2 | Bold | 1.7 | |
| IRGC 62160 | Bipaabar | Kakanifrang, Trashigang | 7 | 5 | 1 | 1 | 5 | 2 | 3 | 6 | 7 | 7 | 1 | 190-195 | 7 | 5 | 1 | 1 | 3 | 0 | 1 | 2 | 2 | 1 | 1 | 2 | 6.43 | 3.9 | 1.6 | Round | 2.8 | |
| IRGC 64878 | Bjanam | Lutey, Chang Block, Thimphu | 5 | 5 | 2 | 3 | 3 | 5 | 3 | 6 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 2 | 3 | 3 | 4 | 9 | 1 | 2 | 2 | 7.96 | 3.42 | 2.32 | Bold | 2.6 | |
| IRGC 64879 | Bochola | Bamindangsa, Tangmachhu | 5 | 7 | 2 | 1 | 5 | 5 | 1 | 6 | 6 | 6 | 7 | 1 | 175-180 | 7 | 9 | 9 | 3 | 3 | 3 | 4 | 2 | 2 | 1 | 1 | 1 | 7.45 | 2.27 | 3.3 | Slender | 2.78 |
| IRGC 64883 | Bomdel-lingga | Chortenkora, Trashi Yangtse | 3 | 5 | 2 | 1 | 1 | 5 | 1 | 8 | 5 | 7 | 2 | 180-190 | 5 | 9 | 9 | 5 | 3 | 0 | 4 | 5 | 3 | 1 | 3 | 1 | 7.5 | 3.5 | 2.1 | Bold | 2.2 | |
| IRGC 32435 | Bomdiling-pa | Trashigang | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 2 | 180-190 | 5 | 3 | 9 | 3 | 3 | 0 | 3 | 4 | 9 | 1 | 3 | 1 | 8.1 | 2.9 | 2.8 | Bold | 2.2 | |
| IRGC 64881 | Bomteling | Wangduephodrang | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 8 | 3 | 7 | 2 | 170-180 | 5 | 5 | 7 | 3 | 3 | 1 | 3 | 2 | 1 | 5 | 3 | 2 | 7.1 | 3.16 | 2.2 | Bold | 2.4 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|----------------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|------|------|------|---------|-----|
| IRGC 62161 | Bondilip | Wangduephodrang | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 3 | 5 | 7 | 2 | 170-180 | 5 | 5 | 7 | 5 | 2 | 0 | 4 | 2 | 2 | 4 | 1 | 2 | 8.4 | 2.9 | 2.89 | Bold | 2.1 |
| IRGC 111412 | Botey Dhan | Yebesa, Chhubu | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 180-190 | 7 | 3 | 7 | 3 | 2 | 1 | 3 | 2 | 1 | 1 | 2 | 2 | 8.1 | 3.3 | 2.45 | Bold | 2.3 |
| IRGC 32385 | Botoli (Red) | Punakha | 7 | 5 | 1 | 1 | 5 | 5 | 3 | 5 | 3 | 7 | 1 | 180-190 | 7 | 3 | 7 | 3 | 2 | 0 | 2 | 2 | 2 | 1 | 2 | 2 | 8.18 | 2.75 | 3 | Slender | 2.5 |
| IRGC 32384 | Botoli White | Punakha | 7 | 5 | 2 | 1 | 5 | 5 | 3 | 5 | 3 | 7 | 1 | 160-165 | 5 | 5 | 7 | 3 | 2 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 8 | 2.75 | 2.9 | Bold | 2.4 |
| IRGC 86853 | Brongkola-pa | Khar, Pema Gatshel | 5 | 5 | 1 | 1 | 3 | 5 | 3 | 5 | 5 | 7 | 1 | 165-170 | 5 | 1 | 7 | 3 | 1 | 1 | 3 | 3 | 2 | 5 | 2 | 1 | 8.22 | 2.5 | 3.2 | Slender | 2 |
| IRGC 67829 | Chewary Dhan | Labsibotay, Goseling | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 155-160 | 5 | 3 | 7 | 3 | 2 | 1 | 4 | 4 | 2 | 1 | 2 | 1 | 9.2 | 2.39 | 3.8 | Slender | 3 |
| IRGC 64884 | Chhalangpa (Cultivated as mixed) | | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 6 | 5 | 7 | 1 | 180-190 | 5 | 9 | 9 | 5 | 2 | 1 | 3 | 2 | 5 | 1 | 3 | 2 | 7 | 2.7 | 2.59 | Bold | 2.2 |
| IRGC 32439 | Chhoty | Sarpangshir, Sarpang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 1 | 170-180 | 5 | 9 | 9 | 3 | 1 | 0 | 4 | 2 | 9 | 1 | 1 | 1 | 5.6 | 2.3 | 2.43 | Bold | 1.6 |
| IRGC 67831 | Chinanang-kam | Jashika, Shengana, Punakha | 5 | 5 | 1 | 1 | 1 | 1 | 1 | 4 | 3 | 9 | 1 | 155-160 | 7 | 3 | 7 | 3 | 2 | 1 | 3 | 9 | 8 | 1 | 3 | 1 | 7 | 3.8 | 1.9 | Round | 2.4 |
| IRGC 75198 | Chirang Baghey | | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 4 | 5 | 7 | 1 | 170-175 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 4 | 5 | 1 | 3 | 1 | 7.13 | 2.84 | 2.5 | Bold | 2.2 |
| IRGC 64886 | Chonam | Refay (or Refe), Drackten Block, Trongsa | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 180-185 | 5 | 5 | 7 | 3 | 3 | 2 | 3 | 5 | 9 | 1 | 1 | 2 | 8.1 | 3.1 | 2.61 | Bold | 2.8 |
| IRGC 32438 | Choti katey | Singhi, Sarpang | 5 | 5 | 2 | 1 | 1 | 1 | 1 | 5 | 7 | 7 | 1 | 165-170 | 5 | 3 | 7 | 3 | 2 | 1 | 4 | 4 | 2 | 1 | 2 | 1 | 8.8 | 3 | 3 | Slender | 2.6 |
| IRGC 32437 | Choti Masino | Tashiding, Dagapela | 5 | 5 | 2 | 1 | 1 | 5 | 1 | 5 | 5 | 5 | 1 | 165-170 | 5 | 3 | 7 | 3 | 2 | 4 | 4 | 4 | 2 | 1 | 2 | 1 | 5.4 | 2.2 | 2.4 | Bold | 1.8 |
| IRGC 67830 | Choti Masino | Patalay, Tsirang | 5 | 5 | 2 | 1 | 3 | 3 | 3 | 6 | 5 | 7 | 1 | 165-170 | 7 | 3 | 7 | 3 | 2 | 1 | 4 | 4 | 2 | 1 | 2 | 1 | 7.7 | 3 | 2.6 | Bold | 2.2 |
| IRGC 115186 | Chumja | Jibjokha, Toewong, Punakha | 5 | 5 | 2 | 3 | 5 | 2 | 3 | 4 | 3 | 7 | 1 | 170-180 | 3 | 3 | 7 | 3 | 3 | 5 | 3 | 9 | 9 | 1 | 1 | 1 | 7 | 3.5 | 2 | Bold | 2.4 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---------------|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---------|---|---|---|---|---|---|---|---|---|---|---|------|------|------|---------|------|---|
| IRGC 62163 | Chumja | Mendelgang, Punakha | 5 | 5 | 2 | 4 | 1 | 2 | 3 | 3 | 5 | 7 | 1 | 170-180 | 5 | 7 | 5 | 3 | 1 | 0 | 4 | 5 | 3 | 1 | 1 | 1 | 7.1 | 2.8 | 2.54 | Bold | 2.3 | |
| IRGC 111413 | Chumja Maap | Jib Jokha, Toe-wang, Punakha | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 3 | 5 | 9 | 1 | 170-175 | 5 | 3 | 7 | 3 | 2 | 1 | 2 | 3 | 2 | 1 | 1 | 2 | 7.08 | 2.93 | 2.4 | Bold | 3 | |
| IRGC 62164 | Chumzey | Laikha, Punakha | 5 | 5 | 2 | 1 | 1 | 2 | 1 | 5 | 5 | 7 | 1 | 170-180 | 5 | 9 | 9 | 3 | 1 | 0 | 2 | 2 | 2 | 1 | 1 | 1 | 7 | 3.5 | 2 | Bold | 2.7 | |
| IRGC 86854 | Dago Yakum | Basena, Village, Wangduephodrang | 5 | 5 | 3 | 3 | 5 | 5 | 3 | 4 | 3 | 7 | 1 | 160-165 | 7 | 3 | 7 | 3 | 2 | 1 | 3 | 3 | 5 | 1 | 1 | 1 | 6.16 | 2.35 | 2.6 | Bold | 2.8 | |
| IRGC 62165 | Dagozan (red) | Mendigang, Sisi-dang, Punakha | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 5 | 2 | 170-180 | 5 | 7 | 7 | 3 | 3 | 0 | 1 | 2 | 2 | 1 | 1 | 2 | 7 | 3.6 | 1.9 | Round | 2.7 | |
| IRGC 64887 | Dagpa Bara | Trashigang | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 1 | 1 | 1 | 2 | 8 | 3 | 2.66 | Bold | 2.9 | | |
| IRGC 62166 | Dagpa Mras | Lhuntshi | 3 | 5 | 1 | 1 | 1 | 5 | 1 | 5 | 5 | 5 | 7 | 1 | 180-190 | 5 | 9 | 2 | 5 | 2 | 0 | 4 | 2 | 1 | 1 | 1 | 2 | 7.5 | 3 | 2.5 | Bold | 2 |
| IRGC 62167 | Dagpazamo | Bamendangsa, Lhuentse | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 3 | 5 | 9 | 2 | 180-190 | 5 | 7 | 5 | 3 | 2 | 1 | 4 | 2 | 2 | 1 | 1 | 2 | 7.8 | 2.8 | 2.79 | Bold | 2.5 | |
| IRGC 64888 | Dakpa | Bartopang, Gang-zoor, Lhuentse | 3 | 5 | 2 | 1 | 5 | 1 | 3 | 6 | 5 | 7 | 2 | 190-200 | 7 | 3 | 7 | 3 | 1 | 1 | 3 | 5 | 8 | 1 | 3 | 2 | 6.7 | 3.2 | 2 | Bold | 2.4 | |
| IRGC 64889 | Dakpa | Bamindangsa, Tangmachhu, Lhuentse | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 7 | 7 | 2 | 170-180 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 3 | 1 | 8.4 | 2.9 | 3 | Slender | 2.8 | |
| IRGC 32389 | Dawasam (red) | Chukulunchu, Punakha | 5 | 5 | 2 | 1 | 5 | 1 | 3 | 6 | 5 | 5 | 2 | 155-160 | 3 | 9 | 7 | 3 | 2 | 1 | 4 | 4 | 2 | 1 | 1 | 2 | 8.16 | 3.22 | 2.5 | Bold | 2.8 | |
| IRGC 111414 | Dorib Maap | Thowji (Dorithasa), Gewog Samar | 3 | 5 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 | 2 | 185-190 | 3 | 9 | 7 | 3 | 2 | 0 | 3 | 3 | 2 | 5 | 2 | 2 | 7.50 | 2.0 | 3.8 | Slender | 2.0 | |
| IRGC 111417 | Dumja | Thowji (Dorithasa), Gewog Samar | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 6 | 3 | 5 | 2 | 190-195 | 5 | 5 | 7 | 3 | 2 | 1 | 4 | 3 | 1 | 1 | 1 | 1 | 7.10 | 3.6 | 2.0 | Round | 2.5 | |
| IRGC 86862 | Dumja | | 3 | 7 | 2 | 1 | 6 | 2 | 3 | 6 | 3 | 5 | 2 | 190-195 | 7 | 5 | 7 | 3 | 2 | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 7.00 | 3.0 | 2.3 | Bold | 3.0 | |
| IRGC 75200 | Dumja Paro | | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 6 | 3 | 5 | 2 | 190-195 | 5 | 5 | 7 | 3 | 3 | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 7.12 | 3.2 | 2.3 | Bold | 3.0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|-------------------|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|---|---|---|---|------|-----|-----|---------|-----|
| IRGC 111415 | Dumja | Thowji (Dorithasa), Gewog Samar | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 3 | 3 | 7 | 2 | 190-195 | 5 | 5 | 7 | 3 | 2 | 4 | 3 | 3 | 4 | 1 | 3 | 1 | 7.12 | 3.1 | 2.3 | Bold | 2.5 |
| IRGC 111416 | Dumja | | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 5 | 3 | 7 | 2 | 190-195 | 7 | 5 | 7 | 3 | 2 | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 8.10 | 3.0 | 2.7 | Bold | 2.6 |
| IRGC 86856 | Dumja | | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 5 | 5 | 7 | 2 | 190-195 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 7.30 | 3.0 | 2.4 | Bold | 2.8 |
| IRGC 86858 | Dumja | | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 6 | 5 | 7 | 2 | 190-195 | 5 | 5 | 7 | 3 | 3 | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 6.76 | 2.8 | 2.5 | Bold | 3.0 |
| IRGC 86859 | Dumja | | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 5 | 3 | 7 | 2 | 190-195 | 7 | 5 | 7 | 3 | 2 | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 6.80 | 3.0 | 2.2 | Bold | 2.5 |
| IRGC 86860 | Dumja | | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 5 | 3 | 7 | 2 | 190-195 | 7 | 5 | 7 | 3 | 3 | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 7.00 | 3.0 | 2.3 | Bold | 2.5 |
| IRGC 75204 | Dumja/ Thimphu | | 5 | 7 | 2 | 1 | 3 | 2 | 3 | 6 | 3 | 7 | 2 | 190-195 | 5 | 5 | 7 | 3 | 3 | 1 | 3 | 5 | 9 | 1 | 3 | 1 | 6.76 | 2.8 | 2.5 | Bold | 2.8 |
| IRGC 32416 | Dumjya | Paro | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 6 | 3 | 7 | 2 | 190-195 | 5 | 5 | 9 | 1 | 3 | 1 | 3 | 3 | 9 | 1 | 1 | 1 | 7.30 | 3.0 | 2.4 | Bold | 2.5 |
| IRGC 64891 | Dumza | Dotey, Paro | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 8 | 3 | 7 | 2 | 190-195 | 5 | 5 | 9 | 1 | 3 | 0 | 3 | 3 | 1 | 1 | 1 | 1 | 7.70 | 2.8 | 2.7 | Bold | 2.4 |
| IRGC 64892 | Dungza | Jagathang, Lango, Paro | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 9 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 11 | 1 | 1 | 3 | 1 | 8.00 | 3.4 | 2.4 | Bold | 3.0 |
| IRGC 32390 | Farangay | Denchukha, Samtse | 5 | 5 | 1 | 1 | 5 | 5 | 3 | 4 | 3 | 7 | 1 | 170-175 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 4 | 5 | 1 | 3 | 1 | 6.75 | 3.0 | 2.2 | Bold | 2.0 |
| IRGC 63519 | Gangju Kochum | | 5 | 5 | 3 | 1 | 5 | 5 | 3 | 4 | 3 | 7 | 2 | 195-200 | 5 | 7 | 7 | 3 | 2 | 1 | 3 | 3 | 3 | 1 | 1 | 2 | 8.68 | 3.3 | 2.6 | Bold | 2.8 |
| IRGC 72527 | Gasulu Maap | | 5 | 5 | 2 | 1 | 5 | 2 | 3 | 4 | 5 | 7 | 1 | 180-185 | 5 | 5 | 9 | 3 | 2 | 4 | 3 | 3 | 2 | 5 | 2 | 2 | 7.80 | 3.0 | 2.6 | Bold | 2.3 |
| IRGC 64893 | Gayabzamo | Tormashong, Chakaling Block | 3 | 5 | 1 | 1 | 1 | 2 | 3 | 5 | 5 | 5 | 1 | 180-185 | 5 | 9 | 9 | 5 | 3 | 0 | 3 | 2 | 3 | 1 | 2 | 2 | 8.00 | 2.5 | 3.2 | Slender | 1.9 |
| IRGC 64894 | Gembrey | Kembetakpa, Tangsibi Block | 5 | 5 | 2 | 1 | 1 | 2 | 1 | 5 | 5 | 7 | 1 | 180-190 | 5 | 9 | 7 | 5 | 2 | 0 | 3 | 2 | 8 | 5 | 1 | 2 | 7.50 | 3.0 | 2.5 | Bold | 2.4 |
| IRGC 32411 | Gemjya/ Janam | Lunakha | 3 | 3 | 3 | 1 | 3 | 2 | 3 | 4 | 7 | 7 | 1 | 180-185 | 5 | 5 | 9 | 3 | 2 | 4 | 3 | 3 | 3 | 1 | 3 | 2 | 8.00 | 2.9 | 2.7 | Bold | 2.6 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|------------------|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|------|-----|-----|---------|-----|
| IRGC 32440 | Ghattey | Singhi, Sarpang | 5 | 5 | 2 | 1 | 5 | 5 | 3 | 5 | 5 | 7 | 1 | 155-160 | 5 | 3 | 7 | 3 | 2 | 1 | 3 | 4 | 2 | 1 | 2 | 1 | 6.66 | 2.7 | 3.0 | Slender | 2.2 |
| IRGC 111418 | Goenja Map (red) | Nobrishecreykha, Goenshari | 3 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 5 | 1 | 180-185 | 5 | 3 | 7 | 1 | 2 | 4 | 3 | 2 | 3 | 1 | 3 | 2 | 8.00 | 3.0 | 2.7 | Bold | 2.1 |
| IRGC 64895 | Guenja | Mendegang, Toobesa Block | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 7 | 1 | 180-185 | 5 | 3 | 3 | 1 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 7.00 | 3.0 | 2.3 | Bold | 2.2 |
| IRGC 86865 | Guenja Kab | Amringmo, Go-enshari | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 5 | 3 | 7 | 1 | 180-185 | 5 | 3 | 7 | 3 | 2 | 0 | 3 | 3 | 1 | 1 | 1 | 1 | 7.35 | 3.2 | 2.4 | Bold | 2.5 |
| IRGC 64896 | Gunja | Samcholing, Drackten Block | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 7 | 1 | 180-185 | 5 | 9 | 9 | 5 | 3 | 0 | 4 | 2 | 1 | 1 | 1 | 2 | 8.00 | 2.5 | 3.2 | Slender | 2.2 |
| IRGC 32410 | Gyemja | Lunakha, Punakha | 5 | 3 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 180-185 | 5 | 3 | 7 | 3 | 2 | 0 | 3 | 3 | 2 | 1 | 2 | 2 | 8.20 | 2.6 | 3.2 | Slender | 2.5 |
| IRGC 86863 | Hamjam | | 3 | 5 | 2 | 1 | 5 | 5 | 3 | 6 | 5 | 5 | 2 | 170-180 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 3 | 3 | 5 | 1 | 1 | 8.30 | 3.6 | 3.4 | Bold | 2.5 |
| IRGC 86866 | Hamzem | | 3 | 5 | 2 | 1 | 5 | 2 | 3 | 4 | 3 | 9 | 2 | 180-185 | 5 | 3 | 7 | 3 | 2 | 1 | 3 | 8 | 2 | 1 | 3 | 1 | 7.12 | 3.0 | 2.4 | Bold | 2.2 |
| IRGC 111419 | Hamzim | Nobrishecreykha, Goenshari | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 2 | 180-185 | 3 | 5 | 7 | 3 | 2 | 1 | 4 | 3 | 9 | 1 | 2 | 2 | 7.60 | 3.5 | 2.2 | Bold | 2.4 |
| IRGC 111420 | Hasey | Nobrishecreykha, Goenshari | 5 | 5 | 3 | 1 | 3 | 1 | 3 | 4 | 3 | 7 | 1 | 180-185 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 5 | 9 | 1 | 1 | 2 | 8.50 | 3.0 | 2.8 | Bold | 2.5 |
| IRGC 86867 | Hatsey | | 5 | 5 | 2 | 3 | 3 | 2 | 3 | 7 | 3 | 5 | 1 | 180-185 | 5 | 2 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 6.48 | 2.9 | 2.2 | Bold | 2.5 |
| IRGC 111421 | Hemjem | | 5 | 7 | 2 | 1 | 3 | 2 | 3 | 6 | 3 | 7 | 1 | 180-185 | 5 | 5 | 7 | 3 | 2 | 1 | 4 | 3 | 5 | 1 | 3 | 1 | 8.10 | 3.6 | 2.3 | Bold | 2.5 |
| IRGC 86868 | I-zung | Tanzenia, Nganglam | 3 | 5 | 1 | 1 | 3 | 5 | 3 | 3 | 3 | 9 | 1 | 155-160 | 5 | 5 | 7 | 3 | 2 | 1 | 4 | 4 | 3 | 1 | 2 | 1 | 7.30 | 2.0 | 3.6 | Slender | 2.0 |
| IRGC 111423 | Jaamap | Nobrishecreykha, Goenshari | 5 | 7 | 2 | 3 | 3 | 2 | 3 | 5 | 5 | 7 | 1 | 180-185 | 5 | 5 | 7 | 3 | 2 | 0 | 4 | 3 | 5 | 1 | 1 | 2 | 8.30 | 3.3 | 2.5 | Bold | 2.5 |
| IRGC 64897 | Jana (nam) | Changka, Wangchhang, Thimphu | 3 | 5 | 1 | 3 | 1 | 3 | 3 | 5 | 5 | 5 | 1 | 185-190 | 5 | 9 | 9 | 5 | 3 | 0 | 3 | 5 | 9 | 1 | 3 | 2 | 7.00 | 3.0 | 2.8 | Bold | 1.9 |
| IRGC 111425 | Janab | Linabukha, Ge-wog Lingbu | 5 | 3 | 2 | 3 | 3 | 2 | 3 | 6 | 3 | 7 | 1 | 180-185 | 5 | 9 | 7 | 3 | 2 | 1 | 4 | 5 | 5 | 1 | 1 | 2 | 8.80 | 3.3 | 2.7 | Bold | 2.5 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|-----------|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|------|-----|-----|---------|-----|
| IRGC 28286 | Janak | Shari Gumgang, Goenshari | 3 | 5 | 2 | 3 | 3 | 3 | 3 | 4 | 5 | 7 | 1 | 180-185 | 5 | 5 | 9 | 1 | 3 | 1 | 3 | 5 | 9 | 1 | 3 | 2 | 8.00 | 3.0 | 1.9 | Slender | 2.4 |
| IRGC 111422 | Janam | Nobrishecreykh, Goenshari | 5 | 5 | 2 | 3 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 180-185 | 5 | 5 | 7 | 3 | 3 | 0 | 4 | 5 | 3 | 1 | 1 | 2 | 8.70 | 3.3 | 2.6 | Bold | 2.5 |
| IRGC 86828 | Janam | Hebesa (Pana), Wangduephodrang | 3 | 5 | 3 | 3 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 180-185 | 5 | 3 | 7 | 3 | 3 | 0 | 3 | 5 | 3 | 1 | 1 | 2 | 7.00 | 3.0 | 2.3 | Bold | 2.4 |
| IRGC 86871 | Janam | | 3 | 5 | 2 | 3 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 3 | 0 | 4 | 5 | 3 | 1 | 1 | 2 | 8.70 | 3.1 | 2.8 | Bold | 2.5 |
| IRGC 86872 | Janam | | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 1 | 3 | 0 | 3 | 3 | 9 | 1 | 2 | 2 | 6.80 | 3.0 | 2.3 | Bold | 3.0 |
| IRGC 86874 | Janam | | 3 | 5 | 2 | 3 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 3 | 7 | 3 | 2 | 1 | 4 | 3 | 5 | 1 | 1 | 2 | 8.20 | 3.2 | 2.6 | Bold | 2.6 |
| IRGC 86972 | Janam | | 3 | 5 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 1 | 190-195 | 5 | 5 | 9 | 1 | 3 | 0 | 3 | 5 | 9 | 1 | 3 | 2 | 8.20 | 3.0 | 2.7 | Bold | 2.3 |
| IRGC 111426 | Janap | Linabukha, Ge-wog Lingbu | 5 | 5 | 2 | 3 | 3 | 2 | 3 | 5 | 3 | 7 | 1 | 190-195 | 5 | 3 | 7 | 3 | 2 | 1 | 3 | 3 | 5 | 1 | 3 | 2 | 8.40 | 3.2 | 2.6 | Bold | 2.3 |
| IRGC 111427 | Janap | Linabukha, Ge-wog Lingbu | 3 | 5 | 2 | 3 | 3 | 2 | 3 | 4 | 3 | 5 | 1 | 190-195 | 5 | 7 | 7 | 3 | 2 | 1 | 3 | 3 | 5 | 1 | 3 | 2 | 8.20 | 3.0 | 2.7 | Bold | 2.3 |
| IRGC 86870 | Janap | | 3 | 5 | 2 | 3 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 3 | 1 | 4 | 3 | 4 | 1 | 3 | 2 | 8.20 | 3.1 | 2.6 | Bold | 2.4 |
| IRGC 86873 | Janap | | 3 | 5 | 2 | 3 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 3 | 7 | 3 | 2 | 1 | 4 | 3 | 4 | 1 | 3 | 2 | 8.20 | 3.0 | 2.7 | Bold | 2.1 |
| IRGC 86875 | Janap | | 3 | 5 | 2 | 3 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 2 | 1 | 4 | 2 | 4 | 1 | 3 | 2 | 8.10 | 3.3 | 2.5 | Bold | 2.4 |
| IRGC 32392 | Jaray | Thimphu | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 3 | 7 | 7 | 1 | 190-195 | 6 | 3 | 7 | 3 | 2 | 0 | 4 | 3 | 2 | 1 | 2 | 1 | 8.80 | 2.8 | 3.0 | Slender | 2.0 |
| IRGC 67862 | Jarey | Cersong, Zomi, Punakha | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 3 | 3 | 7 | 1 | 180-185 | 5 | 9 | 9 | 3 | 2 | 1 | 3 | 2 | 5 | 1 | 2 | 1 | 8.40 | 3.0 | 2.8 | Bold | 3.0 |
| IRGC 62169 | Jazekap | Lankena, Wangduephodrang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 3 | 7 | 1 | 170-180 | 5 | 7 | 7 | 3 | 2 | 1 | 2 | 3 | 2 | 1 | 2 | 1 | 6.10 | 2.5 | 2.4 | Bold | 2.4 |
| IRGC 32442 | Jeerasary | Kalikhola | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 145-150 | 7 | 7 | 7 | 3 | 2 | 1 | 4 | 3 | 2 | 1 | 2 | 1 | 5.60 | 2.2 | 2.5 | Bold | 1.8 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|------------------|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|---|---|---|-----|------|-----|-----|---------|-----|
| IRGC 86877 | Jirasari (local) | | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 7 | 1 | 145-150 | 5 | 3 | 7 | 3 | 2 | 1 | 4 | 3 | 2 | 1 | 2 | 1 | 6.00 | 2.4 | 2.5 | Bold | 2.0 |
| IRGC 67835 | Kachum | Jashika, Shengana | 5 | 5 | 2 | 1 | 5 | 2 | 3 | 4 | 3 | 7 | 1 | 170-180 | 5 | 7 | 9 | 3 | 1 | 1 | 3 | 3 | 2 | 1 | 3 | 1 | 7.90 | 3.5 | 2.3 | Bold | 2.4 |
| IRGC 67836 | Kali Dhan | Sallery, Suntalay | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 5 | 7 | 7 | 1 | 160-170 | 3 | 3 | 9 | 3 | 2 | 1 | 3 | 11 | 9 | 1 | 1 | 1 | 8.30 | 4.1 | 2.0 | Bold | 2.5 |
| IRGC 32395 | Kalo Nuniya | Kalikhola | 5 | 5 | 2 | 1 | 5 | 5 | 3 | 4 | 5 | 7 | 1 | 155-160 | 5 | 9 | 7 | 3 | 2 | 5 | 4 | 11 | 9 | 1 | 2 | 1 | 5.00 | 3.0 | 1.7 | Round | 2.2 |
| IRGC 64900 | Kam | Shari Beechikha, Shari | 3 | 5 | 2 | 1 | 5 | 5 | 3 | 8 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | | 7.80 | 3.3 | 2.5 | Bold | 2.8 |
| IRGC 62172 | Kam Mra | Nakchang, Mongar | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 3 | 5 | 9 | 1 | 170-180 | 5 | 3 | 7 | 1 | 1 | 0 | 3 | 3 | 2 | 1 | 2 | 2 | 8.70 | 3.5 | 2.0 | Bold | 2.5 |
| IRGC 64901 | Kambra | Chali, Chakaling Block | 5 | 7 | 3 | 1 | 5 | 5 | 3 | 4 | 3 | 7 | 1 | 170-180 | 5 | 3 | 7 | 3 | 2 | 0 | 4 | 3 | 5 | 1 | 3 | 1 | 7.52 | 3.8 | 2.5 | Bold | 2.2 |
| IRGC 64902 | Kamnam | Khamena, Gas-echhokom Block | 3 | 5 | 1 | 1 | 1 | 5 | 3 | 8 | 7 | 5 | 1 | 180-185 | 3 | 9 | 9 | 5 | 2 | 0 | 4 | 3 | 2 | 1 | 2 | 1 | 7.50 | 2.5 | 2.5 | Bold | 2.1 |
| IRGC 86879 | Kamnam | | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 6 | 5 | 7 | 1 | 180-185 | 5 | 3 | 7 | 3 | 2 | 0 | 4 | 3 | 2 | 1 | 2 | 2 | 7.00 | 3.2 | 2.2 | Bold | 2.4 |
| IRGC 67837 | Kamsing | Buli, Nangkhor | 5 | 5 | 3 | 1 | 5 | 2 | 3 | 3 | 3 | 7 | 1 | 180-185 | 5 | 5 | 9 | 3 | 2 | 1 | 2 | 3 | 2 | 1 | 2 | 1 | 6.68 | 3.4 | 2.0 | Bold | 2.4 |
| IRGC 32443 | Kanti | Deorali, Kerabari, Kalikhola | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 155-160 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 6.20 | 2.8 | 2.2 | Bold | 2.4 |
| IRGC 32412 | Kap Terin | Lunakha | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 185-190 | 5 | 9 | 9 | 3 | 2 | 1 | 3 | 4 | 2 | 1 | 2 | 1 | 7.20 | 2.5 | 2.9 | Bold | 2.6 |
| IRGC 32413 | Kap Terin | Lunakha | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 185-190 | 5 | 3 | 7 | 3 | 2 | 1 | 3 | 4 | 2 | 1 | 2 | 2 | 7.60 | 3.2 | 2.4 | Bold | 3.0 |
| IRGC 86880 | Kartikay | | 5 | 5 | 1 | 1 | 5 | 5 | 3 | 6 | 5 | 7 | 1 | 155-160 | 5 | 3 | 7 | 1 | 2 | 1 | 3 | 4 | 2 | 1 | 3 | 1 | 8.30 | 2.5 | 3.0 | Slender | 2.4 |
| IRGC 111428 | Katha Metha | Basena, Village, Wangduephodrang | 5 | 5 | 3 | 1 | 3 | 2 | 3 | 6 | 5 | 7 | 1 | 170-180 | 5 | 9 | 7 | 3 | 3 | 1 | 3 | 3 | 2 | 1 | 2 | 1&2 | 7.30 | 3.1 | 2.4 | Bold | 2.6 |
| IRGC 67838 | Kati | Tashidin, Tsirang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 180-185 | 5 | 9 | 7 | 3 | 2 | 0 | 3 | 3 | 2 | 1 | 2 | 1 | 9.70 | 2.6 | 3.7 | Slender | 2.8 |
| IRGC 32397 | Katusey | Shimjee, | 5 | 5 | 1 | 1 | 3 | 2 | 3 | 3 | 3 | 7 | 1 | 155-160 | 5 | 5 | 7 | 3 | 2 | 1 | 4 | 5 | 3 | 1 | 3 | 1 | 7.45 | 3.1 | 3.2 | Slender | 3.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---------------|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|------|-----|-----|---------|-----|
| IRGC 62175 | Kemdep | Rijigang, Trashigang | 3 | 5 | 3 | 1 | 5 | 5 | 3 | 5 | 5 | 7 | 1 | 185-190 | 5 | 5 | 9 | 3 | 1 | 0 | 3 | 1 | 9 | 1 | 1 | 2 | 8.12 | 3.5 | 3.3 | Slender | 2.5 |
| IRGC 32402 | Kemjya | Denchukha, Samtse | 5 | 3 | 2 | 1 | 1 | 5 | 3 | 5 | 5 | 5 | 1 | 170-180 | 5 | 9 | 9 | 3 | 3 | 1 | 2 | 2 | 2 | 5 | 3 | 1 | 5.40 | 2.6 | 2.3 | Bold | 1.6 |
| IRGC 32420 | Kemjya | Nemjyo, Paro | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 1 | 3 | 4 | 3 | 1 | 9 | 1 | 3 | 2 | 8.00 | 3.0 | 3.2 | Slender | 2.4 |
| IRGC 32421 | Kemjya | Dophu, Paro | 5 | 7 | 2 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 1 | 3 | 0 | 3 | 1 | 9 | 1 | 3 | 2 | 8.00 | 3.1 | 3.0 | Slender | 2.2 |
| IRGC 64904 | Khaja | Chali, Chakaling Block | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 7 | 1 | 180-185 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 3 | 5 | 1 | 3 | 1 | 8.00 | 2.3 | 3.4 | Slender | 2.4 |
| IRGC 86831 | Khanaam | Lopokha (Adang), Wangduephodrang | 5 | 7 | 2 | 1 | 3 | 2 | 3 | 5 | 3 | 7 | 1 | 165-170 | 5 | 3 | 7 | 3 | 2 | 0 | 3 | 4 | 5 | 1 | 2 | 2 | 8.10 | 3.3 | 2.5 | Bold | 2.4 |
| IRGC 67839 | Khangmala | Goling, Nangkhor | 7 | 5 | 2 | 1 | 1 | 5 | 3 | 4 | 5 | 5 | 1 | 180-190 | 5 | 9 | 9 | 3 | 1 | 0 | 1 | 1 | 2 | 1 | 1 | 1 | 8.20 | 3.0 | 3.9 | Slender | 2.5 |
| IRGC 86881 | Khangpa | | 5 | 5 | 1 | 1 | 5 | 5 | 3 | 4 | 5 | 7 | 1 | 190-195 | 5 | 3 | 7 | 3 | 2 | 1 | 0 | 3 | 2 | 1 | 2 | 2 | 8.00 | 2.9 | 3.0 | Slender | 3.0 |
| IRGC 32428 | Khemja | Wongthanka, Paro | 3 | 5 | 2 | 1 | 1 | 5 | 1 | 6 | 5 | 7 | 1 | 180-190 | 3 | 9 | 9 | 5 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 7.50 | 2.4 | 2.6 | Slender | 2.2 |
| IRGC 32425 | Khemjya | Bondey, Paro | 5 | 7 | 2 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 2 | 9 | 1 | 2 | 2 | 7.70 | 2.9 | 4.0 | Slender | 2.5 |
| IRGC 32426 | Khemjya | Bondey, Paro | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 1 | 190-195 | 5 | 5 | 9 | 3 | 3 | 1 | 3 | 2 | 9 | 1 | 2 | 2 | 7.50 | 3.7 | 2.5 | Bold | 2.3 |
| IRGC 64905 | Khoptan-chalu | Yanten, Yangtshi | 3 | 5 | 2 | 1 | 1 | 5 | 1 | 6 | 3 | 7 | 1 | 180-190 | 5 | 7 | 7 | 5 | 3 | 0 | 4 | 5 | 3 | 1 | 2 | 2 | 8.00 | 3.0 | 3.2 | Slender | 2.4 |
| IRGC 111429 | Kochum | Basena, Village, Wangduephodrang | 5 | 5 | 3 | 1 | 3 | 3 | 5 | 4 | 5 | 7 | 1 | 170-180 | 5 | 3 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 3 | 2 | 2.82 | 2.7 | 2.7 | Bold | 7.6 |
| IRGC 111430 | Kochum | Basena, Village, Wangduephodrang | 5 | 5 | 3 | 1 | 3 | 3 | 3 | 5 | 5 | 7 | 1 | 170-180 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 3 | 2 | 8.18 | 3.2 | 2.6 | Bold | 2.0 |
| IRGC 111431 | Kochum | Basena, Village, Wangduephodrang | 5 | 5 | 3 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 170-180 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 2 | 8.40 | 3.0 | 2.8 | Bold | 3.0 |
| IRGC 32431 | Kochum | Chongkha, Paro | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 195-200 | 7 | 5 | 7 | 3 | 2 | 1 | 3 | 4 | 2 | 1 | 2 | 2 | 7.80 | 3.0 | 2.6 | Bold | 2.2 |
| IRGC 63520 | Kochum | | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 195-200 | 5 | 7 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 2 | 8.20 | 3.0 | 2.7 | Bold | 3.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--------------|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|------|-----|-----|---------|-----|
| IRGC 64907 | Kochum | Acho, Dotey Valley | 5 | 5 | 3 | 1 | 3 | 2 | 3 | 6 | 5 | 7 | 1 | 195-200 | 5 | 9 | 9 | 3 | 2 | 1 | 3 | 3 | 5 | 1 | 2 | 2 | 8.20 | 2.9 | 2.8 | Bold | 3.0 |
| IRGC 64908 | Kochum | Wochhu, Luni Block | 5 | 5 | 3 | 1 | 3 | 2 | 3 | 3 | 5 | 7 | 1 | 195-200 | 5 | 3 | 9 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 2 | 8.20 | 3.0 | 2.7 | Bold | 2.8 |
| IRGC 86832 | Kochum | | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 3 | 5 | 7 | 1 | 195-200 | 5 | 3 | 7 | 3 | 2 | 5 | 3 | 3 | 2 | 1 | 2 | 2 | 7.32 | 2.7 | 2.7 | Bold | 3.0 |
| IRGC 86886 | Kochum | | 5 | 5 | 3 | 1 | 5 | 2 | 3 | 4 | 5 | 7 | 1 | 195-200 | 5 | 9 | 7 | 3 | 9 | 1 | 4 | 3 | 2 | 1 | 2 | 2 | 8.20 | 3.0 | 2.7 | Bold | 2.0 |
| IRGC 86883 | Kongko | Tanzenia, Nganglam | 5 | 5 | 1 | 1 | 5 | 5 | 3 | 2 | 3 | 7 | 1 | 155-160 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 2.00 | 8.0 | 2.3 | Bold | 2.0 |
| IRGC 86884 | Kongtsab | | 5 | 5 | 1 | 1 | 5 | 5 | 3 | 5 | 5 | 7 | 1 | 155-160 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 2 | 2 | 2.00 | 8.0 | 3.2 | Slender | 2.0 |
| IRGC 67840 | Korphokpa | Shobling, Nangkhor | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 170-180 | 5 | 9 | 3 | 5 | 2 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 6.60 | 2.9 | 2.1 | Bold | 2.0 |
| IRGC 86885 | Krishna Bhak | | 5 | 5 | 1 | 1 | 5 | 5 | 3 | 6 | 5 | 7 | 1 | 160-165 | 5 | 3 | 7 | 1 | 2 | 1 | 1 | 3 | 2 | 1 | 2 | 1 | 3.00 | 8.5 | 2.2 | Bold | 2.0 |
| IRGC 86833 | Kuchum | | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 3 | 5 | 7 | 1 | 195-200 | 5 | 7 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 3 | 2 | 7.54 | 2.8 | 2.7 | Bold | 3.0 |
| IRGC 86834 | Kuchum | | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 195-200 | 5 | 9 | 7 | 3 | 2 | 1 | 2 | 3 | 2 | 1 | 2 | 2 | 7.76 | 3.2 | 2.4 | Bold | 3.0 |
| IRGC 111432 | Kurtoep Bja | Basena, Village, Wangduephodrang | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 3 | 3 | 1 | 1 | 1 | 8.60 | 3.1 | 2.8 | Bold | 2.8 |
| IRGC 67841 | Kutka | Namchela, Tashidin, Tsirang | 5 | 5 | 2 | 1 | 5 | 2 | 3 | 5 | 5 | 7 | 1 | 155-160 | 5 | 3 | 7 | 3 | 2 | 1 | 2 | 4 | 5 | 1 | 2 | 2 | 7.81 | 2.4 | 3.2 | Slender | 3.0 |
| IRGC 111434 | Local Maap | Esagom, Wangduephodrang | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 170-175 | 5 | 5 | 7 | 3 | 2 | 0 | 2 | 3 | 1 | 1 | 1 | 2 | 8.10 | 3.2 | 2.5 | Bold | 2.4 |
| IRGC 111435 | Local maap | Esagom, Wangduephodrang | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 170-175 | 5 | 3 | 9 | 3 | 3 | 1 | 3 | 3 | 5 | 1 | 2 | 2 | 7.65 | 3.0 | 2.6 | Bold | 2.2 |
| IRGC 64910 | Maachin | Lichu, Dotey, Paro | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 9 | 3 | 3 | 0 | 3 | 1 | 1 | 1 | 1 | 2 | 7.80 | 3.2 | 2.8 | Bold | 2.5 |
| IRGC 64911 | Maap | Tikena, Jena Block, Wangduephodrang | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 6 | 3 | 9 | 2 | 170-175 | 5 | 5 | 9 | 3 | 3 | 1 | 3 | 2 | 2 | 1 | 1 | 2 | 7.90 | 3.5 | 2.3 | Bold | 2.4 |
| IRGC 111436 | Machum | Esagom, Wangduephodrang | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 170-180 | 5 | 3 | 7 | 3 | 2 | 0 | 3 | 3 | 2 | 5 | 1 | 2 | 7.70 | 3.2 | 2.4 | Bold | 2.5 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|-------------------|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|------|-----|-----|---------|-----|
| IRGC 111437 | Machum | Esagom, Wangduephodrang | 5 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 170-180 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 1 | 2 | 5 | 1 | 2 | 7.80 | 3.3 | 2.4 | Bold | 2.4 |
| IRGC 111438 | Machum | Esagom, Wangduephodrang | 5 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 170-180 | 5 | 5 | 7 | 3 | 2 | 0 | 1 | 1 | 2 | 5 | 1 | 2 | 7.90 | 2.9 | 2.7 | Bold | 2.6 |
| IRGC 67843 | Malingay | Thangraygdan, Betheni, Tsirang | 5 | 5 | 1 | 1 | 5 | 5 | 3 | 4 | 3 | 7 | 1 | 160-170 | 5 | 3 | 7 | 3 | 2 | 1 | 3 | 2 | 8 | 1 | 1 | 1 | 8.00 | 2.4 | 3.3 | Slender | 3.0 |
| IRGC 111439 | Maling, Gayne | | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 5 | 1 | 160-170 | 7 | 9 | 9 | 3 | 1 | 0 | 0 | 4 | 2 | 1 | 2 | 1 | 6.70 | 2.8 | 2.4 | Bold | 2.1 |
| IRGC 64913 | Mandash- erpo | Bamindangsa, Tangmachhu | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 2 | 4 | 3 | 2 | 1 | 1 | 1 | 1 | 7.70 | 3.0 | 2.3 | Bold | 2.5 |
| IRGC 32444 | Mansara | Singhi, Sarpang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 155-160 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 3 | 8 | 1 | 2 | 1 | 8.43 | 2.6 | 3.2 | Slender | 2.6 |
| IRGC 62178 | Masarirpo | Bamendangsa, Lhuentse | 5 | 5 | 3 | 3 | 5 | 1 | 3 | 4 | 3 | 7 | 2 | 190-195 | 5 | 5 | 7 | 3 | 2 | 1 | 4 | 5 | 2 | 1 | 2 | 1 | 8.32 | 2.9 | 2.8 | Bold | |
| IRGC 32445 | Moibhara | Leopani, Sarpang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 2 | 150-160 | 7 | 9 | 7 | 3 | 2 | 1 | 3 | 3 | 8 | 1 | 2 | 1 | 9.50 | 2.6 | 3.6 | Slender | 2.8 |
| IRGC 62179 | Mra | Wangmakhar, Mongar | 7 | 5 | 2 | 1 | 1 | 5 | 3 | 5 | 5 | 7 | 1 | 170-180 | 7 | 7 | 3 | 5 | 3 | 0 | 3 | 5 | 2 | 1 | 1 | 2 | 8.00 | 3.1 | 1.6 | Round | 2.5 |
| IRGC 86889 | Naam Langu | | 3 | 5 | 1 | 1 | 1 | 2 | 1 | 6 | 5 | 5 | 1 | 190-200 | 5 | 5 | 7 | 3 | 1 | 0 | 3 | 3 | 3 | 1 | 1 | 2 | 8.00 | 2.5 | 3.3 | Slender | 2.1 |
| IRGC 64914 | Nam | Jagathang, Lango | 3 | 5 | 2 | 3 | 3 | 3 | 3 | 5 | 3 | 5 | 1 | 190-195 | 5 | 5 | 7 | 3 | 3 | 1 | 4 | 5 | 9 | 5 | 3 | 2 | 7.44 | 3.0 | 2.5 | Bold | 3.0 |
| IRGC 64915 | Nam | Nemzo, Luni Block | 5 | 5 | 2 | 2 | 3 | 3 | 3 | 5 | 5 | 7 | 1 | 190-195 | 5 | 9 | 9 | 3 | 2 | 4 | 4 | 5 | 9 | 5 | 2 | 2 | 8.08 | 3.4 | 2.4 | Bold | 3.0 |
| IRGC 86888 | Nam | | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 3 | 7 | 1 | 190-195 | 5 | 7 | 7 | 3 | 3 | 1 | 4 | 4 | 5 | 5 | 9 | 2 | 8.50 | 3.3 | 2.5 | Bold | 2.3 |
| IRGC 32446 | Naura | Kalikhola | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 7 | 1 | 150-155 | 7 | 3 | 7 | 3 | 2 | 1 | 4 | 2 | 2 | 1 | 2 | 1 | 8.30 | 2.5 | 3.3 | Slender | 2.5 |
| IRGC 64916 | Nem- shongba | Faychung, Drack- ten Block | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 170-180 | 5 | 9 | 9 | 3 | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 1 | 6.00 | 2.6 | 2.3 | Bold | 2.8 |
| IRGC 64918 | Ngerabara | Faychung, Drack- ten Block | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 3 | 5 | 9 | 1 | 170-180 | 5 | 3 | 7 | 3 | 2 | 1 | 3 | 4 | 2 | 1 | 1 | 1 | 7.00 | 2.8 | 2.5 | Bold | 3.0 |
| IRGC 64919 | Ngurmling- boo | Dauling, Yangtshi | 3 | 5 | 1 | 1 | 1 | 5 | 3 | 5 | 3 | 5 | 1 | 180-190 | 5 | 9 | 9 | 5 | 2 | 1 | 4 | 5 | 2 | 1 | 1 | 2 | 7.80 | 3.0 | 2.6 | bold | 2.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|-------------------|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|------|-----|-----|---------|-----|
| IRGC 67846 | Ondeykam | Yebesa, Chhubu, Punakha | 5 | 5 | 3 | 1 | 5 | 2 | 3 | 6 | 3 | 7 | 1 | 160-170 | 5 | 9 | 7 | 3 | 2 | 0 | 3 | 5 | 3 | 1 | 3 | 1 | 7.10 | 3.2 | 2.4 | Bold | 2.8 |
| IRGC 32398 | One Paki | Denchukha, Samtse | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 6 | 5 | 7 | 1 | 170-180 | 5 | 3 | 9 | 7 | 2 | 1 | 0 | 3 | 2 | 1 | 2 | 1 | 8.20 | 2.4 | 3.4 | Slender | 3.0 |
| IRGC 111440 | Pang Bara | | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 1 | 190-200 | 5 | 9 | 7 | 3 | 1 | 0 | 2 | 2 | 2 | 1 | 2 | 2 | 7.60 | 3.1 | 2.5 | Bold | 2.5 |
| IRGC 75201 | Paro Maap | | 3 | 5 | 2 | 1 | 5 | 2 | 3 | 5 | 3 | 7 | 1 | 190-200 | 5 | 9 | 7 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 8.10 | 2.7 | 2.9 | Bold | 2.6 |
| IRGC 64922 | Pasaka-chum | Changkha, Gas-echoom Block | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 170-180 | 5 | 5 | 7 | 3 | 2 | 0 | 2 | 3 | 9 | 1 | 1 | 1 | 7.80 | 3.3 | 2.0 | Bold | 2.3 |
| IRGC 64923 | Pashingdeb | Chhachhong, Yangtshi Block | 3 | 5 | 2 | 1 | 1 | 2 | 1 | 8 | 5 | 7 | 1 | 180-190 | 5 | 9 | 9 | 5 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 8.50 | 3.5 | 2.5 | Slender | 1.9 |
| IRGC 86893 | Phayjam (red) | Amringmo, Go-enshari | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 190-195 | 3 | 9 | 7 | 3 | 2 | 1 | 3 | 5 | 3 | 1 | 1 | 2 | 8.30 | 3.2 | 2.6 | Bold | 2.4 |
| IRGC 64924 | Phobara | Dekaling, Radhi Block | 3 | 5 | | 1 | | 2 | 3 | 4 | 5 | 7 | 1 | 180-190 | 5 | 5 | 7 | 1 | 3 | 0 | 3 | 4 | 3 | 1 | 1 | 1 | 7.40 | 3.0 | 3.1 | Bold | 2.5 |
| IRGC 32399 | Phudugey | Denchukha, Samtse | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 4 | 3 | 7 | 2 | 155-160 | 5 | 9 | 7 | 3 | 2 | 1 | 4 | 4 | 2 | 1 | 2 | 1 | 7.50 | 2.9 | 2.6 | Bold | 1.0 |
| IRGC 38621 | Phungmepa | Packaling, Trashigang | 3 | 5 | 2 | 1 | 1 | 5 | 1 | 5 | 5 | 5 | 1 | 180-190 | 3 | 9 | 7 | 5 | 2 | 0 | 4 | 3 | 3 | 1 | 1 | 1 | 8.50 | 2.5 | 2.5 | Bold | 2.2 |
| IRGC 62180 | Ray | Lomitsawa, Punakha | 3 | 5 | 2 | 1 | 1 | 5 | 1 | 6 | 7 | 5 | 1 | 160-170 | 5 | 9 | 0 | 5 | 2 | 0 | 3 | 2 | 2 | 1 | 2 | 2 | 7.50 | 2.0 | 2.5 | Bold | 2.1 |
| IRGC 62184 | Ray Ngabja | Thimphu | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 190-195 | 5 | 5 | 7 | 1 | 2 | 1 | 3 | 2 | 2 | 1 | 3 | 1 | 7.55 | 3.5 | 2.7 | Bold | 3.0 |
| IRGC 62186 | Ray Sakha | Kabgesa | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 190-195 | 5 | 5 | 9 | 1 | 2 | 1 | 3 | 5 | 2 | 1 | 1 | 1 | 7.30 | 3.3 | 2.4 | Bold | 2.7 |
| IRGC 62182 | Rayka | Poenger-nang-Tongsa Dzong | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 5 | 5 | 7 | 1 | 190-195 | 5 | 5 | 9 | 1 | 2 | 0 | 3 | 1 | 1 | 1 | 1 | 2 | 8.00 | 3.0 | 2.2 | Bold | 2.6 |
| IRGC 111442 | Rey Kaap or Attey | Shebjii, Sombeykha, Haa | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 7 | 1 | 170-180 | 5 | 7 | 7 | 3 | 2 | 1 | 2 | 3 | 4 | 1 | 2 | 1 | 7.00 | 3.1 | 2.3 | Bold | 2.5 |
| IRGC 86838 | Ribachum | | 5 | 5 | 3 | 1 | 5 | 5 | 3 | 4 | 5 | 7 | 1 | 190-200 | 5 | 9 | 7 | 3 | 2 | 5 | 2 | 3 | 2 | 1 | 2 | 1 | 2.00 | 7.4 | 2.9 | Bold | 2.0 |
| IRGC 86839 | Robtang Bara | | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 2 | 155-165 | 5 | 3 | 7 | 1 | 2 | 1 | 1 | 3 | 2 | 1 | 3 | 1 | 8.00 | 2.6 | 3.0 | Slender | 2.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---------|---------|---|---|---|---|---|---|---|---|---|---|---|------|------|-----|---------|------|-----|
| IRGC 86837 | R-tay | | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 7 | 1 | 155-165 | 5 | 3 | 7 | 3 | 1 | 0 | 2 | 3 | 2 | 1 | 2 | 1 | 2.20 | 7.1 | 2.8 | Bold | 2.0 | |
| IRGC 32401 | Rudwa | Panbari, Samtse | 5 | 5 | 3 | 1 | 5 | 1 | 3 | 3 | 3 | 3 | 5 | 1 | 155-165 | 5 | 3 | 7 | 3 | 2 | 1 | 3 | 4 | 2 | 1 | 1 | 1 | 2.00 | 7.4 | 2.6 | Bold | 2.0 |
| IRGC 36806 | Saca | Packaling, Trashigang | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 3 | 3 | 3 | 7 | 1 | 170-180 | 5 | 1 | 3 | 3 | 2 | | 2 | 4 | 2 | 1 | 1 | 2 | 8.00 | 2.7 | 2.7 | Bold | 1.4 |
| IRGC 115187 | Sambara | Pangthang, Pema Gatshel | 3 | 5 | 2 | 1 | 3 | 1 | 3 | 2 | 3 | 3 | 7 | 1 | 170-180 | 5 | 3 | 7 | 3 | 2 | 0 | 1 | 3 | 4 | 1 | 3 | 2 | 7.40 | 3.1 | 2.4 | Bold | 3.0 |
| IRGC 111443 | Sambara | | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 5 | 5 | 1 | 170-180 | 5 | 5 | 7 | 3 | 2 | 4 | 1 | 5 | 5 | 1 | 1 | 2 | 8.00 | 3.0 | 2.7 | Bold | 2.3 |
| IRGC 111444 | Sam Bara | | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 5 | 7 | 1 | 170-180 | 5 | 9 | 7 | 3 | 1 | 4 | 2 | 5 | 6 | 1 | 2 | 2 | 8.50 | 3.2 | 2.7 | Bold | 2.3 |
| IRGC 111445 | Sam Bara | | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 5 | 7 | 1 | 170-180 | 5 | 9 | 7 | 3 | 1 | 4 | 2 | 3 | 6 | 1 | 2 | 2 | 8.50 | 3.2 | 2.7 | Bold | 2.3 |
| IRGC 86896 | Sam Bara | Labar, Pema Gatshel | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 5 | 7 | 7 | 7 | 1 | 170-180 | 5 | 3 | 7 | 3 | 2 | 4 | 3 | 3 | 2 | 1 | 2 | 2 | 7.70 | 3.0 | 2.6 | Bold | 2.0 |
| IRGC 64926 | Semkaap | Phokchey, Tangsibji Block | 3 | 5 | 2 | 1 | 5 | 2 | 3 | 4 | 3 | 7 | 1 | 170-180 | 5 | 5 | 9 | 3 | 2 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 7.89 | 3.3 | 2.4 | Bold | 2.4 | |
| IRGC 64927 | Serpazang-mo | Yadi (Hopkhar), Ngatchang Block, Monger | 5 | 5 | 2 | 3 | 5 | 1 | 3 | 5 | 5 | 7 | 1 | 155-165 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 9.50 | 2.3 | 4.0 | Slender | 3.0 | |
| IRGC 64928 | Shangyipa | Dauling, Yangtse Block | 3 | 5 | 2 | 1 | 1 | 2 | 1 | 6 | 5 | 5 | 5 | 1 | 180-190 | 5 | 9 | 9 | 5 | 2 | 0 | 3 | 5 | 3 | 1 | 1 | 2 | 6.50 | 3.0 | 2.7 | Bold | 2.2 |
| IRGC 67848 | Shanka | H.R.H. Paddy Fields, Habessa, Punakha | 5 | 5 | 3 | 1 | 3 | 1 | 3 | 4 | 5 | 7 | 1 | 170-180 | 5 | 9 | 9 | 3 | 2 | 0 | 3 | 3 | 2 | 1 | 2 | 1 | 6.40 | 2.7 | 2.4 | Bold | 2.8 | |
| IRGC 111447 | Shay-to-Buzuri | | 5 | 5 | 2 | 1 | 5 | 1 | 3 | 4 | 3 | 7 | 1 | 155-165 | 5 | 3 | 7 | 3 | 2 | 1 | 2 | 4 | 5 | 1 | 3 | 1 | 7.30 | 3.2 | 2.3 | Bold | 2.1 | |
| IRGC 86899 | Shelengpa | | 5 | 5 | 3 | 1 | 5 | 2 | 3 | 4 | 3 | 7 | 1 | 170-180 | 5 | 9 | 7 | 3 | 2 | 1 | 4 | 3 | 2 | 2 | 2 | 1 | 9.30 | 3.1 | 3.0 | Bold | 2.5 | |
| IRGC 86900 | Shengap | | 5 | 5 | 3 | 1 | 5 | 2 | 3 | 4 | 5 | 7 | 1 | 170-180 | 5 | 9 | 7 | 3 | 2 | 0 | 3 | 3 | 2 | 2 | 2 | 1 | 2.60 | 8.0 | 3.0 | Slender | 2.8 | |
| IRGC 64929 | Silikachum | Khamena, Gase-sochhokom Block | 5 | 5 | 2 | 1 | 5 | 2 | 5 | 6 | 5 | 5 | 5 | 1 | 170-180 | 5 | 9 | 7 | 3 | 3 | 0 | 4 | 2 | 2 | 1 | 2 | 1 | 7.66 | 3.0 | 2.6 | Bold | 3.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---------------|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|------|-----|-----|---------|-----|
| IRGC 64930 | Sindhi | Namthel, Langthel Block | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 5 | 1 | 155-160 | 7 | 9 | 9 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 3 | 2 | 2.60 | 7.8 | 2.8 | Bold | 2.0 |
| IRGC 67849 | Sukhimmi | Lamidara, Lami-dara | 5 | 5 | 3 | 1 | 5 | 5 | 3 | 6 | 3 | 7 | 2 | 170-180 | 5 | 5 | 3 | 3 | 2 | 1 | 3 | 4 | 5 | 1 | 3 | 1 | 6.00 | 2.8 | 2.1 | Bold | 3.0 |
| IRGC 86902 | Sung Bara | | 5 | 5 | 2 | 1 | 3 | 3 | 3 | 3 | 3 | 7 | 1 | 170-180 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 8.50 | 3.0 | 2.6 | Bold | 2.2 |
| IRGC 64932 | Sung Bara | Echhur, Phongmey | 5 | 5 | 2 | 1 | | 2 | 3 | 5 | 5 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 7.00 | 3.2 | 2.2 | Bold | 2.6 |
| IRGC 64933 | Sung Bara | Yadi (Hopkhar), Ngatchang Block | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 7 | 2 | 170-180 | 5 | 5 | 9 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 3 | 1 | 8.27 | 2.6 | 3.2 | Slender | 2.2 |
| IRGC 86901 | Sung Bara | | 5 | 5 | 2 | 3 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 170-180 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 9.00 | 2.3 | 3.9 | Slender | 2.0 |
| IRGC 67851 | Sungpa | Shobling, Nangkhor | 5 | 5 | 2 | 1 | 5 | 2 | 3 | 4 | 3 | 5 | 1 | 180-185 | 5 | 9 | 7 | 3 | 2 | 0 | 4 | 5 | 6 | 1 | 3 | 1 | 2.85 | 2.5 | 2.9 | Bold | 7.2 |
| IRGC 67852 | Tagmaru | Gopini, Dunglagang, Tsirang | 5 | 5 | 1 | 1 | 5 | 1 | 3 | 5 | 5 | 7 | 1 | 170-180 | 5 | 5 | 9 | 3 | 2 | 5 | 2 | 3 | 2 | 1 | 2 | 1 | 7.76 | 3.0 | 2.6 | Bold | 2.6 |
| IRGC 111448 | Tan Tshering | Tamidamchu, Toewang, Punakha | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 160-165 | 7 | 9 | 7 | 3 | 2 | 1 | 2 | 3 | 5 | 1 | 2 | 1 | 8.64 | 3.5 | 2.6 | Bold | 2.6 |
| IRGC 86906 | Tan Tshering | Sumakha | 7 | 5 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 | 1 | 160-165 | 5 | 5 | 7 | 3 | 3 | 0 | 2 | 3 | 2 | 1 | 2 | 1 | 10.0 | 2.5 | 4.0 | Slender | 2.4 |
| IRGC 32403 | Taule | Denchukha, Samtse | 5 | 3 | 1 | 1 | 3 | 5 | 3 | 5 | 3 | 5 | 2 | 170-175 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 7.60 | 2.0 | 3.2 | Slender | 2.0 |
| IRGC 32404 | Tebay Hoechum | Chukulunchu, Punakha | 5 | 5 | 3 | 3 | 3 | 5 | 3 | 7 | 5 | 7 | 1 | 170-175 | 5 | 7 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 7.60 | 2.5 | 3.0 | Slender | 2.0 |
| IRGC 111449 | Themja | Tamidamchu, Toewang, Punakha | 5 | 5 | 2 | 2 | 3 | 1 | 3 | 4 | 5 | 7 | 1 | 170-175 | 5 | 3 | 7 | 3 | 2 | 1 | 1 | 3 | 2 | 1 | 2 | 2 | 8.12 | 3.1 | 2.6 | Bold | 2.3 |
| IRGC 111450 | Themja | Tamidamchu, Toewang, Punakha | 3 | 5 | 2 | 2 | 3 | 1 | 3 | 3 | 3 | 9 | 1 | 170-175 | 5 | 1 | 7 | 3 | 2 | 0 | 0 | 3 | 1 | 1 | 1 | 2 | 8.20 | 2.8 | 2.9 | Bold | 2.3 |
| IRGC 86809 | Themja | | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 170-175 | 5 | 5 | 9 | 3 | 3 | 0 | 3 | 1 | 1 | 1 | 2 | | 7.80 | 3.2 | 2.5 | Slender | 2.3 |
| IRGC 86907 | Themja | | 3 | 5 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 9 | 1 | 170-175 | 5 | 3 | 7 | 3 | 1 | 0 | 3 | 3 | 1 | 1 | 1 | 2 | 7.71 | 3.4 | 2.3 | Bold | 2.2 |
| IRGC 86908 | Themja | | 3 | 5 | 2 | 2 | 3 | 3 | 3 | 4 | 3 | 7 | 1 | 170-175 | 5 | 7 | 7 | 3 | 2 | 0 | 3 | 3 | 3 | 1 | 1 | 2 | 7.80 | 3.0 | 2.6 | Bold | 2.3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|----------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|----|---|---|------|------|-----|------|---------|-----|
| IRGC 86909 | Themja | | 3 | 5 | 2 | 2 | 3 | 1 | 3 | 4 | 3 | 7 | 1 | 170-175 | 5 | 4 | 9 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 2 | 7.80 | 3.2 | 2.4 | Bold | 2.2 |
| IRGC 86910 | Themja | | 3 | 5 | 2 | 2 | 3 | 3 | 1 | 5 | 5 | 7 | 1 | 170-175 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 4 | 3 | 1 | 1 | 2 | 7.50 | 2.5 | 3.0 | Slender | 2.0 |
| IRGC 75205 | Thimphup Maap | | 5 | 5 | 3 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 9 | 7 | 3 | 2 | 0 | 4 | 3 | 3 | 1 | 3 | 2 | 7.60 | 3.1 | 2.5 | Bold | 2.3 |
| IRGC 62188 | Thimphup | Thimphu | 5 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 190-195 | 5 | 5 | 9 | 3 | 3 | 4 | 3 | 1 | 1 | 1 | 2 | 8.20 | 2.7 | 2.2 | Bold | 2.5 | |
| IRGC 32449 | Thumsam-pu | Champo Pangthang, Kanglung | 3 | 5 | 2 | 1 | 1 | 5 | 1 | 5 | 5 | 5 | 1 | 180-190 | 5 | 9 | 1 | 5 | 3 | 0 | 4 | 2 | 2 | 1 | 2 | 2 | 7.00 | 3.0 | 4.1 | Slender | 1.6 |
| IRGC 67857 | Timmuray | Patalay, Tsirang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 1 | 150-160 | 5 | 3 | 7 | 3 | 2 | 0 | 2 | 3 | 2 | 1 | 2 | 1 | 5.00 | 2.7 | 1.9 | Round | 2.0 |
| IRGC 67858 | Toli | Yebesa, Chhubu, Punakha | 5 | 5 | 2 | 1 | 5 | 2 | 3 | 3 | 5 | 5 | 1 | 170-175 | 5 | 9 | 9 | 3 | 2 | 0 | 2 | 6 | 3 | 1 | 2 | 2 | 7.00 | 3.0 | 2.3 | Bold | 2.0 |
| IRGC 62189 | Tongsarpa Bara | Wengkhar, Monger | 7 | 7 | 2 | 1 | 5 | 5 | 3 | 6 | 7 | 7 | 1 | 180-190 | 6 | 9 | 7 | 3 | 3 | 0 | 4 | 2 | 2 | 1 | 2 | 2 | 8.20 | 3.6 | 3.0 | Slender | 2.3 |
| IRGC 64935 | Tschi-nanangka | Pepchhegang, Tangsibi Block | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 3 | 9 | 1 | 170-175 | 3 | 9 | 7 | 3 | 2 | 1 | 2 | 3 | 11 | 1 | 3 | 2 | 7.60 | 3.2 | 2.4 | Bold | 2.3 |
| IRGC 32450 | Tsherang-Zamo | Thingdambi, Salling | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 180-190 | 5 | 9 | 7 | 3 | 1 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 8.28 | 2.5 | 3.3 | Slender | 2.8 |
| IRGC 64936 | Uzam | Taba, Kabesa Block | 3 | 5 | 3 | 1 | 3 | 1 | 3 | 4 | 3 | 7 | 1 | 150-160 | 5 | 3 | 7 | 3 | 2 | 0 | 2 | 3 | 1 | 1 | 3 | 2 | 7.80 | 2.9 | 2.7 | Bold | 2.5 |
| IRGC 32451 | Wangda Karmo | Khidung, Trashigang | 5 | 5 | 2 | 1 | 5 | 3 | 3 | 4 | 3 | 5 | 1 | 170-175 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 3 | 2 | 1 | 2 | 1 | 2.60 | 7.8 | 2.5 | Bold | 2.2 |
| IRGC 111451 | Wangda Karmo | Dochukha, Goen-shari | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 7 | 1 | 180-190 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 7.68 | 3.0 | 2.6 | Bold | 2.2 |
| IRGC 32452 | Wangda Karmo | Packaling, Trashigang | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 6 | 7 | 5 | 1 | 180-190 | 5 | 9 | 9 | 2 | 2 | 5 | 1 | 4 | 3 | 1 | 2 | 1 | 7.40 | 3.2 | 2.3 | Bold | 2.6 |
| IRGC 111452 | Wangda Karmo | Tamidamchu, Toewang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 7 | 1 | 170-175 | 5 | 5 | 7 | 3 | 2 | 0 | 2 | 3 | 4 | 1 | 3 | 1 | 8.20 | 2.5 | 3.2 | Slender | 3.0 |
| IRGC 86912 | Yadu Bara | Pema Gatshel | 5 | 5 | 2 | 3 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 170-175 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 9 | 2.4 | 3.8 | Slender | 2.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|------------------|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|------|-----|-----|---------|-----|
| IRGC 86913 | Yadu Bara | Khar, Pema Gatshel | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 3 | 3 | 7 | 1 | 170-175 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 10 | 2.4 | 4.0 | Slender | 2.4 |
| IRGC 32406 | Yangkum (red) | Manikha, Punakha | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 7 | 7 | 7 | 2 | 170-175 | 5 | 9 | 7 | 3 | 2 | 1 | 4 | 3 | 4 | 1 | 3 | 2 | 8.28 | 2.5 | 3.3 | Slender | 3.0 |
| IRGC 86914 | Yurungpa Bara | Yomzore, Pema Gatshel | 5 | 5 | 2 | 1 | 3 | 5 | 5 | 5 | 7 | 9 | 1 | 170-180 | 5 | 9 | 7 | 3 | 2 | 0 | 2 | 2 | 2 | 1 | 2 | 2 | 5.13 | 2.5 | 2.1 | Bold | 1.8 |
| IRGC 62190 | Zakha | Wangdue Phodrang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 1 | 180-190 | 5 | 5 | 7 | 2 | 2 | 0 | 3 | 3 | 1 | 1 | 2 | 2 | 8.10 | 3.7 | 2.2 | Bold | 2.5 |
| IRGC 67859 | Zakha | Jashika, Shengana | 5 | 5 | 2 | 1 | 5 | 1 | 3 | 3 | 5 | 7 | 1 | 180-190 | 5 | 7 | 9 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 8.60 | 3.0 | 2.9 | Bold | 2.0 |
| IRGC 86915 | Zakha | Lopokha (Adang) | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 3 | 3 | 7 | 2 | 180-190 | 5 | 3 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 8.30 | 2.7 | 3.0 | Slender | 2.0 |
| IRGC 86916 | Zakha | Lopokha (Adang) | 5 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 180-190 | 5 | 5 | 9 | 2 | 2 | 0 | 2 | 2 | 2 | 1 | 2 | 2 | 7.86 | 3.4 | 2.3 | Bold | 2.0 |
| IRGC 86917 | Zakha | Lopokha (Adang) | 5 | 5 | 3 | 1 | 3 | 1 | 3 | 4 | 3 | 7 | 1 | 180-190 | 7 | 3 | 7 | 3 | 2 | 1 | 2 | 3 | 5 | 1 | 2 | 1 | 7.30 | 3.2 | 2.3 | Bold | 3.4 |
| IRGC 111454 | Zakha Dago | Tamidamchu, Toewang | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 9 | 1 | 180-190 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 3 | 1 | 1 | 1 | 1 | 7.50 | 3.0 | 2.6 | Bold | 3.3 |
| IRGC 62191 | Zakhakap | Punakha | 5 | 5 | 2 | 1 | 1 | 5 | 5 | 3 | 3 | 9 | 1 | 170-175 | 5 | 9 | 5 | 3 | 1 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 8.30 | 3.0 | 2.8 | Bold | 2.5 |
| IRGC 62192 | Zakhamp | Punakha | 5 | 5 | 2 | 1 | 2 | 5 | 3 | 3 | 3 | 9 | 1 | 170-175 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 4 | 2 | 1 | 2 | 1 | 8.20 | 2.4 | 3.4 | Slender | 2.4 |
| IRGC 67860 | Zakhor | Shobling, Nangkhor, Zhemgang | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 3 | 3 | 9 | 1 | 180-190 | 5 | 1 | 7 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 2 | 1 | 7.80 | 3.0 | 2.6 | Bold | 2.5 |
| IRGC 86842 | Zhochum | | 5 | 5 | 2 | 5 | 3 | 2 | 3 | 4 | 5 | 9 | 1 | 180-190 | 5 | 5 | 7 | 3 | 2 | 5 | 3 | 2 | 2 | 1 | 3 | 2 | 7.80 | 3.0 | 3.0 | Slender | 2.0 |
| IRGC 111456 | Zuchum | Dochukha, Goen-shari | 5 | 5 | 3 | 1 | 3 | 5 | 3 | 6 | 5 | 9 | 1 | 180-190 | 5 | 3 | 7 | 3 | 2 | 1 | 0 | 3 | 1 | 1 | 3 | 3 | 7.86 | 3.0 | 2.6 | Bold | 2.0 |
| IRGC 113741 | Zuchum | Dochukha, Goen-shari | 5 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 9 | 2 | 180-190 | 5 | 3 | 7 | 3 | 2 | 1 | 3 | 4 | 3 | 1 | 1 | 2 | 7.82 | 3.0 | 2.6 | Bold | 3.0 |
| IRGC 115189 | Zuchum | Jibjokha, Toewong | 3 | 5 | 3 | 1 | 3 | 1 | 3 | 4 | 3 | 9 | 1 | 170-175 | 5 | 5 | 7 | 3 | 2 | 0 | 1 | 4 | 1 | 1 | 3 | 2 | 8.50 | 3.4 | 2.6 | Bold | 2.5 |
| IRGC 86918 | Zuchum | Lopokha (Adang) | 5 | 5 | 3 | 1 | 3 | 1 | 1 | 3 | 5 | 9 | 1 | 170-180 | 5 | 5 | 7 | 3 | 2 | 1 | 2 | 3 | 2 | 1 | 1 | 2 | 7.80 | 3.0 | 2.6 | Bold | 2.0 |

Characterization Data: Gene Bank Accessions

| Accession Number | Local Name | Passport Information | Leaf Blade L (cm) | Leaf Blade W (cm) | Leaf Blade Pubescence | Basal Sheath Color | Flag Leaf Attitude | Internode Colour | Culm Habit | Culm Length | Culm Bearing | Culm Lodging | Culm Diameter | Days to Maturity | Panicle L | Panicle Attitude of Branches | Panicle Exertion | Panicle Shattering | Panicle Threshibility | Awn Distribution | Lemma Palea | Pubescence | Lemma Palea Color | Lemma Color of Apiculus | Stigma Colour | Sterile Lemma Colour | Seed Coat | Grain Length (mm) | Grain Width (mm) | L/W Ratio | Grain Type | 100 Grain Weight. (g) |
|------------------|------------|----------------------------------|-------------------|-------------------|-----------------------|--------------------|--------------------|------------------|------------|-------------|--------------|--------------|---------------|------------------|-----------|------------------------------|------------------|--------------------|-----------------------|------------------|-------------|------------|-------------------|-------------------------|---------------|----------------------|-----------|-------------------|------------------|-----------|------------|-----------------------|
| | | | 7 | 5 | 1 | 1 | 3 | 5 | 5 | 6 | 7 | 7 | 1 | 155-160 | 5 | 5 | 5 | 1 | 3 | 0 | 1 | 2 | 2 | 1 | 1 | 1 | 7.4 | 3.0 | 2.5 | Bold | 2 | |
| BTNC 1800 | Ap | Sershu, Pemathang, S/Jongkhar | 7 | 5 | 1 | 1 | 3 | 5 | 5 | 6 | 7 | 7 | 1 | 155-160 | 5 | 5 | 5 | 1 | 3 | 0 | 1 | 2 | 2 | 1 | 1 | 1 | 7.4 | 3.0 | 2.5 | Bold | 2 | |
| BTNC 650 | Aijong | Golanti, Langchenphu, S/Jongkhar | 5 | 2 | 1 | 3 | 2 | 5 | 5 | 5 | 7 | 3 | 1 | 155-160 | 5 | 5 | 9 | 1 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 8.0 | 3.2 | 2.5 | Bold | 2 | |
| BTNC 2325 | Aizam | Dechhenling, Pema Gatshel | 5 | 5 | 1 | 1 | 7 | 5 | 3 | 5 | 5 | 5 | 1 | 155-160 | 7 | 5 | 7 | 3 | 1 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 3.8 | 3.0 | 1.3 | Round | 2 | |
| BTNC 1806 | Apo | Pemthang, S/Jongkhar | 7 | 5 | 1 | 1 | 7 | 5 | 3 | 4 | 7 | 7 | 1 | 155-160 | 7 | 3 | 7 | 3 | 3 | 0 | 1 | 2 | 2 | 1 | 1 | 1 | 6.0 | 3.0 | 2.0 | Bold | 2 | |
| BTNC 1580 | Arimg Bara | Merda, Kazhi, Wangdue Phodrang | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 180-185 | 5 | 5 | 7 | 1 | 3 | 1 | 3 | 2 | 2 | 1 | 1 | 2 | 8.1 | 3.2 | 2.5 | Bold | 2.3 | |
| BTNC 321 | Aring Bara | Denang, Yurung, P/Gatshel | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 5 | 7 | 7 | 1 | 175-180 | 5 | 9 | 9 | 3 | 3 | 0 | 4 | 3 | 2 | 1 | 1 | 2 | 8.4 | 3.1 | 2.7 | Bold | 3.1 | |
| BTNC 656 | Aring Bara | Rizor Phai, Yurung, P/Gatshel | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 7 | 7 | 1 | 175-180 | 5 | 3 | 7 | 3 | 3 | 0 | 2 | 2 | 1 | 1 | 1 | 2 | 7.2 | 3.3 | 2.2 | Bold | 2 | |
| BTNC 1586 | Aring Bara | Thrimshing, Trashigang | 3 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 7 | 1 | 180-185 | 5 | 9 | 7 | 5 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 8.0 | 3.0 | 2.7 | Bold | 2.1 | |
| BTNC 181 | Aring Bara | Shali, Shumar, Pema Gatshel | 7 | 5 | 2 | 1 | 3 | 5 | 5 | 4 | 7 | 7 | 1 | 170-175 | 7 | 5 | 9 | 3 | 3 | 0 | 1 | 2 | 2 | 1 | 1 | 2 | 5.4 | 3.0 | 1.8 | Round | 2.14 | |
| BTNC 636 | Aring Bara | Morong, Orong, S/Jongkhar | 7 | 7 | 2 | 1 | 5 | 5 | 5 | 6 | 5 | 7 | 1 | 170-175 | 5 | 9 | 3 | 3 | 3 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 8.0 | 3.2 | 2.5 | Bold | 3.25 | |
| BTNC 681 | Aring Bara | Rishor, Orong, S/Jongkhar | 5 | 5 | 1 | 1 | 3 | 2 | 5 | 3 | 7 | 7 | 1 | 170-175 | 5 | 5 | 5 | 3 | 3 | 1 | 4 | 5 | 3 | 1 | 1 | 2 | 8.4 | 3.0 | 2.8 | Bold | 2 | |
| BTNC 2317 | Asu | Rinchending, Kanglung | 7 | 7 | 2 | 1 | 5 | 2 | 3 | 6 | 7 | 5 | 1 | 160-170 | 6 | 9 | 3 | 3 | 2 | 0 | 2 | 2 | 2 | 1 | 2 | 1 | 6.5 | 2.8 | 2.4 | Bold | 2.77 | |
| BTNC 1567 | Asu Bara | Monger | 7 | 5 | 1 | 1 | 3 | 2 | 3 | 7 | 7 | 5 | 1 | 170-175 | 7 | 1 | 9 | 5 | 2 | 0 | 2 | 2 | 2 | 1 | 1 | 1 | 6.8 | 3.2 | 2.1 | Bold | 2 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|-------|------|
| BTNC 658 | Asu Bara | Gepteri, Udozorong | 7 | 5 | 1 | 1 | 7 | 2 | 3 | 4 | 7 | 7 | 1 | 160-170 | 7 | 9 | 9 | 5 | 2 | 0 | 3 | 2 | 2 | 1 | 2 | 1 | 6.0 | 3.0 | 2.0 | Bold | 2.98 |
| BTNC 630 | Asu Bara | Jasaphy, Kurtoe | 7 | 7 | 1 | 1 | 5 | 1 | 3 | 8 | 7 | 9 | 1 | 175-180 | 5 | 9 | 5 | 1 | 2 | 1 | 3 | 2 | 2 | 1 | 2 | 1 | 4.3 | 2.6 | 1.7 | Round | 3.1 |
| BTNC 1240 | Attay | Lepcha Gaon, Tendruk | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 170-175 | 5 | 9 | 7 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 6.6 | 2.8 | 2.4 | Bold | 2.2 |
| BTNC 178 | Attay | Reserphu, Men-dralgung, Tsirang | 5 | 5 | 2 | 1 | 1 | 2 | 1 | 6 | 5 | 7 | 1 | 170-180 | 5 | 5 | 7 | 7 | 2 | 1 | 4 | 2 | 2 | 1 | 1 | 1 | 6.4 | 3.1 | 2.1 | Bold | 2.4 |
| BTNC 239 | Attay | Manithang, Pen-tenchu, Tsirang | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 6 | 7 | 7 | 1 | 175-180 | 5 | 9 | 9 | 3 | 2 | 1 | 3 | 2 | 2 | 1 | 2 | 1 | 6.6 | 3.0 | 2.2 | Bold | 2.2 |
| BTNC 310 | Attay | Manithang, Pentenchu | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 7 | 1 | 170-180 | 5 | 7 | 5 | 3 | 2 | 1 | 4 | 2 | 2 | 1 | 1 | 1 | 6.5 | 3.2 | 2.0 | Bold | 2.3 |
| BTNC 886 | Attay | Zamling zor, Men-drelgung, Tsirang | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 7 | 1 | 170-175 | 7 | 9 | 9 | 5 | 2 | 1 | 4 | 2 | 2 | 1 | 2 | 1 | 6.9 | 2.9 | 2.4 | Bold | 2.1 |
| BTNC 126 | Attay Dhan | Bararey Semjong | 5 | 5 | 2 | 1 | 1 | 1 | 3 | 5 | 3 | 7 | 1 | 185-190 | 5 | 3 | 7 | 1 | 2 | 3 | 3 | 6 | 3 | 1 | 2 | 1 | 6.0 | 2.8 | 2.1 | Bold | 2.7 |
| BTNC 1901 | Attay Dhan | Patasiling Toe, Tsirang | 7 | 5 | 1 | 1 | 3 | 2 | 3 | 6 | 7 | 9 | 1 | 180-185 | 5 | 9 | 5 | 3 | 2 | 1 | 4 | 2 | 2 | 1 | 2 | 1 | 5.8 | 2.8 | 2.1 | Bold | 2.1 |
| BTNC 2381 | Attay dhan | Patasiling , Tsirang | 5 | 5 | 3 | 1 | 3 | 2 | 3 | 5 | 7 | 7 | 1 | 175-180 | 5 | 9 | 7 | 3 | 2 | 0 | 2 | 2 | 2 | 1 | 2 | 1 | 6.8 | 2.9 | 2.3 | Bold | 2.3 |
| BTNC 666 | Attay dhan | Semjong, Tsirang | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 7 | 7 | 7 | 1 | 180-185 | 7 | 9 | 9 | 5 | 2 | 1 | 3 | 5 | 2 | 1 | 1 | 1 | 5.9 | 2.8 | 2.1 | Bold | 2.1 |
| BTNC 1907 | Attay Dhan/ Karmatekpa | Nangkor, Zhemgang | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 | 1 | 180-185 | 5 | 7 | 7 | 3 | 2 | 0 | 3 | 5 | 3 | 1 | 1 | 1 | 7.2 | 3.0 | 2.4 | Bold | 2.5 |
| BTNC 1019 | Attey | Pemathang, Samdru Jongkhar | 3 | 5 | 2 | 1 | 3 | 3 | 3 | 5 | 3 | 7 | 1 | 155-160 | 7 | 3 | 7 | 1 | 2 | 1 | 3 | 4 | 2 | 1 | 2 | 1 | 6.4 | 2.5 | 2.6 | Bold | 2 |
| BTNC 1078 | Attey | Mirchim, Bongo, Chukha | 5 | 5 | 2 | 1 | 1 | 2 | 1 | 5 | 5 | 7 | 1 | 170-175 | 5 | 7 | 5 | 3 | 2 | 4 | 3 | 6 | 3 | 1 | 1 | 1 | 8.2 | 3.0 | 2.7 | Bold | 2.4 |
| BTNC 1352 | Attey | Akochen, Khebisa, Dagana | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 | 1 | 185-190 | 5 | 5 | 3 | 5 | 2 | 0 | 3 | 5 | 2 | 1 | 2 | 1 | 8.2 | 3.3 | 2.5 | Bold | 2.2 |
| BTNC 2338 | Attey | Bich Goan, Jigmecholing, Sarpang | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 7 | 1 | 160-165 | 5 | 9 | 5 | 7 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 6.8 | 3.0 | 2.3 | Bold | 2.3 |
| BTNC 236 | Attey | Kokrey, Semjong, Tsirang | 5 | 5 | 2 | 1 | 3 | 1 | 1 | 5 | 3 | 7 | 1 | 185-190 | 3 | 3 | 7 | 1 | 2 | 1 | 3 | 5 | 2 | 1 | 2 | 1 | 6.3 | 2.7 | 2.3 | Bold | 2 |
| BTNC 274 | Attey | Changay, Phuen-tenchu, Tsirang | 5 | 5 | 2 | 1 | 5 | 1 | 3 | 4 | 5 | 7 | 1 | 170-175 | 5 | 3 | 7 | 1 | 2 | 3 | 4 | 5 | 3 | 1 | 2 | 1 | 7.2 | 2.8 | 2.6 | Bold | 2.7 |
| BTNC 1417 | Attey Dhan | Namleythang, Tshangkha, Dagana | 3 | 5 | 1 | 1 | 3 | 2 | 3 | 5 | 3 | 5 | 1 | 170-180 | 5 | 5 | 9 | 5 | 2 | 0 | 3 | 4 | 1 | 1 | 2 | 1 | 7.0 | 3.5 | 2.0 | Bold | 2.3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|----------------|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|---|---|---|---|------|-----|-----|---------|------|
| BTNC 1965 | Attey Dhan | Nyzzergang, Kilk-horthang, Tsirang | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 7 | 1 | 180-190 | 5 | 7 | 5 | 3 | 2 | 0 | 4 | 5 | 2 | 1 | 2 | 1 | 7.0 | 3.0 | 2.3 | Bold | 2.3 |
| BTNC 413 | Attey Dhan | Bararay Salery, Semjong, Tsirang | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 7 | 1 | 180-185 | 5 | 9 | 5 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 6.5 | 2.9 | 2.2 | Bold | 2.1 |
| BTNC 1709 | Auling Bara | Jalang, Minjay, Lhuentse | 5 | 5 | 2 | 1 | 1 | 2 | 1 | 4 | 7 | 9 | 1 | 185-190 | 5 | 2 | 9 | 3 | 2 | 0 | 4 | 11 | 9 | 1 | 3 | 1 | 8.5 | 2.5 | 3.4 | Slender | 2.1 |
| BTNC 46 | Aunadhi | Dhanseri, Phuentenchu, Tsirang | 5 | 7 | 2 | 1 | 3 | 5 | 3 | 3 | 3 | 9 | 1 | 155-160 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 3 | 4 | 1 | 3 | 1 | 8.6 | 3.8 | 2.3 | Bold | 3.2 |
| BTNC 2205 | Awalung | Zhungkhar, Menbi, Lhuentse | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 6 | 5 | 5 | 1 | 180-190 | 5 | 9 | 9 | 6 | 3 | 0 | 4 | 4 | 3 | 1 | 3 | 2 | 7.5 | 2.5 | 3.0 | Bold | 2 |
| BTNC 625 | B.R Attey | Phadey, Pemathang, S/Jongkhar | 5 | 7 | 2 | 1 | 1 | 5 | 3 | 4 | 7 | 7 | 1 | 155-160 | 5 | 3 | 7 | 3 | 2 | 0 | 1 | 2 | 2 | 1 | 1 | 1 | 7.0 | 3.1 | 2.3 | Bold | 2 |
| BTNC 1008 | Bagay Tulasai | Serisay, Pemaling, Samtse | 5 | 5 | 1 | 1 | 3 | 3 | 3 | 4 | 5 | 7 | 1 | 155-160 | 5 | 9 | 7 | 3 | 2 | 4 | 3 | 2 | 9 | 1 | 4 | 1 | 7.0 | 2.4 | 2.9 | Bold | 2 |
| BTNC 1009 | Bagerni | Chogsra, Tendruk, Samtse | 5 | 5 | 2 | 1 | 3 | 3 | 3 | 5 | 5 | 7 | 1 | 170-175 | 7 | 3 | 7 | 3 | 2 | 1 | 4 | 3 | 9 | 1 | 3 | 1 | 6.7 | 3.4 | 2.0 | Round | 2.8 |
| BTNC 629 | Baipo Bara | Zor, Jamkhar, Trashi Yangtse | 5 | 7 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 5 | 1 | 175-180 | 7 | 3 | 7 | 3 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 8.7 | 2.5 | 3.5 | Slender | 2.98 |
| BTNC 631 | Baipo Bara | Kenmong, Tongzhang, Trashi Yangtse | 7 | 7 | 2 | 1 | 3 | 5 | 5 | 7 | 5 | 5 | 1 | 190-195 | 5 | 9 | 9 | 5 | 3 | 0 | 7 | 2 | 2 | 1 | 1 | 2 | 8.2 | 3.1 | 2.6 | Bold | 2.75 |
| BTNC 642 | Baipo Bara | Shazam, Khamdang, Trashi Yangtse | 5 | 7 | 2 | 1 | 3 | 5 | 3 | 3 | 7 | 9 | 1 | 190-195 | 7 | 9 | 9 | 3 | 3 | 2 | 3 | 2 | 2 | 1 | 1 | 2 | 8.8 | 3.4 | 2.6 | Bold | 3.45 |
| BTNC 1930 | Baismutay | Churzagang, Sarpang | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 3 | 3 | 7 | 1 | 165-170 | 5 | 3 | 7 | 1 | 2 | 1 | 3 | 1 | 2 | 1 | 3 | 1 | 7.1 | 2.4 | 3.0 | Slender | 2 |
| BTNC 993 | Baiyarni Dhan | Tendu Tar, Tendruk, Samtse | 5 | 2 | 1 | 3 | 2 | 3 | 7 | 5 | 5 | 1 | | 160-165 | 5 | 9 | 9 | 3 | 2 | 0 | 2 | 3 | 2 | 1 | 1 | 1 | 5.7 | 2.5 | 2.3 | Bold | 2.4 |
| BTNC 409 | Bangayray Dhan | Lower Saurani, Darla, Chukha | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 8 | 5 | 5 | 1 | 170-175 | 7 | 9 | 5 | 3 | 2 | 0 | 3 | 6 | 9 | 1 | 1 | 1 | 7.0 | 3.1 | 2.3 | Bold | 2.3 |
| BTNC 283 | Bar | Naktshang, Shumar, Pema Gatshel | | 7 | 2 | 1 | 5 | 2 | 5 | 5 | 7 | 7 | 1 | 170-175 | 5 | 3 | 3 | 3 | 3 | 0 | 4 | 3 | 2 | 1 | 1 | 2 | 6.6 | 3.4 | 1.9 | Round | 3.12 |
| BTNC 1372 | Bara | Samkhar, Trashigang | 3 | 5 | 2 | 1 | 1 | 5 | 1 | 3 | 5 | 9 | 2 | 170-180 | 3 | 7 | 5 | 5 | 3 | 0 | 3 | 2 | 2 | 1 | 2 | 2 | 10.0 | 2.5 | 4.0 | Slender | 2.2 |
| BTNC 351 | Bara | Chokpa, Ngatshang, Monger | 5 | 5 | 1 | 1 | 5 | 2 | 5 | 6 | 5 | 5 | 1 | 170-175 | 5 | 3 | 9 | 5 | 2 | 0 | 2 | 2 | 2 | 1 | 1 | 2 | 8.0 | 3.2 | 2.5 | Bold | 2 |
| BTNC 366 | Bara | Ngatshang, Monger | 5 | 7 | 2 | 1 | 3 | 5 | 3 | 3 | 7 | 7 | 1 | 170-175 | 5 | 9 | 9 | 5 | 3 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 8.4 | 3.0 | 2.8 | Bold | 3.8 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---------------|--|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|---|---|---|---|-----|-----|-----|---------|------|
| BTNC 637 | Bara | Gorthongma, Martshalla, S/Jongkhar | 5 | 7 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 7 | 1 | 175-180 | 7 | 9 | 7 | 3 | 2 | 0 | 1 | 2 | 2 | 1 | 1 | 2 | 8.0 | 3.0 | 2.7 | Bold | 1.49 |
| BTNC 741 | Bara Basmuthi | Orong, Samdrup Jongkhar | 5 | 5 | 1 | 1 | 5 | 5 | 3 | 7 | 7 | 7 | 1 | 170-175 | 5 | 5 | 5 | 2 | 2 | 0 | 4 | 3 | 3 | 1 | 1 | 2 | 8.0 | 3.2 | 2.5 | Bold | 2 |
| BTNC 175 | Bara Changu | Dhori, Bidung, Trashigang | 5 | 5 | 2 | 1 | 3 | 2 | 1 | 5 | 5 | 7 | 1 | 190-195 | 5 | 1 | 9 | 3 | 2 | 1 | 4 | 11 | 9 | 1 | 3 | 2 | 8.0 | 2.5 | 3.2 | Slender | 3 |
| BTNC 2334 | Bara Dema | Karbi, Saling, Trashigang | 5 | 7 | 1 | 1 | 3 | 5 | 3 | 6 | 5 | 5 | 1 | 155-160 | 5 | 3 | 9 | 7 | 2 | 0 | 4 | 6 | 3 | 1 | 2 | 1 | 8.8 | 3.8 | 2.3 | Bold | 3 |
| BTNC 172 | Bara tsalo | Wangkha, Ngatshang, Monger | 5 | 7 | 1 | 1 | 3 | 5 | 3 | 6 | 7 | 7 | 1 | 185-190 | 5 | 9 | 7 | 3 | 3 | 1 | 1 | 2 | 3 | 1 | 1 | 2 | 8.4 | 3.0 | 2.8 | Bold | 2.23 |
| BTNC 293 | Bara tsalo | Yongrazor, Chaskhar, Monger | 5 | 7 | 2 | 1 | 5 | 5 | 3 | 7 | 7 | 5 | 1 | 185-190 | 5 | 9 | 7 | 1 | 3 | 1 | 3 | 2 | 3 | 1 | 1 | 2 | 6.4 | 3.8 | 1.7 | Bold | 2.08 |
| BTNC 639 | Barachanglu | Kilkorthang, Tsirang | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 7 | 5 | 1 | 175-180 | 5 | 7 | 3 | 5 | 2 | 0 | 2 | 6 | 2 | 1 | 3 | 3 | 7.5 | 2.8 | 2.7 | Bold | 2 |
| BTNC 917 | Bararay Dhan | Chisho Pani, Pemaling, Samtse | 5 | 5 | 2 | 1 | 5 | 2 | 3 | 5 | 5 | 7 | 1 | 160-165 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 5 | 9 | 1 | 3 | 1 | 5.0 | 3.5 | 1.5 | Round | 3 |
| BTNC 644 | Bartshampa | Phangteng, Bumdeling, Trashi Yangtse | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 | 1 | 185-190 | 5 | 3 | 9 | 3 | 3 | 0 | 3 | 4 | 2 | 1 | 2 | 2 | 8.2 | 2.9 | 2.9 | Bold | 2.4 |
| BTNC 40 | Baybokpa | Bayling, Langthel, Trongsa | 7 | 5 | 2 | 1 | 3 | 5 | 5 | 6 | 5 | 5 | 1 | 155-160 | 7 | 9 | 9 | 3 | 2 | 0 | 1 | 2 | 2 | 1 | 2 | 2 | 6.4 | 2.6 | 2.4 | Bold | 2.17 |
| BTNC 655 | Baybupa | Dangdung, Langthel, Trongsa | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 7 | 5 | 7 | 1 | 165-170 | 5 | 9 | 9 | 3 | 3 | 1 | 3 | 9 | 5 | 1 | 1 | 1 | 7.2 | 4.0 | 1.8 | Round | 2.5 |
| BTNC 1371 | Bethpu Bara | Dhagna, Lumang, Trashigang | 3 | 7 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 2 | 170-175 | 5 | 9 | 9 | 3 | 1 | 0 | 1 | 2 | 2 | 1 | 1 | 2 | 6.6 | 3.6 | 1.8 | Round | 3.12 |
| BTNC 1241 | Bethpu Bara | Tseber Zordung, Khar, P/Gatshel | 7 | 7 | 3 | 1 | 3 | 1 | 3 | 7 | 5 | 5 | 1 | 170-180 | 5 | 3 | 7 | 1 | 1 | 1 | 4 | 4 | 1 | 1 | 1 | 1 | 6.6 | 2.6 | 2.6 | Bold | 3.78 |
| BTNC 338 | Bidungpa | Dhori, Bidung, Trashigang | 5 | 5 | 2 | 1 | 3 | 5 | 5 | 6 | 5 | 7 | 1 | 190-195 | 5 | 5 | 9 | 5 | 3 | 1 | 4 | 5 | 2 | 1 | 2 | 2 | 7.5 | 2.3 | 3.3 | Slender | 1.9 |
| BTNC 234 | Bihari Dhan | Ramitey, Phuntsholing, Chukha | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 4 | 5 | 7 | 1 | 155-160 | 5 | 5 | 7 | 5 | 2 | 0 | 1 | 3 | 3 | 1 | 1 | 1 | 5.8 | 3.2 | 1.8 | Round | 2 |
| BTNC 1454 | Bja | Jangsa, Goenshari, Punakha | 5 | 2 | 1 | 3 | 2 | 1 | 4 | 3 | 7 | 2 | | 190-195 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 1 | 1 | 1 | 1 | 2 | 8.1 | 3.0 | 2.7 | Bold | 2.2 |
| BTNC 1723 | Bogarma | Sewe, Kurtoe, Lhuentse | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 6 | 5 | 5 | 2 | 180-185 | 5 | 2 | 7 | 3 | 2 | 1 | 4 | 11 | 9 | 1 | 3 | 2 | 6.5 | 2.5 | 2.6 | Bold | 1 |
| BTNC 1707 | Bomdelingpa | Samling, Gangzur, Lhuentse | 7 | 5 | 1 | 1 | 3 | 2 | 3 | 5 | 7 | 7 | 1 | 185-190 | 5 | 9 | 5 | 3 | 3 | 0 | 4 | 5 | 3 | 1 | 3 | 2 | 8.0 | 3.0 | 2.7 | Bold | 3.98 |
| BTNC 262 | Bondey | Bumtang, Phongmey, Trashigang | 5 | 7 | 1 | 1 | 5 | 5 | 5 | 7 | 5 | 9 | 1 | 180-195 | 7 | 9 | 9 | 5 | 1 | 0 | 4 | 2 | 2 | 4 | 2 | 1 | 8.9 | 3.5 | 2.5 | Bold | 3.55 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|---|---|---|---|-----|-----|-----|---------|------|
| BTNC 284 | Bondey | Lorena, Toewang, Punakha | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 3 | 5 | 9 | 1 | 170-175 | 5 | 3 | 7 | 2 | 1 | 1 | 2 | 2 | 2 | 4 | 2 | 1 | 8.3 | 2.4 | 3.5 | Slender | 2.58 |
| BTNC 327 | Bondey | Toewang, Punakha | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 160-165 | 7 | 3 | 7 | 3 | 1 | 5 | 4 | 2 | 9 | 4 | 4 | 1 | 8.6 | 2.2 | 3.9 | Slender | 3 |
| BTNC 1803 | Bondey | Menjigang, Phunts shothang, Samdru Jongkhar | 7 | 5 | 1 | 1 | 3 | 2 | 5 | 5 | 7 | 7 | 1 | 150-155 | 5 | 5 | 7 | 5 | 1 | 0 | 4 | 2 | 2 | 4 | 1 | 1 | 8.0 | 3.0 | 2.7 | Bold | 2 |
| BTNC 346 | Bondey | Themnangbi, Saling, Monger | 7 | 5 | 1 | 1 | 3 | 2 | 5 | 7 | 5 | 7 | 1 | 160-165 | 5 | 3 | 9 | 3 | 1 | 1 | 1 | 1 | 9 | 4 | 3 | 1 | 7.0 | 3.0 | 2.3 | Bold | 2 |
| BTNC 996 | Bondey Nap | Bjena, Wangdue Phodrang | 3 | 5 | 1 | 1 | 3 | 2 | 1 | 6 | 7 | 7 | 1 | 165-170 | 3 | 0 | 7 | 5 | 1 | 0 | 4 | 11 | 9 | 4 | 3 | 1 | 7.5 | 2.5 | 3.0 | Slender | 2 |
| BTNC 410 | Bondey Oldest | Kinga Rabten, Trongsa | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 3 | 7 | 2 | 160-165 | 5 | 5 | 7 | 3 | 1 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | 7.8 | 3.0 | 2.6 | Bold | 2.4 |
| BTNC 1051 | Botay Dhan | Mayona, Den-chukha, Samtse | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 5 | 1 | | 170-180 | 5 | 7 | 7 | 3 | 2 | 0 | 1 | 3 | 3 | 1 | 1 | 1 | 7.3 | 2.9 | 2.5 | Bold | 2.3 |
| BTNC 2413 | Botoli | Punakha | 5 | 5 | 2 | 1 | 5 | 1 | 3 | 7 | 3 | 5 | 1 | 165-170 | 5 | 9 | 7 | 3 | 2 | 1 | 4 | 4 | 1 | 1 | 2 | 1 | 8.0 | 2.7 | 2.9 | Bold | 2.4 |
| BTNC 671 | Bra Dhan | Phuntshothang, S/Jongkhar | 5 | 7 | 1 | 1 | 5 | 1 | 3 | 4 | 7 | 7 | 1 | 150-155 | 5 | 2 | 7 | 3 | 1 | 1 | 3 | 2 | 2 | 1 | 2 | 1 | 8.0 | 3.0 | 2.2 | Bold | 2 |
| BTNC 672 | Bra | Ney Pema Choloin, Ganzur, Lhuentse | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 4 | 7 | 9 | 1 | 185-190 | 7 | 9 | 9 | 1 | 3 | 1 | 2 | 2 | 2 | 1 | 3 | 1 | 7.6 | 2.6 | 2.9 | Bold | 2.99 |
| BTNC 684 | Bra Hamzaywa | Gangzur, Lhuentse | 5 | 7 | 1 | 1 | 3 | 2 | 3 | 4 | 7 | 9 | 1 | 185-190 | 5 | 3 | 7 | 3 | 2 | 1 | 2 | 6 | 3 | 1 | 3 | 1 | 2.9 | 2.4 | 1.2 | Round | 3.18 |
| BTNC 1590 | Brana | Kheri, Kanglung, Trashigang | 5 | 5 | 2 | 1 | 3 | | 1 | 6 | 5 | 7 | 1 | 185-190 | 5 | 9 | 7 | 5 | 3 | 0 | 4 | 6 | 9 | 5 | 3 | 2 | 7.5 | 2.5 | 3.0 | Slender | 2 |
| BTNC 342 | Brayna Bara | Waichur, Drame-tse, Monger | 5 | 7 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 7 | 1 | 170-175 | 5 | 3 | 2 | 9 | 3 | 0 | 4 | 5 | 2 | 5 | 1 | 2 | 6.7 | 3.2 | 2.1 | Bold | 3.19 |
| BTNC 238 | Brena Bara | Pangthang, Kan-glung, Trashigang | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 7 | 5 | 185-190 | 5 | 9 | 7 | 5 | 3 | 1 | 3 | 8 | 9 | 5 | 3 | 2 | 7.5 | 2.5 | 3.0 | Slender | 1.9 |
| BTNC 927 | Bringful Dhan | Lepcha Gaon, Tendruk, Samtse | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 7 | 5 | 7 | 1 | 170-175 | 5 | 9 | 9 | 3 | 2 | 0 | 2 | 2 | 2 | 5 | 1 | 1 | 5.7 | 2.6 | 2.2 | Bold | 2 |
| BTNC 1574 | Buli Zang-mo | Lungkamchu, Tsakaling, Monger | 7 | 7 | 2 | 1 | 5 | 2 | 5 | 6 | 7 | 9 | 1 | 180-185 | 5 | 9 | 1 | 3 | 3 | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 7.9 | 2.2 | 3.6 | Slender | 2.15 |
| BTNC 2069 | Bulipa | Bardo, Zhemgang | 7 | 5 | 3 | 1 | 3 | 2 | 5 | 7 | 5 | 5 | 1 | 185-190 | 5 | 1 | 9 | 3 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 8.2 | 3.1 | 2.6 | Bold | 2.98 |
| BTNC 624 | Bunalingpa Bra | Namsay Gang, Ganzur, Lhuentse | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 7 | 9 | 1 | 185-190 | 5 | 9 | 9 | 1 | 3 | 1 | 4 | 2 | 2 | 1 | 1 | 2 | 8.0 | 3.0 | 2.7 | Bold | 3.14 |
| BTNC 1099 | Bunap | Dochukha, Goen-shari, Punakha | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 11 | 9 | 5 | 3 | 2 | 7.2 | 3.5 | 2.1 | Bold | 2.5 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-----------------------------|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|---|---|---|---|-----|-----|-----|---------|------|
| BTNC 1438 | Bunap Naab | Sechena, Goen-shari, Punakha | 3 | 5 | 2 | 3 | 3 | 2 | 3 | 3 | 3 | 7 | 2 | 190-195 | 5 | 5 | 9 | | 2 | 0 | 3 | 11 | 9 | 1 | 3 | 2 | 7.2 | 3.6 | 2.0 | Bold | 2.6 |
| BTNC 1101 | Burburay | Rudingkha, Lokchina, Chukha | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 5 | 5 | 5 | 1 | 170-180 | 5 | 9 | 9 | 3 | 2 | 0 | 3 | 5 | 2 | 1 | 3 | 1 | 7.6 | 2.5 | 3.0 | Slender | 2.2 |
| BTNC 661 | Butshula Bra | Gangzur, Lhuentse | 5 | 5 | 1 | 1 | 3 | 5 | 3 | 7 | 7 | 5 | 1 | 190-195 | 7 | 3 | 7 | 5 | 1 | 4 | 4 | 6 | 4 | 1 | 3 | 2 | 6.8 | 3.0 | 2.3 | Bold | 3.44 |
| BTNC 334 | Butshula Bra/Timbu-ray Dhan | Semjong, Tsirang | 5 | 5 | 2 | 1 | 1 | 1 | 3 | 6 | 5 | 7 | 1 | 185-190 | 5 | 5 | 7 | 3 | 1 | 1 | 4 | 11 | 9 | 1 | 1 | 1 | 6.3 | 3.0 | 2.1 | Bold | 2.3 |
| BTNC 2111 | Chakharpa | Dangkhar, Trong, Zhemgang | 5 | 5 | 1 | 1 | 3 | 1 | 3 | 5 | 3 | 7 | 1 | 185-190 | 5 | 3 | 7 | 3 | 2 | 1 | 2 | 4 | 2 | 1 | 2 | 1 | 7.0 | 2.9 | 2.4 | Bold | 2 |
| BTNC 1908 | Chakharpa Epa | Dagpai, Nangkor, Zhemgang | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 6 | 7 | 7 | 1 | 180-185 | 5 | 3 | 7 | 3 | 2 | 1 | 3 | 4 | 2 | 1 | 2 | 1 | 7.4 | 2.8 | 2.6 | Bold | 2.2 |
| BTNC 1589 | Chalangma | Berthangla, Bumdiling, Trashi Yangtse | 5 | 5 | 2 | 1 | 3 | 1 | 1 | 6 | 5 | 5 | 1 | 190-195 | 5 | 9 | 7 | 5 | 1 | 0 | 3 | 3 | 2 | 1 | 2 | 2 | 8.5 | 3.0 | 2.8 | Bold | 2 |
| BTNC 1808 | Champa | Khameythang, Samdrup Jongkhar | 5 | 5 | 1 | 1 | 5 | 5 | 3 | 7 | 7 | 5 | 1 | 155-160 | 5 | 3 | 5 | 1 | 2 | 0 | 3 | 3 | 2 | 1 | 1 | 1 | 8.0 | 3.2 | 2.5 | Bold | 2 |
| BTNC 192 | Champa Dhan | Choekhorling, Dekiling, Sarpang | 7 | 5 | 2 | 1 | 1 | 1 | 3 | 6 | 5 | 7 | 1 | 175-180 | 5 | 3 | 7 | 7 | 2 | 1 | 3 | 4 | 2 | 1 | 2 | 1 | 8.8 | 2.6 | 3.3 | Slender | 2.6 |
| BTNC 208 | Champa Dhan | Dhanseri, Phuenthenchu, Tsirang | 7 | 5 | 2 | 1 | 1 | 2 | 1 | 6 | 5 | 7 | 1 | 180-185 | 7 | 9 | 7 | 5 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 8.8 | 2.6 | 3.4 | Slender | 2.3 |
| BTNC 2380 | Champa Sari Dha | Norbugang, Pema Gatshel | 5 | 7 | 2 | 1 | 5 | 2 | 5 | 5 | 7 | 9 | 1 | 155-160 | 5 | 3 | 3 | 1 | 2 | 1 | 3 | 2 | 2 | 1 | 1 | 1 | 7.0 | 3.1 | 2.3 | Bold | 3 |
| BTNC 246 | Champa Sari Dhan | Toribari, Phuntshothang, S/Jongkhar | 7 | 7 | 2 | 1 | 1 | 5 | 3 | 6 | 7 | 5 | 1 | 155-160 | 5 | 3 | 7 | 7 | 2 | 0 | 3 | 2 | 2 | 1 | 2 | 1 | 8.6 | 3.0 | 2.9 | Bold | 2 |
| BTNC 651 | Champasari | Phuntshothang, S/Jongkhar | 5 | 5 | 1 | 1 | 3 | 5 | 3 | 4 | 5 | 5 | 1 | 155-160 | 5 | 3 | 5 | 3 | 2 | 1 | 3 | 4 | 3 | 1 | 1 | 1 | 7.8 | 4.0 | 2.0 | Round | 2 |
| BTNC 2382 | Chota Dhan | Drazhangsa, Norbugang, P/Gatshel | 7 | 7 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 9 | 1 | 165-170 | 5 | 2 | 1 | 1 | 1 | 0 | 1 | 2 | 2 | 1 | 2 | 1 | 8.8 | 3.8 | 2.3 | Bold | 1.41 |
| BTNC 1968 | Chotay Dhan | Patshaling Toed, Tsirang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 9 | 1 | 185-190 | 5 | 9 | 9 | 3 | 2 | 0 | 3 | 5 | 2 | 1 | 2 | 1 | 6.0 | 3.4 | 1.8 | Round | 2 |
| BTNC 1900 | Chotey Dhan | Kikorthang, Tsirang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 175-180 | 5 | 9 | 9 | 3 | 2 | 0 | 4 | 5 | 9 | 1 | 3 | 1 | 6.0 | 2.7 | 2.2 | Bold | 1.5 |
| BTNC 1969 | Chotey Kalo | Nyergang, Tsirang | 5 | 5 | 2 | 1 | 1 | 5 | 1 | 6 | 5 | 9 | 1 | 185-190 | 5 | 9 | 9 | 3 | 2 | 0 | 4 | 2 | 9 | 1 | 3 | 1 | 5.1 | 2.6 | 2.0 | Round | 1.8 |
| BTNC 1967 | Chotey Sheto | Nyergang, Tsirang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 9 | 1 | 185-190 | 5 | 9 | 9 | 5 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 6.5 | 2.8 | 2.3 | Bold | 2.2 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---------------|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|------|---------|------|
| BTNC 340 | Choti | Burichu, Tsirang | 7 | 5 | 2 | 1 | 3 | 5 | 1 | 6 | 5 | 7 | 1 | 165-170 | 7 | 9 | 9 | 3 | 2 | 0 | 5 | 2 | 2 | 1 | 1 | 1 | 5.3 | 2.4 | 2.2 | Bold | 1.7 |
| BTNC 1297 | Choti Mashino | Petekha, Tsirang | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 5 | 7 | 7 | 1 | 180-185 | 5 | 1 | 7 | 5 | 2 | 0 | 2 | 2 | 2 | 1 | 1 | 1 | 7.8 | 3.0 | 2.6 | Bold | 2.6 |
| BTNC 414 | Chottey | Burichu, Tsirang | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 170-175 | 5 | 9 | 7 | 3 | 2 | 0 | 2 | 2 | 2 | 1 | 1 | 1 | 7.0 | 2.9 | 2.4 | Bold | 1.8 |
| BTNC 411 | Choty | Semjong, Tsirang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 7 | 7 | 1 | 180-185 | 7 | 9 | 9 | 3 | 2 | 0 | 3 | 6 | 3 | 1 | 3 | 1 | 5.4 | 2.3 | 2.3 | Bold | 1.8 |
| BTNC 1016 | Chubja Kaap | Metakha, Chukha | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 170-175 | 5 | 5 | 7 | 1 | 0 | 3 | 1 | 1 | 1 | 1 | 1 | 8.3 | 3.8 | 2.2 | Bold | 3.8 | |
| BTNC 1994 | Chumro | Tsheshingzor, Norbugang, P/Gatshel | 7 | 5 | 3 | 1 | 3 | 5 | 5 | 3 | 7 | 7 | 1 | 170-175 | 7 | 5 | 9 | 5 | 1 | 0 | 1 | 5 | 3 | 1 | 2 | 2 | 6.8 | 3.2 | 2.1 | Bold | 3 |
| BTNC 249 | Chung Bara | Yangner, Trashigang | 5 | 5 | 2 | 1 | 5 | 5 | 3 | 3 | 3 | 7 | 1 | 180-185 | 5 | 5 | 7 | 3 | 3 | 1 | 4 | 4 | 5 | 1 | 3 | 2 | 7.0 | 3.0 | 2.4 | Bold | 2 |
| BTNC 27 | Dagozam | Tokha, Toebisa, Punakha | 5 | 5 | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 7 | 1 | 190-195 | 5 | 5 | 9 | 3 | 3 | 0 | 4 | 2 | 3 | 1 | 1 | 2 | 7.8 | 3.2 | 2.4 | Bold | 2.4 |
| BTNC 1778 | Dagpa Karpo | Wanbur, Tsenkhar, Trashi Yangtse | 3 | 5 | 2 | 1 | 1 | 2 | 3 | 6 | 7 | 7 | 1 | 185-190 | 5 | 3 | 9 | 5 | 2 | 0 | 4 | 2 | 1 | 1 | 1 | 1 | 7.5 | 3.0 | 2.5 | Bold | 2.4 |
| BTNC 654 | Dakp Bara | Lomari, Khamdang, Trashi Yangtse | 3 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 5 | 2 | 180-190 | 5 | 5 | 9 | 5 | 2 | 1 | 4 | 2 | 2 | 1 | 1 | 2 | 7.5 | 2.5 | 3.0 | Slender | 2.2 |
| BTNC 819 | Dakpa Bara | Kamdar Pangkhar, Menbi, Lhuentse | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 7 | 7 | 2 | 180-185 | 5 | 9 | 9 | 5 | 2 | 1 | 4 | 2 | 2 | 1 | 1 | 2 | 8.0 | 3.5 | 2.3 | Bold | 1.9 |
| BTNC 622 | Dakpa Zangmo | Shongkhar, Menbi, Lhuentse | 3 | 5 | 2 | 1 | 1 | 5 | 5 | 5 | 5 | 7 | 2 | 190-195 | 5 | 5 | 9 | 5 | 2 | 1 | 4 | 2 | 9 | 1 | 2 | 1 | 8.0 | 3.0 | 2.7 | Bold | 2.2 |
| BTNC 1719 | Dakpai Bara | Lingagabe, Gangzur, Lhuentse | 5 | 7 | 2 | 1 | 5 | 5 | 3 | 6 | 5 | 7 | 2 | 190-195 | 7 | 9 | 9 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 2 | 2 | 7.1 | 3.0 | 2.4 | Bold | 4.06 |
| BTNC 643 | Daksaila | Shazam, Khamdang, Trashi Yangtse | 5 | 7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 | 1 | 155-160 | 5 | 3 | 9 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 7.8 | 3.3 | 2.4 | Bold | 3.14 |
| BTNC 1717 | Danglingpa | Denkaling, Gangzur, Lhuentse | 7 | 7 | 1 | 1 | 5 | 2 | 3 | 6 | 5 | 7 | 1 | 190-195 | 5 | 9 | 9 | 5 | 3 | 3 | 4 | 2 | 2 | 1 | 2 | 2 | 7.4 | 3.0 | 2.5 | Bold | 2.99 |
| BTNC 1452 | Dawa Yangkum | Jazhikha, Shenga Bjime | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 2 | 170-175 | 5 | 5 | 9 | 1 | 2 | 0 | 3 | 1 | 1 | 1 | 1 | 1 | 7.4 | 3.4 | 2.2 | Bold | 2.5 |
| BTNC 743 | Dhan | | 7 | 5 | 1 | 1 | 1 | 5 | 3 | 3 | 7 | 7 | 1 | 155-160 | 7 | 3 | 9 | 3 | 1 | 0 | 4 | 6 | 9 | 1 | 3 | 1 | 4.8 | 3.0 | 1.6 | Round | 2 |
| BTNC 916 | Dhan | Chesho Pani, Pemaling | 3 | 5 | 1 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 1 | 160-165 | 5 | 5 | 7 | 2 | 1 | 0 | 3 | 5 | 9 | 1 | 3 | 1 | 8.6 | 3.5 | 2.5 | Bold | 2.2 |
| BTNC 640 | Dhorae Dhan | Phuntsho Thang, Phuntshothang | 5 | 5 | 1 | 1 | 1 | 5 | 3 | 4 | 7 | 5 | 1 | 155-160 | 7 | 7 | 9 | 3 | 2 | 1 | 4 | 2 | 2 | 1 | 2 | 1 | 8.2 | 3.0 | 2.7 | Bold | 3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|----------------|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|---|---|---|---|------|-----|------|---------|-----|
| BTNC 1038 | Domkhap | Omtey Kha, Lim-bukha | 3 | 5 | 2 | 1 | 5 | 1 | 1 | 3 | 3 | 5 | 1 | 180-185 | 5 | 5 | 7 | 3 | 2 | 0 | 2 | 6 | 2 | 1 | 1 | 2 | 8.2 | 3.7 | 2.2 | Bold | 2.8 |
| BTNC 1028 | Dooth Kati | Rellukha, Den-chukha, Samtse | 5 | 5 | 2 | 1 | 3 | 3 | 3 | 4 | 5 | 5 | 1 | 170-175 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 10.0 | 2.2 | 4.5 | Slender | 3 |
| BTNC 1049 | Dudey Tulasi | Serisay, Pemaling, Samtse | 7 | 5 | 2 | 1 | 1 | 2 | 1 | 4 | 5 | 5 | 1 | 150-155 | 5 | 9 | 9 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 7.3 | 3.0 | 2.4 | Bold | 2.3 |
| BTNC 25 | Dumja | Saga Tsawa, Shaba, Paro | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 6 | 3 | 7 | 2 | 180-185 | 5 | 5 | 9 | 3 | 3 | 1 | 3 | 2 | 1 | 1 | 1 | 1 | 7.7 | 3.4 | 2.3 | Bold | 2.3 |
| BTNC 337 | Dumja | Rama, Chang, Thimphu | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 6 | 3 | 5 | 2 | 190-195 | 5 | 5 | 9 | 3 | 3 | 2 | 3 | 3 | 9 | 1 | 1 | 1 | 7.8 | 3.8 | 2.1 | Bold | 2.6 |
| BTNC 77 | Dumja | Thangka, Shaba, Paro | 5 | 7 | 3 | 1 | 5 | 2 | 3 | 4 | 3 | 7 | 2 | 190-195 | 5 | 5 | 9 | 1 | 2 | 3 | 3 | 5 | 3 | 1 | 1 | 1 | 7.8 | 3.3 | 2.4 | Bold | 2.3 |
| BTNC 305 | Dumja paro | Woochu, Lungnyi, Paro | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 5 | 5 | 7 | 2 | 185-190 | 3 | 9 | 7 | 1 | 2 | 0 | 4 | 3 | 9 | 1 | 1 | 1 | 8.8 | 3.0 | 3.0 | Slender | 3 |
| BTNC 119 | Dumja/ Thimphu | Woluna, Mewang Thimphu | 5 | 7 | 2 | 1 | 5 | 2 | 3 | 6 | 3 | 7 | 2 | 190-195 | 5 | 5 | 9 | 3 | 2 | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 7.7 | 3.4 | 2.3 | Bold | 2.4 |
| BTNC 1232 | Dungnam | Dungna, Chukha | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 2 | 180-190 | 7 | 7 | 5 | 5 | 2 | 0 | 3 | 5 | 2 | 1 | 1 | 1 | 7.3 | 2.5 | 2.9 | Bold | 2.3 |
| BTNC 1299 | Epa Chubja | Patala, Drujyangang | 3 | 5 | 2 | 1 | 1 | 1 | 3 | 5 | 5 | 7 | 1 | 190-195 | 5 | 7 | 7 | 3 | 2 | 0 | 2 | 6 | 2 | 1 | 1 | 2 | 7.8 | 2.5 | 2.98 | Bold | 2 |
| BTNC 2104 | Epa Pinkulung | Trong, Zhemgang | 5 | 7 | 3 | 1 | 1 | 5 | 3 | 4 | 5 | 5 | 1 | 180-185 | 5 | 1 | 9 | 3 | 3 | 0 | 2 | 2 | 2 | 1 | 2 | 2 | 7.0 | 3.6 | 1.9 | Round | 2.4 |
| BTNC 1913 | Epa Zhentila | Nangkhor, Zhemgang | 7 | 5 | 2 | 1 | 1 | 5 | 1 | 6 | 5 | 9 | 1 | 170-175 | 5 | 7 | 5 | 3 | 3 | 1 | 4 | 11 | 9 | 1 | 3 | 2 | 7.0 | 3.0 | 2.3 | Bold | 2.3 |
| BTNC 2112 | Epa Su-jumey | Bardo, Zhemgang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 7 | 1 | 180-190 | 5 | 7 | 3 | 5 | 3 | 0 | 5 | 3 | 9 | 1 | 1 | 1 | 7.5 | 3.0 | 2.5 | Bold | 2.2 |
| BTNC 1523 | Eusap | Limbukha, Wangdue Phodrang | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 5 | 1 | 180-185 | 3 | 9 | 7 | 5 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 7.0 | 3.0 | 2.3 | Bold | 2.3 |
| BTNC 1095 | Farangay | Jachu, Lokchina, Chukha | 3 | 5 | 2 | 1 | 3 | 1 | 3 | 5 | 7 | 7 | 1 | 160-165 | 5 | 5 | 7 | 3 | 2 | 1 | 4 | 8 | 3 | 1 | 1 | 1 | 7.6 | 3.4 | 2.3 | Bold | 2 |
| BTNC 614 | Gauri Mashino | Beldangra, Pemathang, S/Jongkhar | 9 | 5 | 2 | 1 | 3 | 5 | 3 | 7 | 7 | 5 | 1 | 155-160 | 5 | 7 | 9 | 3 | 2 | 0 | 1 | 4 | 3 | 1 | 1 | 1 | 4.8 | 3.2 | 1.5 | Round | 2 |
| BTNC 75 | Gawria | Zamlingzor, Men-drelgang, Tsirang | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 7 | 1 | 180-185 | 7 | 9 | 9 | 1 | 2 | 0 | 2 | 5 | 9 | 1 | 1 | 1 | 5.9 | 2.7 | 2.2 | Bold | 2.2 |
| BTNC 1458 | Gemja Kaap | Zhingshabu, Goen-shari, Punakha | 3 | 5 | 3 | 1 | 3 | 2 | 1 | 5 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 1 | 1 | 1 | 2 | 1 | 7.8 | 3.0 | 2.6 | Bold | 2.4 |
| BTNC 1457 | Gemja Maap | Paktsha, Goenshari | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 1 | 190-195 | 5 | 5 | 9 | 3 | 3 | 0 | 3 | 5 | 1 | 1 | 1 | 2 | 8.2 | 2.7 | 3.0 | Slender | 2.6 |
| BTNC 1596 | Gemja Maap | Lhanbsakha, Talo, Punakha | 3 | 5 | 2 | 1 | 5 | 5 | 3 | 5 | 3 | 7 | 1 | 180-185 | 5 | 5 | 7 | 3 | 3 | 1 | 3 | 1 | 3 | 1 | 1 | 2 | 8.1 | 3.1 | 2.6 | Bold | 2.6 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---------------|--|---|---|---|---|---|---|---|---|---|---|----|---------|---|---|---|---|---|---|---|---|---|---|---|---|------|-----|-----|---------|------|
| BTNC 1456 | Gemja Punakha | Tongzhina, Kabjisa, Punakha | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 170-175 | 5 | 5 | 7 | 1 | 3 | 0 | 3 | 1 | 1 | 1 | 2 | 2 | 8.2 | 3.0 | 2.7 | Bold | 2.6 |
| BTNC 237 | Gherugam | Chasungsa, Go-enkhamae, Gasa | 5 | 5 | 2 | 1 | 1 | 5 | 5 | 7 | 5 | 5 | 1 | 185-190 | 5 | 7 | 9 | 3 | 2 | 0 | 3 | 2 | 3 | 1 | 1 | 2 | 8.5 | 3.5 | 2.4 | Bold | 2.1 |
| BTNC 1912 | Gongphupa | Nangkhor, Pema Gatshel | 5 | 5 | 2 | 1 | 1 | 5 | 1 | 3 | 7 | 5 | 1 | 170-175 | 5 | 9 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 7.0 | 3.6 | 1.9 | Round | 2.5 |
| BTNC 2321 | Guemja Maap | Goenshari, Punakha | 3 | 5 | 2 | 1 | 1 | 5 | 3 | 5 | 5 | 3 | 1 | 175-180 | 3 | 9 | 9 | 3 | 3 | 0 | 4 | 3 | 3 | 5 | 1 | 2 | 7.5 | 2.5 | 3.0 | Slender | 2.1 |
| BTNC 1594 | Guenja | Cheten Nyingpo, Kabjisa, Punakha | 3 | 5 | 2 | 1 | 5 | 5 | 3 | 3 | 3 | 7 | 1 | 170-175 | 5 | 5 | 9 | 1 | 3 | 0 | 4 | 1 | 2 | 1 | 1 | 2 | 7.4 | 3.2 | 2.3 | Bold | 2.7 |
| BTNC 2320 | Guenja (red) | Laptopskha, Punakha | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 7 | 7 | 1 | 180-190 | 5 | 9 | 9 | 5 | 3 | 0 | 4 | 2 | 1 | 1 | 1 | 2 | 7.0 | 2.5 | 2.8 | Bold | 1.9 |
| BTNC 995 | Gurguray | Chisho Pani, Pemaling, Samtse | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 7 | 1 | 160-165 | 7 | 9 | 9 | 3 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 7.0 | 3.0 | 2.3 | Bold | 1.9 |
| BTNC 1032 | Gyamja | Dochukha, Goenshari, Punakha | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 9 | 3 | 3 | 0 | 3 | 1 | 1 | 1 | 1 | 2 | 8.1 | 3.2 | 2.5 | Bold | 3.2 |
| BTNC 1057 | Gyemja | Dhadokha, Shenga Bjime, Punakha | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 170-175 | 3 | 5 | 9 | 3 | 3 | 1 | 3 | 2 | 1 | 1 | 1 | 2 | 7.0 | 3.2 | 2.2 | Bold | 2 |
| BTNC 1491 | Gyemja | Changchhana, Chhuboog, Punakha | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 170-175 | 5 | 5 | 9 | 3 | 3 | 0 | 3 | 1 | 1 | 1 | 1 | 2 | 10.0 | 2.3 | 4.3 | Slender | 2.3 |
| BTNC 1507 | Gyemja | Shenga Bjime, Punakha | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 9 | 1 | 170-175 | 5 | 5 | 9 | 3 | 3 | 0 | 1 | 1 | 1 | 1 | 1 | 2 | 7.5 | 3.0 | 2.5 | Bold | 2.6 |
| BTNC 233 | Gyemja | Damji, Goenkhamae, Gasa | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 5 | 1 | 180-190 | 5 | 7 | 9 | 3 | 3 | 1 | 4 | 2 | 2 | 1 | 2 | 2 | 7.5 | 2.5 | 3.0 | Slender | 2 |
| BTNC 664 | Gyemja | Hesokha, Gasetshog Wom, Wangdue Phodrang | 3 | 5 | 2 | 1 | 1 | 5 | 3 | 5 | 5 | 5 | 1 | 160-170 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 8.5 | 2.5 | 3.4 | Slender | 1.8 |
| BTNC 1450 | Gyemjha | Gangthrama, Talo, Punakha | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 3 | 3 | 7 | 2 | 180-185 | 5 | 5 | 9 | 3 | 3 | 0 | 3 | 1 | 1 | 1 | 1 | 2 | 8.1 | 3.4 | 2.4 | Bold | 2.6 |
| BTNC 646 | Haijam Dhan | Phuntsho Thang, S/Jongkhar | 5 | 5 | 2 | 1 | 1 | 5 | 5 | 5 | 5 | 5 | 1 | 155-160 | 5 | 5 | 7 | 3 | 2 | 0 | 1 | 3 | 3 | 1 | 1 | 1 | 6.2 | 3.0 | 2.1 | Bold | 2 |
| BTNC 1014 | Hamzem | Metakha, Chukha | 3 | 5 | 2 | 1 | 5 | 2 | 3 | 4 | 5 | 5 | 1 | 180-190 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 1 | 1 | 1 | 3 | 1 | 7.7 | 3.2 | 2.4 | Bold | 2.3 |
| BTNC 1087 | Hamzem | Alaykha, Bongo, Chukha | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 170-175 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 6 | 5 | 1 | 3 | 1 | 7.4 | 3.3 | 2.3 | Bold | 2.4 |
| BTNC 1449 | Hamzem | Setokha, Toebisa, Punakha | 3 | 5 | 2 | 3 | 5 | 2 | 3 | 5 | 3 | 5 | 2 | 180-185 | 7 | 5 | 9 | 3 | 2 | 1 | 4 | 4 | 3 | 1 | 2 | 1 | 7.3 | 3.5 | 2.1 | Bold | 3.5 |
| BTNC 1718 | Hamzewa | Kilung, Gangzur, Lhuentse | 7 | 7 | 2 | 1 | 5 | 2 | 5 | 6 | 7 | 9 | 1 | 190-195 | 5 | 9 | 7 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 7.6 | 2.8 | 2.7 | Bold | 2.75 |
| BTNC 2316 | Hamzin | Chalumaphy, Me-wang, Thimphu | 5 | 5 | 1 | 1 | 1 | 2 | 1 | 6 | 5 | 5 | 21 | 185-190 | 5 | 9 | 9 | 5 | 2 | 1 | 4 | 4 | 9 | 1 | 3 | 2 | 7.0 | 2.5 | 2.8 | Bold | 1.9 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|----------------|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|---|---|---|---|-----|-----|-----|---------|------|
| BTNC 1782 | Hangbra | Lekshogang, Minjey, Lhuentse | 5 | 7 | 3 | 1 | 3 | 2 | 3 | 3 | 7 | 7 | 1 | 185-190 | 5 | 9 | 9 | 3 | 2 | 0 | 3 | 5 | 3 | 1 | 3 | 2 | 5.0 | 2.6 | 1.9 | Round | 3.26 |
| BTNC 620 | Hangbra | Lekpaigang, Menbi, Lhuentse | 5 | 5 | 2 | 1 | 5 | 2 | 3 | 6 | 7 | 5 | 1 | 190-195 | 6 | 9 | 7 | 3 | 3 | 0 | 2 | 5 | 9 | 1 | 3 | 2 | 7.5 | 2.3 | 3.3 | Slender | 3.25 |
| BTNC 1582 | Janam | Hibesa, Bajo | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 7 | 1 | 160-165 | 5 | 5 | 7 | 1 | 3 | 0 | 3 | 5 | 9 | 1 | 1 | 2 | 8.0 | 3.1 | 2.6 | Bold | 2.2 |
| BTNC 264 | Janam | Bama, Geney Thimphu | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 1 | 3 | 2 | 3 | 5 | 9 | 1 | 1 | 2 | 7.5 | 3.3 | 2.3 | Bold | 2.4 |
| BTNC 307 | Janam | Jaga Thang, Lamgong, Punakha | 3 | 5 | 2 | 3 | 3 | 3 | 3 | 5 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 1 | 3 | 2 | 3 | 5 | 9 | 1 | 1 | 2 | 8.2 | 3.3 | 2.5 | Bold | 2.3 |
| BTNC 349 | Janam | Singye, Mewang, Thimphu | 3 | 5 | 3 | 3 | 1 | 3 | 5 | 6 | 5 | 3 | 1 | 190-195 | 5 | 5 | 9 | 5 | 3 | 0 | 3 | 5 | 2 | 1 | 1 | 2 | 8.0 | 2.5 | 3.2 | Bold | 2.4 |
| BTNC 381 | Janam | Rama, Chang, Thimphu | 5 | 5 | 2 | 3 | 3 | 3 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 9 | 1 | 3 | 0 | 3 | 5 | 9 | 1 | 1 | 2 | 8.4 | 3.4 | 2.5 | Bold | 2.2 |
| BTNC 49 | Janam | Woluna, Mewang, Thimphu | 5 | 5 | 2 | 3 | 3 | 3 | 3 | 6 | 3 | 5 | 1 | 190-195 | 5 | 5 | 9 | 1 | 3 | 0 | 3 | 5 | 9 | 1 | 1 | 2 | 8.5 | 3.3 | 2.6 | Bold | 2.2 |
| BTNC 814 | Janam Paro | Kempa, Dopshari, Paro | 3 | 5 | 3 | 3 | 1 | 3 | 3 | 5 | 5 | 7 | 1 | 190-195 | 3 | 5 | 7 | 1 | 3 | 1 | 3 | 5 | 9 | 5 | 3 | 2 | 8.5 | 3.5 | 2.4 | Bold | 2.4 |
| BTNC 39 | Janam/Nak | Saga Tsawa, Shabba, Paro | 5 | 5 | 2 | 3 | 3 | 3 | 3 | 4 | 3 | 5 | 1 | 190-195 | 5 | 5 | 9 | 1 | 3 | 0 | 3 | 5 | 9 | 5 | 3 | 2 | 8.0 | 3.2 | 2.5 | Bold | 2.3 |
| BTNC 1600 | Janap | Jala, Ruepisa, Wangdue Phodrang | 3 | 5 | 2 | 3 | 3 | 3 | 3 | 4 | 5 | 7 | 1 | 170-175 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 5 | 9 | 5 | 3 | 2 | 8.0 | 3.1 | 2.6 | Bold | 2.6 |
| BTNC 1575 | Japhu Machum | Gonpa tha, Ruepisa, Wangdue Phodrang | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 180-185 | 5 | 5 | 9 | 3 | 3 | 0 | 3 | 2 | 2 | 1 | 2 | 2 | 8.3 | 3.2 | 2.6 | Bold | 3.6 |
| BTNC 1024 | Jarey | Toewang, Punakha | 5 | 5 | 2 | 1 | 5 | 1 | 3 | 4 | 3 | 7 | 1 | 180-185 | 5 | 3 | 7 | 3 | 2 | 1 | 2 | 3 | 3 | 1 | 2 | 1 | 8.4 | 2.4 | 3.5 | Slender | 3 |
| BTNC 1809 | Jhap Aka | Chuna, Toewang | 7 | 5 | 3 | 1 | 1 | 5 | 3 | 3 | 7 | 3 | 1 | 155-160 | 7 | 7 | 9 | 1 | 2 | 0 | 3 | 2 | 9 | 1 | 2 | 1 | 7.0 | 2.4 | 2.9 | Bold | 2 |
| BTNC 2102 | Jurzam/Jurzen | Zurphey, Trong, Zhemgang | 5 | 5 | 1 | 1 | 3 | 5 | 3 | 4 | 7 | 5 | 1 | 180-185 | 5 | 9 | 9 | 5 | 2 | 0 | 2 | 4 | 6 | 1 | 1 | 1 | 5.4 | 2.8 | 1.9 | Slender | 1.7 |
| BTNC 1302 | Kaanam | Thomgang, Khebisa, Dagana | 5 | 5 | 2 | 1 | 5 | 1 | 3 | 5 | 3 | 7 | 1 | 190-195 | 5 | 3 | 1 | 3 | 2 | 1 | 3 | 4 | 3 | 1 | 1 | 2 | 5.6 | 2.4 | 2.3 | Bold | 3 |
| BTNC 1040 | Kaap Hamzem | Bjena, Wangdue Phodrang | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 2 | 2 | 3 | 5 | 9 | 1 | 1 | 1 | 7.7 | 3.2 | 2.4 | Bold | 3.2 |
| BTNC 231 | Kal Toray Dhan | Gurung Gaon, Darla, Chukha | 5 | 5 | 2 | 1 | 1 | 5 | 1 | 5 | 5 | 7 | 1 | 175-180 | 5 | 7 | 7 | 3 | 2 | 0 | 4 | 11 | 9 | 1 | 3 | 1 | 6.4 | 2.1 | 3.0 | Bold | 1.8 |
| BTNC 1716 | Kaliphupa | Kilung, Gangzur, Lhuentse | 5 | 7 | 2 | 1 | 3 | 2 | 3 | 4 | 7 | 5 | 1 | 190-195 | 7 | 9 | 9 | 3 | 1 | 0 | 1 | 4 | 3 | 1 | 1 | 1 | 8.1 | 3.1 | 2.6 | Round | 3.08 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-----------------|--|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|----|---|---|---|-----|-----|-----|---------|------|
| BTNC 2203 | Kaliphupa | Tabi, Kurtoe, Lhuentse | 3 | 5 | 2 | 1 | 1 | 2 | 3 | 6 | 5 | 5 | 1 | 185-190 | 5 | 9 | 9 | 5 | 1 | 0 | 2 | 2 | 2 | 1 | 1 | 1 | 7.0 | 2.5 | 2.8 | Bold | 2.2 |
| BTNC 816 | Kaliphupa Bra | Tangmachu, Menbi, Lhuentse | 7 | 7 | 2 | 1 | 3 | 5 | 5 | 6 | 7 | 5 | 1 | 170-175 | 5 | 9 | 9 | 3 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 7.2 | 2.8 | 2.6 | Small | 1.99 |
| BTNC 744 | Kaliphupa Bra | Gangzur, Lhuentse | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 7 | 7 | 2 | 190-195 | 5 | 3 | 7 | 3 | 3 | 0 | 2 | 2 | 2 | 1 | 2 | 2 | 8.0 | 3.0 | 2.7 | Bold | 2 |
| BTNC 1001 | Kalo Attey | Maney, Dungtoe, Chukha | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 9 | 1 | 170-180 | 5 | 7 | 4 | 3 | 2 | 0 | 4 | 11 | 3 | 1 | 3 | 1 | 6.6 | 2.8 | 2.4 | Bold | 2.4 |
| BTNC 1802 | Kalo Bhog | Khameythang, Phuntshothang, S/Jongkhar | 5 | 5 | 1 | 1 | 3 | 5 | 1 | 7 | 7 | 5 | 1 | 155-160 | 7 | 1 | 7 | 5 | 2 | 0 | 1 | 6 | 4 | 1 | 3 | 1 | 6.8 | 3.0 | 2.3 | Small | 2 |
| BTNC 2348 | Kalo Dhan | Sarpang, Gelephu | 5 | 5 | 2 | 1 | 7 | 5 | 3 | 5 | 5 | 7 | 2 | 155-160 | 5 | 9 | 7 | 3 | 3 | 1 | 4 | 11 | 9 | 1 | 1 | 1 | 5.8 | 2.9 | 2.0 | Bold | 1.8 |
| BTNC 2378 | Kalo Dhan | Daragaun, Sampheling, Chukha | 5 | 7 | 1 | 1 | 3 | 5 | 5 | 4 | 7 | 5 | 1 | 155-160 | 5 | 5 | 9 | 3 | 2 | 0 | 2 | 6 | 3 | 1 | 3 | 1 | 7.6 | 3.0 | 2.5 | Bold | 2 |
| BTNC 1535 | Kalo Dhan/Timbu | Boribhotay, Denchukha, Samtse | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 7 | 5 | 7 | 1 | 180-185 | 5 | 7 | 9 | 3 | 2 | 1 | 4 | 11 | 9 | 1 | 3 | 1 | 6.2 | 3.0 | 2.1 | Bold | 1.9 |
| BTNC 887 | Kalo Malo | Bayling, Trashi Yangtse | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 5 | 1 | 180-190 | 3 | 5 | 7 | 5 | 2 | 0 | 2 | 3 | 2 | 1 | 2 | 1 | 7.5 | 3.0 | 2.5 | Bold | 1.9 |
| BTNC 922 | Kalo Masiño | Dara Goang, Dungtoe, Samtse | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 7 | 1 | 170-175 | 5 | 7 | 9 | 3 | 2 | 2 | 4 | 11 | 9 | 1 | 3 | 1 | 5.7 | 2.9 | 2.0 | Bold | 1.7 |
| BTNC 2029 | Kalo Nuna | Khameythang, Phuntshothang, S/Jongkhar | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 5 | 1 | 155-160 | 7 | 7 | 9 | 3 | 2 | 1 | 4 | 11 | 10 | 1 | 3 | 1 | 5.0 | 3.0 | 1.7 | Small | 2 |
| BTNC 2170 | Kalo Nuna | Narphung, Gomdar, Samdrup Jongkhar | 5 | 5 | 1 | 1 | 3 | 5 | 3 | 7 | 7 | 5 | 1 | 155-160 | 5 | 3 | 9 | 1 | 2 | 0 | 1 | 11 | 9 | 1 | 3 | 1 | 6.4 | 3.0 | 2.1 | Bold | 2 |
| BTNC 102 | Kalo Timburay | Jigmecholing, Sarpang | 5 | 5 | 2 | 1 | 3 | 3 | 3 | 4 | 5 | 7 | 1 | 160-165 | 5 | 5 | 7 | 3 | 2 | 1 | 5 | 11 | 11 | 1 | 4 | 1 | 7.8 | 3.3 | 2.4 | Bold | 2.8 |
| BTNC 618 | Kam Bra | Chesa, Gangzur, Lhuentse | 7 | 5 | 1 | 1 | 3 | 5 | 3 | 6 | 7 | 7 | 1 | 185-190 | 7 | 3 | 7 | 3 | 2 | 0 | 1 | 2 | 2 | 1 | 1 | 2 | 7.4 | 3.0 | 2.5 | Bold | 3.1 |
| BTNC 2361 | Kam Mra Kharti | Rothpa, Gangzur, Lhuentse | 3 | 5 | 1 | 1 | 1 | 2 | 3 | 6 | 3 | 9 | 1 | 185-190 | 1 | 9 | 5 | 3 | 2 | 0 | 3 | 4 | 2 | 1 | 2 | 1 | 7.0 | 3.0 | 2.3 | Bold | 2.1 |
| BTNC 1026 | Kam Thaygom | Jaray Gang, Athang, Wangdue Phodrang | 3 | 5 | 2 | 1 | 1 | 3 | 1 | 3 | 5 | 9 | 1 | 170-175 | 5 | 3 | 9 | 1 | 2 | 1 | 3 | 3 | 2 | 1 | 1 | 1 | 7.8 | 3.3 | 2.3 | Bold | 2 |
| BTNC 2200 | Kambara | Tsakaling, Patshaling, Tsirang | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 3 | 3 | 7 | 1 | 180-185 | 5 | 9 | 7 | 3 | 9 | 0 | 3 | 2 | 2 | 1 | 3 | 2 | 7.9 | 2.6 | 3.0 | Slender | 2.5 |
| BTNC 2204 | Kambra | Zham, Minjey, Lhuentse | 3 | 5 | 1 | 1 | 1 | 5 | 3 | 6 | 5 | 7 | 1 | 185-190 | 5 | 9 | 9 | 5 | 2 | 0 | 3 | 3 | 2 | 1 | 1 | 2 | 8.0 | 2.5 | 3.2 | Round | 2.6 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---------|---------|---|---|---|---|---|---|---|---|---|---|-----|------|-----|-----|---------|------|-----|
| BTNC 2358 | Kambra | Gongdar, Metsho, Lhuentse | 3 | 5 | 2 | 2 | 2 | 3 | 5 | 2 | 5 | 5 | 5 | 1 | 185-190 | 5 | 9 | 9 | 5 | 2 | 0 | 3 | 3 | 2 | 1 | 1 | 2 | 7.5 | 3.0 | 2.5 | Bold | 2.1 |
| | Kamthey Korma | Bayling, Langthel, Trongsa | 3 | 5 | 2 | 1 | 5 | 5 | 3 | 4 | 5 | 7 | 1 | 165-170 | 5 | 5 | 9 | 1 | 2 | 0 | 3 | 3 | 9 | 1 | 3 | 1 | 7.0 | 3.0 | 2.3 | Bold | 2.5 | |
| BTNC 328 | Kamthey Korma | Bayling, Langthel, Trongsa | 3 | 5 | 2 | 1 | 5 | 5 | 3 | 4 | 5 | 7 | 1 | 165-170 | 5 | 5 | 9 | 1 | 2 | 0 | 3 | 3 | 9 | 1 | 3 | 1 | 7.0 | 3.0 | 2.3 | Bold | 2.5 | |
| BTNC 1910 | Kamzhing Epa | Dagpai, Nangkor, Zhemgang | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 3 | 5 | 7 | 1 | 175-180 | 5 | 3 | 7 | 1 | 2 | 0 | 4 | 1 | 1 | 1 | 2 | 1 | 7.2 | 3.2 | 2.2 | Bold | 2 | |
| BTNC 2323 | Karma Tekpa | Gashari, Langchenphu, S/Jongkhar | 5 | 5 | 3 | 1 | 1 | 5 | 5 | 3 | 5 | 5 | 1 | 155-160 | 5 | 5 | 7 | 3 | 3 | 0 | 2 | 2 | 2 | 1 | 1 | 1 | 6.2 | 3.3 | 1.9 | Bold | 2 | |
| BTNC 2343 | karma Tekpa | Phuntshothang, S/Jongkhar | 7 | 5 | 1 | 1 | 3 | 5 | 5 | 5 | 7 | 5 | 1 | 155-160 | 5 | 3 | 7 | 5 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 6.0 | 3.0 | 2.0 | Bold | 2 | |
| BTNC 615 | Karma Tekpa | Chorten Kora, Bumdeling, Trashiyangtse | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 185-190 | 1 | 7 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 7.0 | 3.0 | 2.3 | Round | 1.8 | |
| BTNC 665 | Karma Tekpa | Bayling, Yangtse | 3 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 5 | 1 | 180-185 | 5 | 9 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 7.5 | 3.0 | 2.5 | Round | 1.8 | |
| BTNC 683 | Karma Tekpa | Chusa, Menbi, Lhuentse | 7 | 5 | 1 | 1 | 5 | 2 | 3 | 5 | 7 | 7 | 1 | 190-195 | 5 | 9 | 1 | 3 | 3 | 0 | 1 | 2 | 2 | 1 | 2 | 1 | 6.0 | 3.0 | 2.0 | Bold | 3.14 | |
| BTNC 685 | Katha-machra | Khataykha, Gasethog Wom, Wangdue Phodrang | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 5 | 1 | 175-180 | 5 | 9 | 9 | 5 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 1&2 | 7.0 | 2.5 | 2.8 | Bold | 1.9 | |
| BTNC 5 | Kati Dhan | Daragaun, Semjong, Tsirang | 7 | 5 | 2 | 1 | 1 | 5 | 3 | 3 | 5 | 7 | 1 | 175-180 | 5 | 1 | 7 | 3 | 2 | 1 | 1 | 4 | 2 | 1 | 2 | 1 | 10.0 | 2.5 | 4.0 | Slender | 2.5 | |
| BTNC 1052 | Katusay | Chesho Pani, Pemaling, Samtse | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 9 | 1 | 180-190 | 5 | 7 | 5 | 3 | 2 | 0 | 4 | 5 | 3 | 1 | 3 | 1 | 7.8 | 3.0 | 2.6 | Bold | 2.4 | |
| BTNC 633 | Khagtang/ Wangkha | Shazam, Khamdang, Trashiyangtse | 7 | 7 | 2 | 1 | 3 | 2 | 3 | 7 | 6 | 7 | 1 | 170-180 | 6 | 3 | 3 | 3 | 2 | 0 | 4 | 5 | 9 | 1 | 2 | 1 | 7.7 | 2.3 | 3.4 | Bold | 3.45 | |
| BTNC 1583 | Khaling Pa | Baemung, Kanglung, Trashigang | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 190-195 | 5 | 9 | 7 | 5 | 3 | 0 | 3 | 3 | 2 | 1 | 2 | 2 | 8.5 | 2.5 | 3.4 | Bold | 2.9 | |
| BTNC 1569 | Khamtey | Wyenkhark, Mongar | 5 | 5 | 2 | 1 | 5 | 5 | 3 | 4 | 7 | 7 | 1 | 170-175 | 7 | 5 | 5 | 3 | | 1 | 2 | 3 | 3 | 1 | 1 | 1 | 8.0 | 3.3 | 2.4 | Bold | 2 | |
| BTNC 1801 | Khamti | Khameythang, Phuntshothang, S/Jongkhar | 5 | 7 | 1 | 1 | 1 | 2 | 5 | 2 | 7 | 7 | 1 | 145-150 | 5 | 7 | 3 | 3 | | 1 | 5 | 4 | 2 | 1 | 1 | 1 | 8.4 | 3.0 | 2.8 | Slender | 2 | |
| BTNC 617 | Khamti | Rikhay, Orong, S/Jongkhar | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 5 | 1 | 160-165 | 7 | 5 | 9 | 3 | 2 | 0 | 3 | 4 | 2 | 1 | 2 | 1 | 8.1 | 2.1 | 3.9 | Slender | 2 | |
| BTNC 621 | Khamti | Phuntsho Thang, S/Jongkhar | 7 | 5 | 3 | 1 | 1 | 5 | 3 | 7 | 5 | 7 | 1 | 145-150 | 7 | 5 | 7 | 5 | | 0 | 2 | 5 | 3 | 1 | 1 | 1 | 8.0 | 3.2 | 2.5 | Bold | 2 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|---------|---------|------|
| BTNC 657 | Khamti | Kakpadung, Martshalla, S/Jongkhar | 7 | 5 | 3 | 1 | 3 | 2 | 3 | 7 | 5 | 5 | 1 | 160-170 | 7 | 7 | 5 | 1 | 2 | 5 | 4 | 1 | 1 | 1 | 1 | 5.6 | 2.6 | 2.2 | Slender | 2 | |
| BTNC 652 | Khamti Dhan | Lower Golanti, Langchenphu, Jomotshangkha | 7 | 5 | 1 | 1 | 5 | 5 | 5 | 8 | 5 | 7 | 1 | 145-150 | 7 | 3 | 5 | 3 | | 1 | 2 | 5 | 3 | 1 | 1 | 1 | 9.0 | 3.0 | 3.0 | Slender | 2 |
| BTNC 1701 | Khang Bara | Linggae, Gangzur, Lhuentse | 5 | 5 | 2 | 1 | 1 | 5 | 1 | 5 | 5 | 7 | 1 | 180-185 | 5 | 9 | 9 | 5 | 2 | 0 | 3 | 3 | 2 | 1 | 1 | 2 | 8.0 | 2.5 | 3.2 | Slender | 2.1 |
| BTNC 1592 | Khangma Maap | Mongar | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 3 | 5 | 7 | 1 | 190-195 | 3 | 7 | 5 | 5 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 8.5 | 2.0 | 4.3 | Slender | 2.3 |
| BTNC 2066 | Khantila | Zurphey, Trong, Zhemgang | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 3 | 3 | 7 | 1 | 180-185 | 5 | 7 | 7 | 3 | 2 | 0 | 1 | 4 | 2 | 1 | 1 | 2 | 8.3 | 2.7 | 3.1 | Slender | 2.5 |
| BTNC 235 | Kharangla | Mendralgung, Tsirang | 5 | 5 | 2 | 1 | 3 | 1 | 3 | 3 | 3 | 9 | 1 | 170-180 | 5 | 9 | 7 | 3 | 2 | 0 | 3 | 2 | 9 | 1 | 2 | 2 | 7.9 | 3.0 | 2.6 | Bold | 2.4 |
| BTNC 668 | Khenpo Dap | Phangteng, Bumdeling, Trashi Yangtse | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 7 | 5 | 7 | 1 | 185-190 | 5 | 9 | 7 | 3 | 2 | 0 | 3 | 5 | 9 | 1 | 3 | 2 | 9.0 | 3.0 | 3.0 | Slender | 1.6 |
| BTNC 1578 | Khoptang Tsalo | Bamther, Bumdeling, Trashi Yangtse | 3 | 5 | 3 | 1 | 3 | 5 | 1 | 5 | 3 | 5 | 1 | 180-185 | 3 | 9 | 7 | 3 | 2 | 1 | 4 | 4 | 2 | 1 | 1 | 2 | 8.0 | 3.5 | 2.3 | Bold | 2.7 |
| BTNC 669 | Khoptang Tsalu | Phangteng, Bumdeling, Trashi Yangtse | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 5 | 1 | 185-190 | 5 | 5 | 7 | 3 | 2 | 1 | 4 | 5 | 3 | 1 | 1 | 1 | 6.5 | 3.0 | 2.2 | Slender | 1.9 |
| BTNC 1588 | Khoptangla | Jangphutshe, Theedsho, Trashi Yangtse | 3 | 5 | 2 | 1 | 1 | 5 | 3 | 3 | 3 | 7 | 1 | 180-185 | 5 | 5 | 9 | 1 | 3 | 5 | 4 | 4 | 9 | 1 | 2 | 2 | 8.5 | 3.2 | 2.7 | Bold | 2.71 |
| BTNC 2340 | Khudungay | Bhur, Jigmechoeling, Sarpang | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 7 | 1 | 155-160 | 5 | 7 | 5 | 7 | 2 | 1 | 4 | 2 | 2 | 1 | 1 | 1 | 7.0 | 3.1 | 2.3 | Bold | 2.5 |
| BTNC 1783 | Kambra | Kharphu, Tsenkhar, Lhuentse | 3 | 5 | 1 | 1 | 1 | 5 | 1 | 4 | 5 | 9 | 1 | 180-185 | 5 | 3 | 7 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 8.5 | 3.0 | 2.8 | Round | 2.9 |
| BTNC 634 | Kongkar Bara | Khameythang, Phuntshothang, S/Jongkhar | 7 | 5 | 1 | 1 | 3 | 5 | 5 | 7 | 5 | 7 | 1 | 155-160 | 5 | 7 | 5 | 3 | 2 | 0 | 4 | 6 | 3 | 1 | 1 | 2 | 8.2 | 4.0 | 2.1 | Bold | 2 |
| BTNC 641 | Kongkar Bara | Jampani, Langchenphu, Jomotshangkha | 7 | 5 | 1 | 1 | 1 | 5 | 3 | 6 | 7 | 7 | 1 | 150-160 | 5 | 3 | 5 | 1 | 2 | 0 | 2 | 2 | 2 | 1 | 1 | 1 | 7.6 | 2.8 | 2.7 | Bold | 2 |
| BTNC 1810 | Konkey | Phuntshothang, S/Jongkhar | 7 | 7 | 1 | 1 | 3 | 5 | 3 | 6 | 7 | 7 | 1 | 155-160 | 5 | 5 | 7 | 5 | 1 | 0 | 4 | 4 | 3 | 1 | 2 | 2 | 7.2 | 3.2 | 2.3 | Round | 2 |
| BTNC 350 | Kuchum | Chunju, Tsento, Paro | 5 | 5 | 2 | 1 | 3 | 2 | 5 | 5 | 5 | 5 | 1 | 185-190 | 5 | 5 | 9 | 5 | 3 | 1 | 4 | 2 | 9 | 1 | 1 | 2 | 9.0 | 3.0 | 3.0 | Bold | 1.8 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|----------------|--|---|---|---|---|---|---|---|---|----|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|-------|------|
| BTNC 523 | Kuchum | Thangkha, Shaba, Paro | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 9 | 1 | 3 | 0 | 3 | 1 | 1 | 1 | 1 | 2 | 8.2 | 3.2 | 2.6 | Bold | 2.5 |
| BTNC 653 | Kuchum Bja | Jaga Thang, Lamgong, Punakha | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 5 | 1 | 185-190 | 5 | 5 | 9 | 5 | 3 | 0 | 3 | 1 | 1 | 1 | 1 | 2 | 7.5 | 3.5 | 2.1 | Bold | 1.9 |
| BTNC 1909 | Kumshing Epa | Nangkor, Zhemgang | 3 | 5 | 2 | 1 | 3 | 5 | 1 | 4 | 5 | 9 | 1 | 180-185 | 3 | 1 | 5 | 2 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 7.5 | 3.0 | 2.5 | Bold | 2.2 |
| BTNC 1725 | Kurtoepa | Jalang, Minjey, Lhuentse | 5 | 5 | 2 | 1 | 1 | 5 | 1 | 6 | 7 | 5 | 1 | 185-190 | 5 | 2 | 9 | 1 | 3 | 0 | 3 | 6 | 2 | 1 | 1 | 1 | 8.5 | 3.0 | 2.8 | Bold | 2.3 |
| BTNC 663 | Kurtoepa Bara | Tadongchen, Menbi, Lhuentse | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 7 | 1 | 185-190 | 5 | 9 | 9 | 5 | 2 | 0 | 3 | 2 | 4 | 1 | 1 | 2 | 8.5 | 3.0 | 2.8 | Bold | 2.3 |
| BTNC 1706 | Labtsa Kharpa | Thongjaling, Kurtoe, Lhuentse | 3 | 5 | 2 | 1 | 1 | 5 | 1 | 6 | 7 | 9 | 1 | 185-190 | 5 | 2 | 9 | 1 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 7.0 | 3.0 | 2.3 | Bold | 2.4 |
| BTNC 79 | Lham Zim | Tokha, Toebisa, Punakha | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 3 | 7 | 1 | 180-185 | 5 | 9 | 7 | 5 | 2 | 1 | 4 | 5 | 5 | 1 | 3 | 1 | 7.0 | 3.0 | 2.3 | Bold | 2.2 |
| BTNC 1704 | Lhaptsa Khapa | Tabi, Kurtoe, Lhuentse | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 9 | 1 | 185-190 | 5 | 2 | 9 | 3 | 2 | 0 | 4 | 3 | 2 | 1 | 1 | 2 | 6.5 | 2.5 | 2.6 | Bold | 2.2 |
| BTNC 813 | Lhaptsa Kharpa | Shongkhar, Menbi, Lhuentse | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 5 | 1 | 185-190 | 3 | 9 | 5 | 3 | 2 | 0 | 4 | 3 | 3 | 5 | 1 | 2 | 3.0 | 3.0 | 1.0 | Bold | 2.1 |
| BTNC 1587 | Local Maap | Eusawom, Bajo, Wangdue Phodrang | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 5 | 3 | 7 | 1 | 160-165 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 1 | 1 | 1 | 1 | 2 | 8.1 | 3.2 | 2.5 | Bold | 3.5 |
| BTNC 1097 | Maam Phogom | Omtey Kha, Nyisho, Wangdue Phodrang | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 180-185 | 5 | 5 | 7 | 1 | 2 | 0 | 2 | 5 | 2 | 1 | 1 | 2 | 8.6 | 3.5 | 2.5 | Bold | 2.6 |
| BTNC 1495 | Maam Phogom | Omtekha, Limbukha, Wangdue Phodrang | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 5 | 1 | 180-185 | 5 | 3 | 9 | 5 | 2 | 0 | 1 | 3 | 3 | 1 | 2 | 2 | 5.8 | 3.2 | 1.8 | Bold | 3.12 |
| BTNC 1080 | Maap | Samdrup Gang, Ruepisa, Wangdue Phodrang | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 3 | 3 | 7 | 1 | 170-175 | 5 | 5 | 7 | 1 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 8.4 | 4.0 | 2.1 | Round | 2.9 |
| BTNC 1584 | Maap | Homina, Kazhi, Wangdue Phodrang | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 3 | 3 | 7 | 1 | 180-185 | 5 | 5 | 9 | 3 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 8.5 | 3.7 | 2.3 | Bold | 2.3 |
| BTNC 1599 | Maap | Homina Kazhi, Wangdue Phodrang | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 3 | 3 | 7 | 2 | 170-175 | 5 | 5 | 9 | 1 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 8.4 | 3.8 | 2.2 | Bold | 2.4 |
| BTNC 861 | Maap | Lhashi Tsawa,- Gasetshog Wom, Wangdue Phodrang | 5 | 5 | 3 | 1 | 5 | 5 | 3 | 4 | 14 | 7 | 1 | 170-175 | 5 | 9 | 7 | 3 | 2 | 0 | 3 | 2 | 3 | 5 | 1 | 2 | 8.3 | 3.0 | 2.8 | Bold | 3 |
| BTNC 649 | Mabra | Kenmong, Tongzhang, Trashi Yangtse | 7 | 7 | 2 | 1 | 5 | 5 | 3 | 7 | 5 | 7 | 1 | 180-195 | 7 | 9 | 3 | 2 | 2 | 0 | 3 | 5 | 3 | 1 | 1 | 1 | 7.2 | 2.2 | 3.3 | Bold | 1.89 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|------------------|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|---------|------|
| BTNC 1489 | Machum | Renakha, Toebisa, Punakha | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 180-185 | 5 | 5 | 9 | 3 | 3 | 0 | 3 | 1 | 2 | 5 | 1 | 2 | 7.9 | 3.4 | 2.3 | Bold | 2.4 |
| BTNC 2377 | Machum | Japhu, Ruepisa, Wangdue Phodrang | 5 | 5 | 1 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 175-180 | 7 | 9 | 7 | 7 | 3 | 0 | 4 | 2 | 2 | 5 | 2 | 2 | 7.7 | 2.2 | 3.6 | Bold | 2.1 |
| BTNC 278 | Machum | Dujay Gang, Toebisa, Wangdue Phodrang | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 185-190 | 5 | 5 | 7 | 3 | 3 | 5 | 3 | 2 | 2 | 5 | 1 | 2 | 8.9 | 3.0 | 3.0 | Bold | 2.5 |
| BTNC 845 | Machum | Bayling, Trashi Yangtse | 7 | 7 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 170-175 | 6 | 9 | 7 | 5 | 3 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 7.5 | 2.2 | 3.5 | Bold | 3.37 |
| BTNC 1017 | Mal Bogh | Duvini, Lokchina, Chukha | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 7 | 1 | 170-175 | 7 | 9 | 9 | 3 | 2 | 0 | 4 | 4 | 4 | 1 | 1 | 1 | 6.5 | 3.0 | 2.2 | Bold | 2.1 |
| BTNC 968 | Malinginey | Chogsa, Tendruk, Samtse | 5 | 5 | 1 | 1 | 3 | 2 | 3 | 6 | 7 | 7 | 1 | 160-165 | 5 | 9 | 9 | 5 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 7.0 | 2.8 | 2.5 | Bold | 2.1 |
| BTNC 1034 | Malingini | Chisho Pani, Pemaling, Samtse | 5 | 5 | 1 | 1 | 5 | 2 | 3 | 5 | 7 | 7 | 1 | 165-170 | 7 | 9 | 7 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 7.3 | 2.6 | 2.8 | Bold | 3 |
| BTNC 1798 | Mansari | Khameythang, Phuntshothang | 7 | 5 | 1 | 1 | 1 | 5 | 3 | 3 | 7 | 5 | 1 | 155-160 | 5 | 3 | 7 | 3 | 2 | 0 | 2 | 2 | 2 | 1 | 2 | 1 | 7.0 | 3.2 | 2.2 | Bold | 2 |
| BTNC 1781 | Marpo Yangtsepaa | Minjey, Lhuentse | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 3 | 5 | 7 | 1 | 185-190 | 5 | 9 | 9 | 1 | 2 | 0 | 3 | 2 | 3 | 1 | 1 | 2 | 8.0 | 3.5 | 2.3 | Bold | 2.8 |
| BTNC 2345 | Mashino | Bich Goan, Jigmechoeling, Sarpong | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 9 | 1 | 155-160 | 5 | 9 | 9 | 3 | 3 | 0 | 3 | 6 | 3 | 1 | 1 | 1 | 5.4 | 2.7 | 2.0 | Bold | 1.8 |
| BTNC 679 | Mashino | Kakpadung, Martshalla, S/Jongkhar | 5 | 5 | 1 | 1 | 3 | 5 | 5 | 8 | 7 | 7 | 1 | 155-160 | 5 | 3 | 9 | 3 | 3 | 0 | 4 | 2 | 3 | 1 | 1 | 1 | 5.2 | 3.0 | 1.7 | Bold | 1 |
| BTNC 20 | Mashino Dhan | Zamlingzor, Men-drelgang, Tsirang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 7 | 7 | 1 | 180-185 | 7 | 9 | 9 | 4 | 3 | 0 | 3 | 5 | 3 | 1 | 3 | 1 | 5.3 | 2.5 | 2.1 | Bold | 1.5 |
| BTNC 627 | Mashino Dhan | Lower Golanti, Langchenphu | 5 | 5 | 1 | 1 | 3 | 5 | 3 | 4 | 5 | 5 | 1 | 155-160 | 5 | 3 | 9 | 5 | 3 | 0 | 1 | 2 | 2 | 1 | 1 | 1 | 6.0 | 3.8 | 1.6 | Round | 2 |
| BTNC 635 | Mashino Dhan | Phadey, Pemathang, Samdrupjongkhar | 5 | 5 | 1 | 1 | 5 | 5 | 3 | 7 | 7 | 3 | 1 | 150-160 | 5 | 3 | 9 | 3 | 3 | 0 | 1 | 2 | 2 | 1 | 2 | 1 | 6.4 | 3.8 | 1.7 | Bold | 2 |
| BTNC 59 | Masino | Samkhar, Jigmechoeling, Sarpong | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 5 | 1 | 155-160 | 5 | 9 | 9 | 5 | 3 | 0 | 3 | 2 | 2 | 1 | 3 | 1 | 5.6 | 2.5 | 2.2 | Bold | 2 |
| BTNC 1534 | Masino Dhan | Khaligoan, Dungtoe, Samtse | 5 | 3 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 7 | 1 | 170-175 | 5 | 5 | 7 | 3 | 3 | 0 | 4 | 5 | 2 | 1 | 3 | 1 | 6.0 | 2.8 | 2.1 | slender | 1.7 |
| BTNC 1581 | Masop | Thesaphu, Kazhi, Wangdue Phodrang | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 180-185 | 5 | 5 | 7 | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 8.1 | 3.1 | 2.6 | Bold | 2.3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--------------------|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|---|---|---|-----|-----|-----|-------|---------|------|
| BTNC 42 | Mawali | Samkhar, Jigmechoeling, Sarpang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 5 | 1 | 155-160 | 5 | 2 | 7 | 1 | 2 | 0 | 3 | 5 | 9 | 1 | 3 | 1 | 7.7 | 4.1 | 1.9 | Round | 2.5 |
| BTNC 2207 | Minjipa | Serphu, Khoma, Lhuentse | 5 | 5 | 2 | 1 | 3 | 5 | 1 | 6 | 5 | 5 | 1 | 185-190 | 5 | 9 | 9 | 5 | 2 | 0 | 3 | 5 | 9 | 1 | 1 | 2 | 8.5 | 3.0 | 2.8 | Round | 2.3 |
| BTNC 638 | Momo Bara | Martshala, S/jongkhar | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 7 | 5 | 1 | 155-160 | 5 | 3 | 7 | 1 | 2 | 0 | 2 | 2 | 1 | 1 | 2 | 7.2 | 3.3 | 2.2 | Round | 2 | |
| BTNC 62 | Monsar | Hillary, Sarpang | 7 | 5 | 2 | 1 | 3 | 5 | 5 | 4 | 7 | 5 | 1 | 155-160 | 7 | 3 | 9 | 1 | 2 | 1 | 1 | 11 | 9 | 1 | 3 | 1 | 7.4 | 3.0 | 2.5 | Round | 2 |
| BTNC 1705 | Mra Mar | Nay Zhisar, Gang-zur, Lhuentse | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 9 | 1 | 185-190 | 7 | 2 | 9 | 1 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 7.5 | 2.5 | 3.0 | Slender | 2 |
| BTNC 250 | Mukhan Puray | Kothiline, Sampheling, Chukha | 5 | 5 | 1 | 1 | 1 | 5 | 3 | 3 | 7 | 5 | 1 | 150-155 | 7 | 3 | 3 | 7 | 2 | 1 | 3 | 6 | 3 | 1 | 1 | 1 | 8.8 | 3.4 | 2.6 | Bold | 2 |
| BTNC 2360 | Nakpa Bara | Jaray, Lhuentse | 3 | 5 | 2 | 1 | 1 | 3 | 3 | 6 | 5 | 7 | 1 | 185-190 | 1 | 9 | 7 | 5 | 2 | 0 | 4 | 5 | 3 | 1 | 3 | 2 | 8.0 | 2.5 | 3.2 | Bold | 2.1 |
| BTNC 306 | Nam | Jutsa, Tsento, Paro | 5 | 5 | 2 | 1 | 5 | 2 | 3 | 5 | 3 | 5 | 1 | 190-195 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 5 | 3 | 5 | 3 | 2 | 8.0 | 3.0 | 2.7 | Bold | 2.4 |
| BTNC 303 | Naning Bara | Bumtang, Phongme, Trashigang | 5 | 7 | 2 | 1 | 5 | 5 | 3 | 6 | 5 | 7 | 1 | 190-195 | 5 | 9 | 7 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 2 | 2 | 7.1 | 2.8 | 2.6 | Bold | 3.65 |
| BTNC 820 | Naypa Bra | Namsay Gang, Gangzur, Lhuentse | 5 | 5 | 1 | 1 | 1 | 2 | 3 | 6 | 7 | 7 | 1 | 190-195 | 5 | 1 | 9 | 3 | 3 | 0 | 3 | 5 | 2 | 1 | 1 | 2 | 3.2 | 2.1 | 1.5 | slender | 3 |
| BTNC 1451 | Ngabja | Nubgang, Talo, Punakha | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 3 | 7 | 1 | 180-185 | 5 | 5 | 9 | 1 | 2 | 1 | 3 | 2 | 1 | 1 | 1 | 1 | 7.0 | 3.5 | 2.0 | Bold | 2.5 |
| BTNC 745 | Ngera Bara | Orong, Samdrup Jongkhar | 5 | 5 | 2 | 1 | 3 | 5 | 5 | 4 | 5 | 7 | 1 | 155-160 | 7 | 5 | 7 | 1 | 2 | 1 | 1 | 5 | 2 | 1 | 1 | 2 | 8.4 | 2.5 | 3.4 | Slender | 2 |
| BTNC 216 | Nunia | Chargaray, Cheng-mari, Samtse | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 7 | 7 | 1 | 165-170 | 5 | 3 | 7 | 3 | 3 | 0 | 4 | 11 | 9 | 5 | 1 | 1 | 6.0 | 2.8 | 2.1 | Bold | 1.9 |
| BTNC 2106 | Nurela | Yuripay, Bardo, Zhemgang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 7 | 5 | 1 | 185-190 | 5 | 9 | 7 | 3 | 2 | 0 | 3 | 3 | 2 | 1 | 1 | 1 | 5.4 | 3.0 | 1.8 | Round | 1.7 |
| BTNC 619 | Ola Bara | Gangzur, Lhuentse | 5 | 5 | 3 | 1 | 1 | 5 | 3 | 4 | 7 | 5 | 1 | 190-195 | 7 | 1 | 7 | 5 | 3 | 0 | 4 | 5 | 2 | 1 | 1 | 2 | 8.8 | 3.0 | 2.9 | Bold | 2 |
| BTNC 348 | Ola Ja | Chunju, Tsento, Paro | 5 | 5 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 5 | 1 | 190-195 | 5 | 5 | 9 | 1 | 3 | 0 | 4 | 11 | 9 | 5 | 3 | 2 | 7.5 | 3.4 | 2.2 | Slender | 2.6 |
| BTNC 1538 | Pahelo Attay | Pungtra, Den-chukha, Samtse | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 9 | 1 | 180-185 | 5 | 9 | 7 | 3 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 7.0 | 3.0 | 2.3 | Bold | 2.2 |
| BTNC 223 | Pahelo Masiño Dhan | Bitch Gaon, Dung-toe, Samtse | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 7 | 7 | 7 | 1 | 175-180 | 5 | 9 | 9 | 3 | 3 | 0 | 4 | 6 | 3 | 1 | 3 | 1 | 5.0 | 2.9 | 1.7 | Bold | 1.7 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---------------------|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|---------|------|
| BTNC 1537 | Pailo Dhan | Pungfra, Den-chukha, Samtse | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 9 | 1 | 180-185 | 5 | 9 | 9 | 3 | 3 | 0 | 2 | 2 | 9 | 1 | 3 | 1 | 5.5 | 2.3 | 2.4 | Bold | 1.6 |
| BTNC 1722 | Pakpai Bara | Menji, Lhuentse | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 7 | 1 | 190-195 | 5 | 3 | 9 | 3 | 2 | 0 | 3 | 2 | 3 | 1 | 1 | 2 | 8.5 | 3.0 | 2.8 | Bold | 1.9 |
| BTNC 1373 | Pang Bara | Bazor, Samkhar, Trashigang | 3 | 5 | 2 | 1 | 3 | 5 | 1 | 4 | 5 | 7 | 2 | 170-180 | 5 | 9 | 7 | 5 | 2 | 1 | 3 | 2 | 2 | 1 | 1 | 2 | 8.0 | 2.5 | 3.2 | Round | 2.6 |
| BTNC 1577 | Pang Bara | Toksinang, Phong-mey, Trashigang | 3 | 5 | 2 | 1 | 1 | 5 | 1 | 5 | 5 | 5 | 2 | 190-195 | 5 | 7 | 7 | 5 | 2 | 1 | 3 | 2 | 2 | 1 | 1 | 2 | 7.5 | 3.5 | 2.1 | Bold | 2.1 |
| BTNC 282 | Pang Bara | Lauri, Samdrup, Jongkhar | 5 | 5 | 1 | 1 | 5 | 2 | 3 | 5 | 7 | 7 | 1 | 155-160 | 5 | 3 | 9 | 2 | 2 | 0 | 3 | 5 | 3 | 5 | 1 | 2 | 6.4 | 3.2 | 2.0 | Bold | 2.17 |
| BTNC 354 | Pang Bara | Zangthi, Lauri, S/Jongkhar | 5 | 7 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 5 | 1 | 155-160 | 5 | 9 | 7 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 7.0 | 3.0 | 2.3 | Slender | 2.36 |
| BTNC 37 | Pang Bara | Monmola, Serthi, S/Jongkhar | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 160-165 | 5 | 9 | 7 | 1 | 2 | 0 | 4 | 3 | 1 | 1 | 1 | 2 | 7.3 | 4.0 | 1.8 | Bold | 3 |
| BTNC 818 | Pang Bara | Kherigonpa, Shumar, Pema Gatshel | 3 | 5 | 1 | 1 | 3 | 5 | 3 | 5 | 5 | 7 | 1 | 170-175 | 5 | 9 | 9 | 5 | 2 | 1 | 3 | 2 | 2 | 1 | 1 | 2 | 7.5 | 3.0 | 2.5 | Bold | 2.7 |
| BTNC 858 | Pang Bara | Chimung Pema Gatshel | 7 | 7 | 2 | 1 | 3 | 2 | 5 | 5 | 7 | 5 | 1 | 170-180 | 5 | 9 | 3 | 3 | 2 | 0 | 1 | 2 | 2 | 1 | 1 | 2 | 6.1 | 3.2 | 1.9 | Round | 1.98 |
| BTNC 888 | Pang Bara | Pheluma, Orong, S/Jongkhar | 7 | 7 | 2 | 1 | 3 | 2 | 3 | 7 | 5 | 7 | 1 | 170-175 | 7 | 3 | 9 | 5 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 8.2 | 2.4 | 3.3 | Bold | 2.15 |
| BTNC 1235 | Pang Bara/ Sam Bara | Gonpa, Chongshing, Pema Gatshel | 7 | 7 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 5 | 1 | 170-180 | 5 | 9 | 9 | 5 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 7.0 | 3.2 | 2.2 | Bold | 3.67 |
| BTNC 331 | Pangbar | Pangthang, Kanglung, Trashigang | 3 | 5 | 2 | 1 | 5 | 5 | 3 | 3 | 5 | 7 | 1 | 190-195 | 3 | 5 | 9 | 1 | 2 | 0 | 3 | 3 | 1 | 1 | 1 | 2 | 8.5 | 3.1 | 2.7 | Round | 2.7 |
| BTNC 352 | Pangbar | Benshingmo, Uddzorong, Trashigang | 7 | 7 | 2 | 1 | 3 | 5 | 3 | 3 | 7 | 9 | 1 | 165-170 | 7 | 3 | 7 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 2 | 2 | 8.2 | 3.0 | 2.7 | Round | 2.3 |
| BTNC 1046 | Paro Dhan | Panbari, Tading, Samtse | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 5 | 7 | 5 | 1 | 165-170 | 5 | 1 | 9 | 3 | 2 | 0 | 2 | 2 | 2 | 1 | 2 | 1 | 8.4 | 2.7 | 3.1 | Slender | 2.5 |
| BTNC 966 | Paro Dhan | Mitun, Dungtoe, Samtse | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 9 | 1 | 180-185 | 5 | 7 | 9 | 3 | 2 | 1 | 3 | 2 | 2 | 1 | 1 | 2 | 8.0 | 2.8 | 2.9 | Bold | 2.5 |
| BTNC 1598 | Pashing Deb | Jangfutse, Toetsho, Trashi Yangtse | 3 | 5 | 2 | 1 | 3 | 2 | 1 | 5 | 5 | 7 | 1 | 170-175 | 3 | 9 | 9 | 5 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 7.5 | 3.0 | 2.5 | Bold | 2.4 |
| BTNC 1597 | Phakpa Deb | Jengfutse, Toetsho, Trashi Yangtse | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 7 | 5 | 9 | 1 | 170-175 | 5 | 9 | 9 | 9 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 5.8 | 2.8 | 2.1 | Bold | 1.8 |
| BTNC 1804 | Phangbara | Menjigang, Phuntshothang, S/Jongkhar | 5 | 5 | 3 | 1 | 1 | 5 | 5 | 5 | 5 | 5 | 1 | 150-155 | 5 | 3 | 7 | 3 | 3 | 0 | 2 | 2 | 2 | 1 | 1 | 2 | 6.0 | 3.0 | 2.0 | Bold | 2 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|------------------|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|---------|------|
| BTNC 1096 | Pharangay | Pangtha, Den-chukha, Samtse | 5 | 3 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 9 | 1 | 170-175 | 7 | 2 | 7 | 3 | 2 | 1 | 3 | 4 | 3 | 1 | 1 | 1 | 8.1 | 2.6 | 3.1 | slender | 3 |
| BTNC 2310 | Phongmey-pa | Pangthang, Kan-glung, Trashigang | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 5 | 1 | 180-190 | 5 | 9 | 9 | 5 | 2 | 0 | 3 | 3 | 3 | 1 | 1 | 1 | 8.5 | 2.5 | 3.4 | Bold | 2.3 |
| BTNC 1 | Phongmipa | Pangthang, Kan-glung, Trashigang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 180-190 | 5 | 9 | 7 | 3 | 2 | 1 | 3 | 3 | 4 | 1 | 4 | 1 | 8.0 | 2.5 | 3.2 | Slender | 2.1 |
| BTNC 926 | Phudungay | Shetekha, Den-chukha, Samtse | 7 | 5 | 2 | 1 | 1 | 2 | 3 | 6 | 5 | 5 | 1 | 180-185 | 7 | 9 | 7 | 3 | 2 | 0 | 2 | 5 | 3 | 1 | 1 | 1 | 6.9 | 2.8 | 2.5 | Bold | 2 |
| BTNC 1440 | Phulingsup | Zhingshabu, Goen-shari, Punakha | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 5 | 3 | 7 | 2 | 190-195 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 7.5 | 3.2 | 2.3 | Bold | 2.5 |
| BTNC 1010 | Phurlungay | Chersho Pani, Pemaling, Samtse | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 7 | 1 | 155-160 | 5 | 9 | 7 | 7 | 2 | 1 | 3 | 2 | 2 | 1 | 1 | 1 | 6.8 | 3.2 | 2.1 | Bold | 2.3 |
| BTNC 325 | Punakhap | Kinga Rabten, Drakteng, Trongsa | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 170-175 | 5 | 5 | 7 | 1 | 3 | 2 | 3 | 6 | 3 | 1 | 2 | 2 | 7.6 | 4.0 | 1.9 | Round | 3.4 |
| BTNC 304 | Pyjam Dhan | Singay, Samphe-ling, Chukha | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 155-160 | 7 | 3 | 7 | 3 | 2 | 1 | 4 | 4 | 3 | 1 | 3 | 1 | 8.4 | 3.0 | 2.8 | Bold | 3 |
| BTNC 273 | Ram Bhog | Lower Saurani, Darla, Chukha | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 5 | 1 | 170-175 | 7 | 7 | 9 | 5 | 3 | 0 | 4 | 2 | 2 | 1 | 2 | 1 | 6.0 | 2.8 | 2.1 | Bold | 1.9 |
| BTNC 322 | Rangshek-harpa | Pangthang, Kan-glung, Trashigang | 7 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 5 | 1 | 185-190 | 5 | 3 | 7 | 5 | 2 | 0 | 3 | 3 | 2 | 1 | 2 | 2 | 7.0 | 2.5 | 2.8 | Bold | 1.8 |
| BTNC 1611 | Rani Gazel | Tashicholing, Samtse | 7 | 7 | 1 | 1 | 3 | 2 | 3 | 6 | 5 | 7 | 1 | 155-160 | 5 | 7 | 7 | 5 | 3 | 0 | 1 | 2 | 2 | 1 | 1 | 1 | 6.6 | 3.6 | 1.8 | Slender | 2 |
| BTNC 1812 | Ranjit | Zangsagom, Lang-chenphu | 3 | 7 | 2 | 1 | 5 | 2 | 5 | 5 | 7 | 7 | 1 | 155-160 | 5 | 5 | 3 | 3 | 2 | 0 | 1 | 3 | 3 | 1 | 1 | 1 | 6.6 | 3.4 | 1.9 | Bold | 2 |
| BTNC 982 | Ranjit | Lower Golanti, Langchenphu | 5 | 7 | 2 | 1 | 3 | 5 | 5 | 4 | 5 | 5 | 1 | 150-155 | 5 | 5 | 5 | 7 | 2 | 0 | 1 | 4 | 2 | 1 | 2 | 1 | 7.0 | 3.0 | 2.3 | Bold | 2 |
| BTNC 678 | Ranjita Dhan | Phuntsho Thang, S/Jongkhar | 5 | 7 | 1 | 1 | 5 | 5 | 5 | 6 | 7 | 7 | 1 | 150-155 | 5 | 1 | 5 | 1 | 2 | 0 | 4 | 5 | 3 | 1 | 2 | 1 | 7.0 | 2.8 | 2.5 | Bold | 2 |
| BTNC 2206 | Raptsakta pa | Menbi, Lhuentse | 3 | 5 | 1 | 1 | 3 | 2 | 3 | 6 | 5 | 5 | 1 | 185-190 | 5 | 9 | 9 | 5 | 2 | 0 | 3 | 2 | 3 | 5 | 1 | 2 | 8.0 | 2.5 | 3.2 | Slender | 2.2 |
| BTNC 103 | Rashu Bara | Tshothang, Lauri, Langchenphu | 5 | 7 | 1 | 1 | 3 | 2 | 3 | 4 | 7 | 5 | 1 | 155-160 | 7 | 7 | 9 | 3 | 3 | 0 | 4 | 5 | 3 | 1 | 1 | 2 | 8.2 | 3.0 | 2.7 | Bold | 2.27 |
| BTNC 294 | Rashu Bara | Langten, Radhi, Trashigang | 5 | 5 | 1 | 1 | 5 | 5 | 5 | 6 | 5 | 5 | 1 | 185-190 | 7 | 3 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 6.1 | 2.9 | 2.2 | Bold | 2.2 |
| BTNC 330 | Rashu Bara | Padpa Nadang, Lauri, S/Jongkhar | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 9 | 1 | 165-170 | 5 | 9 | 9 | 1 | 3 | 0 | 3 | 4 | 3 | 1 | 1 | 2 | 6.4 | 3.0 | 2.1 | Bold | 2.79 |
| BTNC 667 | Rashu Bara | Betseling, Lauri, S/Jongkhar | 7 | 7 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 9 | 1 | 155-160 | 5 | 9 | 7 | 1 | 3 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 8.6 | 3.0 | 2.9 | Bold | 3.22 |
| BTNC 680 | Rato Churay Dhan | Phuntsho Thang, S/Jongkhar | 7 | 5 | 1 | 1 | 3 | 5 | 5 | 6 | 5 | 5 | 1 | 150-155 | 5 | 3 | 7 | 3 | 2 | 1 | 4 | 6 | 3 | 1 | 1 | 2 | 8.4 | 3.0 | 2.8 | Bold | 2 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-----------------|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|---------|------|
| BTNC 1083 | Rato Dhan | Dofang, Lokchina, Chukha | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 9 | 1 | 170-175 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 7.4 | 3.4 | 2.2 | Round | 2.5 |
| BTNC 920 | Rato Dhan | Chesho Pani, Pemaling, Samtse | 5 | 5 | 2 | 1 | 3 | 5 | 1 | 6 | 5 | 5 | 1 | 160-165 | 3 | 3 | 9 | 1 | 2 | 2 | 3 | 2 | 2 | 1 | 1 | 2 | 7.0 | 2.8 | 2.5 | Bold | 2.5 |
| BTNC 988 | Rato Dhan/ Toep | Dogap, Dungtoe, Samtse | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 5 | 1 | 180-190 | 7 | 5 | 9 | 3 | 3 | 0 | 3 | 5 | 2 | 1 | 1 | 2 | 8.0 | 3.0 | 2.7 | Bold | 2.4 |
| BTNC 1102 | Ray | Jabchog, Bjabchho, Chukha | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 3 | 5 | 7 | 1 | 180-190 | 5 | 5 | 7 | 1 | 2 | 0 | 3 | 5 | 9 | 1 | 1 | 2 | 7.5 | 3.1 | 2.4 | Bold | 2.7 |
| BTNC 1231 | Ray | Tshima Sham, Bjabchho, Chukha | 3 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 180-190 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 1 | 1 | 1 | 2 | 2 | 8.0 | 3.7 | 2.2 | Bold | 2.4 |
| BTNC 1084 | Ray Kap | Pagchikha, Bongo, Chukha | 1 | 5 | 3 | 1 | 3 | 2 | 3 | 4 | 3 | 5 | 1 | 170-175 | 5 | 5 | 7 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 8.3 | 3.1 | 2.7 | Slender | 2.24 |
| BTNC 47 | Ray Kar | Baling, Langthel, Trongsa | 5 | 5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 | 1 | 170-175 | 7 | 7 | 7 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 2 | 1 | 7.0 | 2.8 | 2.5 | Bold | 2.1 |
| BTNC 1100 | Ray Maap | Dungna, Chukha | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 7 | 1 | 180-190 | 5 | 7 | 9 | 3 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 8.0 | 3.0 | 2.7 | Bold | 2.4 |
| BTNC 660 | Ray Maap | Kinga Rabten, Drakteng, Trongsa | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 160-170 | 5 | 9 | 9 | 5 | 3 | 0 | 3 | 2 | 2 | 1 | 2 | 2 | 8.0 | 2.5 | 3.2 | Bold | 2.2 |
| BTNC 292 | Ray Mar | Baleng, Langthel, Trongsa | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 9 | 1 | 160-165 | 7 | 5 | 7 | 3 | 3 | 0 | 2 | 5 | 2 | 1 | 1 | 2 | 7.8 | 3.0 | 2.6 | Bold | 2.4 |
| BTNC 1298 | Ray Marp | Bana, Lajab, Dagana | 3 | 5 | | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 2 | 190-195 | 5 | 5 | 7 | 3 | 3 | 1 | 3 | 1 | 9 | 1 | 1 | 2 | 8.1 | 3.0 | 2.7 | Bold | 2.4 |
| BTNC 1018 | Ray Nam | Alaykha, Bongo, Chukha | 3 | 5 | 2 | 1 | 3 | 3 | 3 | 4 | 5 | 7 | 1 | 170-175 | 5 | 5 | 9 | 3 | 3 | 1 | 2 | 1 | 9 | 1 | 1 | 2 | 8.0 | 3.2 | 2.5 | Slender | 3.4 |
| BTNC 1576 | Ray nam | Tashiding, Tseza, Dagana | 3 | 5 | 2 | 1 | 3 | 3 | 3 | 4 | 5 | 7 | 1 | 180-185 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 5 | 9 | 1 | 1 | 2 | 7.7 | 3.2 | 2.4 | Slender | 2.5 |
| BTNC 1813 | Robtang Bara | Luzor, Gomdar, S/Jongkhar | 5 | 7 | 2 | 1 | 1 | 2 | 3 | 5 | 7 | 7 | 1 | 155-165 | 5 | 9 | 9 | 3 | 2 | 0 | 3 | 8 | 5 | 1 | 1 | 2 | 4.8 | 2.4 | 2.0 | Bold | 3.4 |
| BTNC 2342 | Robtang Bara | Phuntshothang, S/Jongkhar | 7 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 7 | 1 | 155-160 | 5 | 1 | 7 | 1 | 2 | 1 | 4 | 4 | 2 | 1 | 2 | 1 | 8.0 | 2.8 | 2.9 | Bold | 3 |
| BTNC 240 | Robtang Bara | Shokshi, Gomdar, S/Jongkhar | 7 | 7 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 170-180 | 5 | 9 | 9 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 6.8 | 3.2 | 2.1 | Bold | 3.16 |
| BTNC 263 | Robtang Bara | Khoyar, Gomdar, S/Jongkhar | 7 | 7 | 1 | 1 | 3 | 2 | 5 | 6 | 5 | 7 | 1 | 170-175 | 5 | 5 | 2 | 3 | 2 | 2 | 3 | 2 | 2 | 1 | 1 | 2 | 9.0 | 3.2 | 2.8 | Bold | 3.1 |
| BTNC 14 | Ruduwa | Manithang, Phuentenchu, Tsirang | 5 | 5 | 2 | 1 | 3 | 5 | 1 | 4 | 3 | 5 | 1 | 165-170 | 7 | 3 | 9 | 1 | 2 | 1 | 4 | 8 | 3 | 1 | 3 | 1 | 6.2 | 2.9 | 2.1 | Bold | 1.9 |
| BTNC 2073 | Run Tsham | Gongphu, Trong, Zhemgang | 5 | 5 | 2 | 1 | 7 | 5 | 3 | 4 | 5 | 7 | 1 | 180-185 | 5 | 1 | 7 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 7.2 | 3.2 | 2.3 | Bold | 2.4 |
| BTNC 675 | Sam Bara | Mentsang, Orong, S/Jongkhar | 5 | 7 | 2 | 1 | 3 | 5 | 5 | 6 | 7 | 7 | 1 | 170-175 | 7 | 3 | 7 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 7.0 | 3.3 | 2.1 | Bold | 1.91 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|---|---|---|---|-----|-----|-----|---------|------|
| BTNC 281 | Sam Bara | Denchhi, Gomdar, S/Jongkhar | 5 | 7 | 2 | 1 | 5 | 5 | 3 | 6 | 7 | 7 | 2 | 170-175 | 6 | 9 | 3 | 3 | 1 | 0 | 4 | 2 | 2 | 1 | 2 | 2 | 7.2 | 2.8 | 2.6 | Bold | 3.45 |
| BTNC 15 | Sanu Attay | Bararay Salery, Semjong, Tsirang | 7 | 5 | 2 | 1 | 3 | 5 | 1 | 6 | 5 | 7 | 1 | 180-185 | 5 | 9 | 9 | 3 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 5.1 | 2.7 | 1.9 | Round | 1.6 |
| BTNC 355 | Sanu Attay | Jigmechoeling, Sarpong | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 7 | 1 | 155-160 | 7 | 9 | 9 | 5 | 2 | 0 | 4 | 6 | 3 | 1 | 1 | 1 | 5.4 | 2.4 | 2.2 | Bold | 1.6 |
| BTNC 1799 | Sarbari | Khameythang, Phuntshothang, S/Jongkhar | 5 | 5 | 2 | 1 | 1 | 2 | 5 | 2 | 7 | 3 | 1 | 155-160 | 5 | 1 | 9 | 5 | 2 | 0 | 2 | 2 | 2 | 1 | 1 | 1 | 6.0 | 3.0 | 2.0 | Bold | 3 |
| BTNC 1807 | Sasunali | Belamsharang, Phuntshothang, S/Jongkhar | 7 | 5 | 1 | 1 | 5 | 2 | 5 | 6 | 7 | 7 | 1 | 150-155 | 7 | 7 | 9 | 1 | 2 | 0 | 1 | 2 | 9 | 1 | 3 | 1 | 5.8 | 2.6 | 2.2 | Bold | 2 |
| BTNC 2197 | Seto Masiño | Pungfra, Denchukha, Samtse | 9 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 9 | 1 | 180-185 | 5 | 7 | 5 | 3 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 6.7 | 3.5 | 1.9 | Bold | 2 |
| BTNC 1015 | Shab Ja Kab | Mirchim, Bongo, Chukha | 3 | 5 | 3 | 1 | 3 | 2 | 3 | 4 | 5 | 5 | 1 | 170-175 | 5 | 5 | 7 | 1 | 2 | 1 | 3 | 4 | 1 | 1 | 1 | 1 | 7.9 | 3.1 | 2.5 | Bold | 2.1 |
| BTNC 1708 | Shangyapa | Yangteng, Bumdeling, Trashiyangtse | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 9 | 1 | 185-190 | 3 | 2 | 9 | 3 | 2 | 1 | 4 | 5 | 3 | 1 | 3 | 2 | 8.0 | 2.5 | 3.2 | Bold | 2.5 |
| BTNC 1031 | Shengap | Limbuukha, Wangdue Phodrang | 5 | 5 | 2 | 1 | 3 | 2 | 1 | 5 | 5 | 5 | 1 | 180-190 | 5 | 9 | 7 | 5 | 3 | 0 | 4 | 3 | 2 | 1 | 1 | 2 | 7.5 | 3.0 | 2.5 | Bold | 2.1 |
| BTNC 382 | Sheto Botay/Par | Upper Saurani, Darla, Chukha | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 7 | 5 | 5 | 1 | 175-180 | 5 | 7 | 5 | 3 | 2 | 1 | 3 | 5 | 2 | 1 | 1 | 1 | 7.5 | 3.0 | 2.5 | Bold | 2.5 |
| BTNC 1043 | Sheto Masino | Bitch Gaon, Dung-toe, Samtse | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 7 | 7 | 1 | 170-175 | 7 | 1 | 9 | 5 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 5.2 | 3.0 | 1.7 | Bold | 1.9 |
| BTNC 365 | Sheto Mashino | Bitch Gaonn, Dungte, Chukha | 7 | 5 | 1 | 1 | 3 | 5 | 3 | 3 | 7 | 5 | 1 | 170-175 | 7 | 3 | 9 | 2 | 3 | 0 | 1 | 2 | 2 | 1 | 1 | 1 | 5.6 | 3.0 | 1.9 | Round | 2 |
| BTNC 1861 | Shilampa Bara | Borangmo, Norbugang, Pema Gatshel | 7 | 5 | 1 | 1 | 3 | 2 | 3 | 4 | 7 | 5 | 1 | 155-160 | 5 | 1 | 7 | 3 | 2 | 0 | 3 | 4 | 2 | 1 | 2 | 2 | 7.0 | 3.0 | 2.3 | Slender | 2 |
| BTNC 217 | Shingkhart-pa Bara | Wooshorong, Bartsham, Trashigang | 5 | 5 | 1 | 1 | 1 | 2 | 1 | 6 | 5 | 5 | 2 | 185-190 | 5 | 9 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 1 | 2 | 2 | 7.0 | 2.5 | 2.8 | Slender | 2.4 |
| BTNC 1370 | Shung Bara | Lampangthang, Thrimshing, Trashigang | 3 | 5 | 2 | 1 | 1 | 5 | 1 | 6 | 5 | 5 | 2 | 185-190 | 5 | 9 | 7 | 5 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 7.5 | 3.0 | 2.5 | Bold | 2.1 |
| BTNC 645 | Sonala Bara | Yangteng, Bumdeling, Trashi Yangtse | 3 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 7 | 1 | 185-190 | 5 | 9 | 7 | 3 | 2 | 0 | 1 | 11 | 9 | 1 | 3 | 2 | 8.5 | 2.5 | 3.4 | Bold | 2.2 |
| BTNC 13 | Sukhimi Dhan | Semjong, Tsirang | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 7 | 7 | 1 | 185-190 | 7 | 9 | 9 | 3 | 2 | 0 | 3 | 5 | 2 | 1 | 2 | 1 | 7.4 | 3.4 | 2.2 | Bold | 2.4 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|------|-----|-----|---------|------|
| BTNC 206 | Sukhimi Dhan | Samshing Gaden, Mendrelgang, Tsirang | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 7 | 1 | 180-185 | 5 | 7 | 7 | 7 | 2 | 1 | 4 | 3 | 2 | 1 | 2 | 1 | 6.7 | 3.0 | 2.2 | Bold | 2 |
| BTNC 127 | Sukhini Dhan | Bararay, Semjong | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 185-190 | 5 | 9 | 9 | 5 | 2 | 0 | 4 | 2 | 2 | 1 | 2 | 1 | 6.3 | 3.0 | 2.1 | Round | 2.2 |
| BTNC 1966 | Sukumee | Majuwa, Kikort-hang, Tsirang | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 185-190 | 5 | 9 | 7 | 1 | 2 | 2 | 4 | 5 | 3 | 1 | 1 | 1 | 7.0 | 2.9 | 2.4 | Bold | 2.24 |
| BTNC 673 | Suly Ka-chum | Hesokha, Gasethog Wom, Wangdue Phodrang | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 5 | 1 | 175-180 | 5 | 0 | 7 | 3 | 3 | 0 | 3 | 5 | 3 | 1 | 1 | 1 | 7.5 | 3.0 | 2.5 | Bold | 2 |
| BTNC 1585 | Sung Sung Bara | Yangtheng, Bumdeling, Trashi Yangtse | 3 | 5 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 3 | 1 | 190-195 | 3 | 9 | 7 | 5 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 6.5 | 3.0 | 2.2 | Bold | 2 |
| BTNC 670 | Sung Sung Bara | Kenmong, Tongzhang, Trashi Yangtse | 5 | 7 | 1 | 1 | 5 | 2 | 3 | 7 | 7 | 7 | 1 | 175-180 | 5 | 9 | 5 | 2 | 2 | 0 | 7 | 5 | 3 | 1 | 2 | 2 | 8.0 | 3.2 | 2.5 | Slender | 2.65 |
| BTNC 335 | Sung Sung Bara | Chortong, Chaskhar, Monger | 5 | 7 | 1 | 1 | 5 | 5 | 5 | 6 | 5 | 7 | 1 | 175-180 | 7 | 1 | 9 | 3 | 2 | 0 | 6 | 2 | 2 | 1 | 1 | 2 | 7.5 | 3.2 | 2.3 | Small | 2.15 |
| BTNC 353 | Sung Sung Bara | Pangthang, Radhi, Trashigang | 5 | 7 | 1 | 1 | 5 | 2 | 3 | 6 | 7 | 7 | 1 | 170-175 | 5 | 9 | 9 | 1 | 2 | 0 | 1 | 4 | 3 | 1 | 1 | 2 | 7.0 | 2.8 | 2.5 | Bold | 2.36 |
| BTNC 632 | Sung Sung Bara | Khoji Dung, Udzorong, Trashigang | 7 | 7 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 7 | 1 | 160-165 | 5 | 3 | 9 | 3 | 2 | 0 | 1 | 2 | 2 | 1 | 1 | 2 | 4.9 | 2.8 | 1.8 | Bold | 1.4 |
| BTNC 2339 | Tagmachu | Bhur, Jigmechoeling, Sarpang | 7 | 5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 | 1 | 160-165 | 5 | 7 | 5 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 10.3 | 2.5 | 4.1 | Bold | 2.7 |
| BTNC 1899 | Tagmaru | Patsaling, Tsirang | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 6 | 5 | 5 | 1 | 170-175 | 5 | 7 | 9 | 3 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 3 | 7.7 | 3.0 | 2.6 | Bold | 2.3 |
| BTNC 1437 | Tan Tshering | Damgoma, Toewang, Punakha | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 170-175 | 5 | 5 | 7 | 3 | 2 | 1 | 3 | 2 | 3 | 1 | 1 | 1 | 8.2 | 2.9 | 2.8 | Bold | 2.5 |
| BTNC 1448 | Tan Tshering | Nubgang, Talo, Punakha | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 3 | 3 | 7 | 1 | 190-195 | 5 | 5 | 9 | 3 | 2 | 0 | 3 | 4 | 1 | 1 | 1 | 1 | 8.3 | 3.0 | 2.8 | Bold | 2.6 |
| BTNC 134 | Tandin Tshering | Tokha, Toebisa, Punakha | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 170-175 | 5 | 5 | 9 | 3 | 2 | 0 | 3 | 1 | 1 | 1 | 1 | 1 | 7.4 | 3.4 | 2.2 | Slender | 2.2 |
| BTNC 1796 | Tandin Tshering | Wamkhar, Chali, Monger | 7 | 7 | 1 | 1 | 3 | 2 | 5 | 4 | 7 | 5 | 1 | 170-180 | 5 | 9 | 3 | 5 | 2 | 0 | 1 | 2 | 2 | 1 | 1 | 1 | 7.1 | 3.8 | 1.9 | Round | 2.99 |
| BTNC 962 | Tauli | Relukha, Denchukha, Samtse | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 180-185 | 7 | 9 | 9 | 5 | 2 | 0 | 3 | 5 | 2 | 1 | 1 | 1 | 6.9 | 2.7 | 2.6 | Bold | 2.3 |
| BTNC 1536 | Tawli Dhan | Relukha, Denchukha, Samtse | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 180-185 | 5 | 7 | 9 | 3 | 2 | 0 | 4 | 5 | 2 | 1 | 1 | 1 | 7.8 | 3.2 | 2.4 | Bold | 2.4 |
| BTNC 24 | Tenzin Bondey | Bayling, Langthel, Trongsa | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 5 | 7 | 1 | 155-160 | 5 | 9 | 9 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 5.4 | 2.5 | 2.2 | Slender | 1.5 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-----------------|--|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|----|---|---|---|---|-----|-----|-----|---------|-----|
| BTNC 272 | Tenzinla Bondey | Kinga Rabten, Drakteng, Trongsa | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 3 | 7 | 1 | 170-175 | 5 | 5 | 7 | 5 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 7.0 | 2.8 | 2.5 | Bold | 2.6 |
| BTNC 1004 | Thamja | Dopshari, Paro | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 7 | 1 | 190-195 | 3 | 9 | 9 | 5 | 2 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 7.5 | 3.0 | 2.5 | Bold | 1.5 |
| BTNC 48 | Thayray | Woochu, Lungnyi, Paro | 5 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 9 | 1 | 3 | 0 | 3 | 1 | 1 | 5 | 1 | 2 | 8.4 | 3.2 | 2.6 | Bold | 2.4 |
| BTNC 32 | Themja | Dayangkha, Shaba, Paro | 5 | 5 | 3 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 3 | 0 | 3 | 1 | 1 | 1 | 1 | 2 | 7.4 | 3.1 | 2.4 | Bold | 2.1 |
| BTNC 251 | Thosara Bara | Kothiline, Sampheling, Chukha | 7 | 5 | 1 | 1 | 1 | 2 | 3 | 6 | 7 | 7 | 1 | 150-155 | 5 | 3 | 5 | 5 | 3 | 1 | 3 | 4 | 2 | 1 | 2 | 2 | 7.0 | 3.0 | 2.3 | Bold | 2 |
| BTNC 1003 | Timburay | Jumsa, Tendruk, Samtse | 5 | 5 | 2 | 1 | 3 | 3 | 3 | 5 | 5 | 7 | 1 | 150-160 | 7 | 5 | 7 | 3 | 2 | 1 | 4 | 3 | 9 | 1 | 3 | 1 | 5.7 | 3.0 | 1.9 | Round | 2.2 |
| BTNC 1301 | Timbur | Phapar Kheti, Drujajang | 7 | 5 | 1 | 1 | 5 | 5 | 3 | 8 | 7 | 7 | 1 | 185-190 | 7 | 3 | 9 | 3 | 3 | 0 | 1 | 2 | 2 | 1 | 1 | 1 | 4.8 | 2.6 | 1.8 | Bold | 3 |
| BTNC 1035 | Timburay | Khempa, Tading, Chukha | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 5 | 5 | 5 | 1 | 170-175 | 5 | 7 | 9 | 1 | 2 | 0 | 4 | 11 | 9 | 1 | 3 | 1 | 6.0 | 3.0 | 2.0 | Bold | 1.8 |
| BTNC 1300 | Timburay | Pasgserbu, Drujajang | 5 | 5 | 2 | 1 | 5 | 5 | 3 | 4 | 5 | 5 | 1 | 185-190 | 5 | 7 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 1 | 5.2 | 2.8 | 1.9 | Slender | 1.6 |
| BTNC 1090 | Toeb | Chanachen, Gel-ing, Chukha | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 5 | 7 | 1 | 190-195 | 5 | 5 | 7 | 3 | 2 | 1 | | 11 | 9 | 1 | 1 | 2 | 7.5 | 3.1 | 2.4 | Bold | 2.2 |
| BTNC 677 | Toep Maap | Khataykha, Gasetshog Wom, Wangdue Phodrang | 3 | 5 | 2 | 1 | 1 | 5 | 3 | 6 | 5 | 7 | 1 | 175-180 | 5 | 7 | 9 | 5 | 3 | 0 | 3 | 2 | 2 | 1 | 1 | 2 | 7.5 | 3.0 | 2.5 | Bold | 2.1 |
| BTNC 2050 | Tolingphu | Khenri, Uddorong, Trashigang | 7 | 5 | 1 | 1 | 5 | 5 | 5 | 7 | 5 | 7 | 1 | 165-170 | 5 | 5 | 9 | 5 | 3 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 6.0 | 3.2 | 1.9 | Bold | 2 |
| BTNC 324 | Trongsarpa | Yagpu Gang, Mongar | 5 | 5 | 2 | 1 | 3 | 2 | 5 | 6 | 7 | 7 | 1 | 185-190 | 5 | 3 | 5 | 5 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 8.0 | 2.5 | 3.2 | Bold | 1.8 |
| BTNC 682 | Tshangapa | Bainang Rape, Ki-korthang, Tsirang | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 7 | 5 | 7 | 1 | 170-180 | 5 | 7 | 9 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 7.9 | 2.6 | 3.0 | Bold | 2.3 |
| BTNC 286 | Tshering Zam | Themnangbi, Saling, Monger | 5 | 5 | 1 | 1 | 5 | 2 | 3 | 7 | 7 | 7 | 1 | 165-170 | 5 | 3 | 9 | 1 | 1 | 0 | 1 | 2 | 3 | 1 | 2 | 1 | 6.4 | 3.0 | 2.1 | Round | 1 |
| BTNC 860 | Tshewang Bara | Pangthang, Khar, P/Gatshel | 7 | 7 | 2 | 1 | 5 | 2 | 3 | 6 | 5 | 9 | 1 | 170-175 | 6 | 9 | 7 | 3 | 2 | 0 | 2 | 2 | 2 | 1 | 2 | 2 | 6.7 | 3.0 | 2.3 | Bold | 3.5 |
| BTNC 336 | Tsho bara | Denphu, Serthi, S/Jongkhar | 5 | 7 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 9 | 1 | 170-175 | 5 | 9 | 9 | 1 | 2 | 0 | 4 | 3 | 2 | 1 | 1 | 2 | 6.4 | 3.0 | 2.1 | Round | 2.1 |
| BTNC 1570 | Tsirang Zam | Mongar | 7 | 7 | 1 | 1 | 5 | 2 | 3 | 8 | 7 | 7 | 1 | 160-170 | 7 | 3 | 9 | 1 | 1 | 0 | 3 | 2 | 3 | 1 | 2 | 1 | 5.8 | 2.6 | 2.2 | Bold | 1 |
| BTNC 204 | Tsirang Zam | Monmola, Serthi, S/Jongkhar | 5 | 7 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 9 | 1 | 170-175 | 7 | 3 | 3 | 1 | 1 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 5.0 | 3.0 | 1.7 | Bold | 3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------------------------|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|---------|------|
| BTNC 2331 | Tsirang Zam | Saling, Monger | 5 | 5 | 1 | 1 | 3 | 5 | 3 | 8 | 5 | 5 | 1 | 170-180 | 5 | 5 | 7 | 5 | 1 | 0 | 1 | 2 | 3 | 1 | 2 | 1 | 5.8 | 4.0 | 1.5 | Round | 1 |
| BTNC 1724 | Tsirang Zangmo | Wamkhar, Chali, Monger | 7 | 7 | 2 | 1 | 3 | 2 | 3 | 7 | 7 | 7 | 1 | 175-180 | 5 | 9 | 3 | 3 | 2 | 3 | 4 | 2 | 2 | 1 | 1 | 1 | 4.8 | 2.1 | 2.3 | Bold | 2.99 |
| BTNC 1805 | Utarkhan | Pemathang, S/Jongkhar | 5 | 7 | 2 | 1 | 1 | 2 | 3 | 4 | 7 | 3 | 1 | 155-160 | 5 | 3 | 3 | 5 | 2 | 0 | 2 | 4 | 2 | 1 | 1 | 1 | 6.6 | 3.0 | 2.2 | Bold | 2 |
| BTNC 1715 | Wangda Karm | Gargong, Kurtoe, Lhuentse | 5 | 5 | 2 | 1 | 1 | 2 | 1 | 6 | 5 | 7 | 1 | 190-195 | 5 | 9 | 9 | 5 | 2 | 0 | 3 | 2 | 3 | 1 | 1 | 1 | 7.0 | 2.5 | 2.8 | Bold | 2.3 |
| BTNC 2315 | Wangda Karm | Dopchukha, Goenshari, Punakha | 3 | 5 | 2 | 1 | 1 | 2 | 3 | 7 | 5 | 5 | 1 | 180-190 | 5 | 9 | 9 | 5 | 2 | 1 | 3 | 2 | 3 | 1 | 1 | 1 | 8.0 | 2.5 | 3.2 | Bold | 2 |
| BTNC 613 | Wangda Karm | Langten, Radhi, Trashigang | 5 | 5 | 1 | 1 | 5 | 2 | 5 | 6 | 7 | 5 | 1 | 175-180 | 6 | 1 | 9 | 4 | 2 | 1 | 6 | 2 | 2 | 1 | 1 | 1 | 7.3 | 2.3 | 3.3 | Bold | 2.25 |
| BTNC 815 | Wangda Karm | Ganzur, Lhuentse | 5 | 5 | 1 | 1 | 3 | 2 | 3 | 6 | 7 | 9 | 1 | 190-195 | 5 | 3 | 9 | 5 | 3 | 4 | 3 | 2 | 3 | 1 | 1 | 1 | 3.0 | 2.2 | 1.4 | Round | 2.1 |
| BTNC 1237 | Wangda Karm | Dochu Kha, Goenshari, Punakha | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 5 | 3 | 7 | 1 | 190-195 | 5 | 5 | 9 | 1 | 2 | 5 | 3 | 5 | 9 | 1 | 2 | 1 | 8.4 | 3.9 | 2.2 | Bold | 2.3 |
| BTNC 1436 | Wangda Karm | Tongzhina, Kabjisa, Punakha | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 170-180 | 5 | 5 | 7 | 3 | 2 | 2 | 3 | 1 | 1 | 1 | 2 | 1 | 8.0 | 3.1 | 2.6 | Bold | 2.4 |
| BTNC 333 | Wang Da-kam/Sukimi Dhan | Mendrelgang, Tsirang | 3 | 5 | 2 | 1 | 3 | 2 | 3 | 4 | 3 | 7 | 1 | 180-185 | 5 | 5 | 7 | 3 | 2 | 2 | 3 | 1 | 1 | 1 | 2 | 1 | 8.0 | 3.1 | 2.6 | Bold | 2.4 |
| BTNC 648 | Wangdue Karma | Kheni, Toetsho, Trashiyangtse | 5 | 7 | 1 | 1 | 3 | 2 | 5 | 5 | 5 | 7 | 1 | 185-190 | 7 | 9 | 9 | 3 | 2 | 0 | 1 | 2 | 2 | 1 | 1 | 1 | 8.9 | 2.1 | 4.2 | Slender | 2.18 |
| BTNC 1720 | Wangdue Karmo | Wamkhar, Chali, Monger | 7 | 5 | 1 | 1 | 5 | 2 | 3 | 6 | 5 | 7 | 1 | 180-185 | 7 | 9 | 9 | 3 | 2 | 0 | 1 | 3 | 3 | 1 | 1 | 1 | 6.3 | 2.6 | 2.4 | Bold | 2.29 |
| BTNC 1726 | Wangdue Karmo | Samling, Gangzur, Lhuentse | 7 | 7 | 1 | 1 | 3 | 2 | 3 | 7 | 5 | 7 | 1 | 190-195 | 5 | 3 | 7 | 5 | 2 | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 7.0 | 3.0 | 2.3 | Bold | 2.95 |
| BTNC 18 | Wangdue Karmo | Khoyar, Gomdar, S/Jongkhar | 7 | 7 | 2 | 1 | 3 | 2 | 3 | 3 | 7 | 7 | 1 | 170-175 | 7 | 9 | 9 | 3 | 3 | 2 | 3 | 2 | 2 | 1 | 2 | 1 | 6.8 | 3.2 | 2.1 | Bold | 3.15 |
| BTNC 2025 | Wangdue Karmo | Norbrangsa, Chali, Monger | 5 | 5 | 1 | 1 | 3 | 2 | 5 | 6 | 7 | 7 | 1 | 170-175 | 5 | 3 | 9 | 5 | 2 | 0 | 3 | 2 | 3 | 1 | 2 | 1 | 6.8 | 3.3 | 2.1 | Bold | 2 |
| BTNC 296 | Wangdue Karmo | Dench, Gomdar, S/Jongkhar | 7 | 7 | 1 | 1 | 3 | 5 | 3 | 6 | 7 | 7 | 1 | 165-170 | 6 | 3 | 7 | 3 | 2 | 5 | 4 | 2 | 2 | 1 | 1 | 1 | 8.4 | 2.2 | 3.9 | Slender | 2.95 |
| BTNC 35 | Wangdue Karmo | Panglem, Thangrong, Monger | 7 | 7 | 2 | 1 | 3 | 2 | 3 | 5 | 5 | 7 | 1 | 170-175 | 5 | 9 | 7 | 3 | 2 | 0 | 1 | 2 | 2 | 1 | 1 | 2 | 4.1 | 2.6 | 1.6 | Round | 1.49 |
| BTNC 616 | Wangdue Karmo Bra | Lekpachu, Gangzur, Lhuentse | 7 | 5 | 1 | 1 | 1 | 2 | 3 | 3 | 7 | 3 | 1 | 185-190 | 5 | 3 | 7 | 1 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 7.0 | 3.2 | 2.2 | Bold | 1.96 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------------------|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|---------|------|
| BTNC 297 | Wangdue Karmo Bra | Bumtang, Phongmey, Trashigang | 7 | 7 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 5 | 1 | 185-190 | 5 | 9 | 7 | 3 | 2 | 0 | 3 | 5 | 5 | 1 | 3 | 1 | 8.2 | 3.4 | 2.4 | Bold | 2.87 |
| BTNC 983 | Wangdue Karmu | Monmola, Serthi, S/Jongkhar | 5 | 5 | 1 | 1 | 3 | 2 | 3 | 6 | 7 | 9 | 1 | 150-155 | 7 | 3 | 7 | 1 | 2 | 0 | 4 | 1 | 2 | 1 | 1 | 2 | 3.3 | 2.8 | 1.2 | Round | 2.8 |
| BTNC 742 | Wangdue Karmo | Orong, Samdrup Jongkhar | 9 | 5 | 2 | 1 | 1 | 5 | 5 | 4 | 7 | 7 | 2 | 170-175 | 7 | 5 | 9 | 3 | 2 | 0 | 1 | 2 | 2 | 1 | 2 | 2 | 5.4 | 3.0 | 1.8 | Round | 2 |
| BTNC 746 | Wangdue Karmo Bra | Menbi, Lhuentse | 5 | 5 | 1 | 1 | 5 | 2 | 5 | 6 | 5 | 7 | 1 | 190-195 | 5 | 1 | 9 | 3 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 1 | 7.4 | 3.0 | 2.5 | bold | 2 |
| BTNC 647 | Wangmo Karpa Bra | Lomari, Khamdang, Trashiyangtse | 7 | 7 | 2 | 1 | 3 | 2 | 3 | 6 | 7 | 9 | 1 | 180-190 | 5 | 5 | 7 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 7.2 | 3.2 | 2.3 | Bold | 1.52 |
| BTNC 1777 | Wangphur Zangmo | Wamkhar, Chali, Monger | 7 | 7 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 5 | 1 | 175-180 | 5 | 9 | 7 | 3 | 2 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 7.8 | 3.4 | 2.3 | Bold | 2.14 |
| BTNC 2209 | Wangphur Zangmo | Wamkhar, Chali, Monger | 7 | 5 | 2 | 1 | 3 | 5 | 3 | 7 | 5 | 7 | 1 | 175-180 | 5 | 9 | 9 | 3 | 2 | 1 | 4 | 2 | 2 | 1 | 2 | 1 | 5.8 | 2.5 | 2.3 | Bold | 1.9 |
| BTNC 22 | Yangtsepa | Khoyar, Gomdar, S/Jongkhar | 5 | 7 | 2 | 1 | 3 | 5 | 5 | 6 | 7 | 5 | 1 | 175-180 | 5 | 9 | 3 | 3 | 3 | 1 | 3 | 2 | 2 | 1 | 1 | 2 | 6.9 | 3.0 | 2.3 | Bold | 3.05 |
| BTNC 1082 | Yue Ray | Mirchim, Bongo, Chukha | 5 | 5 | 2 | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 1 | 170-175 | 7 | 7 | 9 | 3 | 3 | 0 | 2 | 5 | 2 | 1 | 1 | 2 | 8.0 | 3.0 | 2.7 | Bold | 2.3 |
| BTNC 1864 | Yula | Kilung, Gangzur, Lhuentse | 5 | 7 | 2 | 1 | 3 | 5 | 3 | 7 | 7 | 9 | 1 | 185-190 | 5 | 3 | 3 | 3 | 3 | 0 | 1 | 2 | 2 | 1 | 2 | 1 | 4.2 | 2.6 | 1.6 | Round | 1.45 |
| BTNC 1779 | Zakha | Rothpa, Gangzur, Lhuentse | 7 | 5 | 2 | 1 | 1 | 5 | 5 | 6 | 5 | 7 | 1 | 190-195 | 7 | 7 | 7 | 2 | 1 | 0 | 4 | 2 | 2 | 1 | 2 | 2 | 6.0 | 3.0 | 2.0 | Bold | 3.12 |
| BTNC 1022 | Zakha Kaap | Tana, Dzomi, Punakha | 5 | 5 | 2 | 1 | 1 | 3 | 1 | 3 | 3 | 9 | 1 | 170-175 | 5 | 5 | 7 | 3 | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 7.2 | 3.3 | 2.2 | Bold | 3.3 |
| BTNC 626 | Zhung Bara | Shazam, Khamdang, Trashiyangtse | 7 | 5 | 1 | 1 | 1 | 2 | 3 | 2 | 7 | 9 | 1 | 170-180 | 7 | 9 | 3 | 1 | 2 | 2 | 4 | 2 | 2 | 1 | 1 | 2 | 4.8 | 3.0 | 1.6 | Round | 2.98 |
| BTNC 72 | Zhung Bara | Khoyar, Gomdar, S/Jongkhar | 7 | 7 | 2 | 1 | 5 | 2 | 5 | 8 | 5 | 9 | 1 | 170-175 | 7 | 2 | 7 | 3 | 2 | 0 | 4 | 3 | 2 | 1 | 1 | 2 | 8.7 | 3.5 | 2.5 | Bold | 3.1 |
| BTNC 232 | Zindi | Bayling, Langthel, Trongsa | 3 | 7 | 2 | 1 | 3 | 1 | 5 | 5 | 7 | 5 | 1 | 155-160 | 5 | 9 | 7 | 3 | 1 | 0 | 1 | 2 | 2 | 1 | 2 | 1 | 6.0 | 2.7 | 2.3 | Bold | 3.45 |
| BTNC 2107 | Zintila | Dangkhar, Trong, Zhemgang | 3 | 5 | 2 | 1 | 1 | 5 | 3 | 5 | 7 | 5 | 1 | 185-190 | 5 | 9 | 5 | 5 | 3 | 0 | 4 | 2 | 2 | 1 | 1 | 2 | 7.0 | 3.5 | 2.0 | Bold | 2 |
| BTNC 2365 | Zintila | Gongphu, Trong, Zhemgang | 7 | 7 | 2 | 1 | 3 | 5 | 3 | 7 | 7 | 7 | 1 | 180-185 | 6 | 9 | 9 | 5 | 3 | 0 | 4 | 2 | 2 | 1 | 2 | 2 | 7.6 | 2.2 | 3.5 | Slender | 2.8 |
| BTNC 1595 | Zubara | Chenkhensh, Radhi, Trashigang | 3 | 5 | 2 | 1 | 1 | 5 | 3 | 4 | 5 | 7 | 1 | 190-195 | 3 | 9 | 9 | 5 | 3 | 1 | 3 | 2 | 2 | 1 | 1 | 2 | 8.5 | 3.5 | 2.4 | Bold | 2.2 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---------|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|-------|-----|
| BTNC 1446 | Zuchum | Begana, Toebesa, Punakha | 3 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 3 | 7 | 2 | 170- 175 | 5 | 5 | 9 | 1 | 2 | 0 | 3 | 2 | 1 | 1 | 1 | 2 | 8.4 | 3.6 | 2.4 | Bold | 2.3 |
| BTNC 36 | Zuchum | Woluna, Mewang, Thimphu | 5 | 5 | 3 | 1 | 3 | 5 | 3 | 3 | 3 | 9 | 2 | 190- 195 | 5 | 5 | 7 | 3 | 2 | 0 | 3 | 1 | 1 | 1 | 1 | 2 | 8.1 | 2.7 | 3.0 | Bold | 2.3 |
| BTNC 2067 | Zurbupa | Lichibi, Goshing, Zhemgang | 5 | 5 | 2 | 1 | 1 | 5 | 3 | 4 | 5 | 7 | 1 | 180- 185 | 5 | 7 | 7 | 5 | 1 | 0 | 2 | 2 | 1 | 1 | 1 | 1 | 6.7 | 3.5 | 1.9 | Round | 2.3 |



Phyjam Dhan variety

